BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS '83

JA
401
.B61
1983
c.2

North Carolina State Library
Raleigh

AUG 13 1984

N.C. Doc.

BASIC AUTOMATED BIRTH YEARBOOK



NORTH CAROLINA RESIDENTS '83



Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1983nort



This report, referred to as "THE BABY BOOK," contains computerized tables showing statewide counts and percentages for 1983 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Kevin Fleming Woodcock, son of Margaret and Maurice Woodcock, as photographed by DHS media specialist, Bill Ellington. Margaret is the Division's Assistant Director whom we are proud to serve.

NORTH CAROLINA RESIDENTS

1983

DEPARTMENT OF HUMAN RESOURCES

DIVISION OF HEALTH SERVICES

STATE CENTER FOR HEALTH STATISTICS

POST OFFICE BOX 2091, RALEIGH, NORTH CAROLINA 27602

BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS

1983

DEFINITIONS

A 'LIVE BIRTH' IS THE COMPLETE EXPULSION OR EXTRACTION FROM ITS MOTHER OF A PRODUCT OF CONCEPTION IRRESPECTIVE OF THE DURATION OF PREGNANCY, WHICH, AFTER SUCH SEPARATION, BREATHES OR SHOWS ANY OTHER EVIDENCE OF LIFE, SUCH AS BEATING OF THE HEART, PULSATION OF THE UMBILICAL CORD, OR ANY DEFINITE MOVEMENT OF VOLUNTARY MUSCLES, WHETHER OR NOT THE UMBILICAL CORD HAS BEEN CUT OR THE PLACENTA IS ATTACHED. (DEFINITION ADOPTED BY THE WORLD HEALTH ORGANIZATION IN 1950.)

A 'NOT MARRIED' MOTHER IS ONE WHO HAS NEVER BEEN LEGALLY MARRIED OR WHO HAS BEEN WIDOWED OR LEGALLY DIVORCED FROM HER HUSBAND IN EXCESS OF 280 DAYS.

FETAL DEATH IS DEATH PRIOR TO COMPLETE EXPULSION OR EXTRACTION FROM ITS MOTHER OF THE PRODUCT OF CONCEPTION. A 'PREVIOUS FETAL DEATH' IS DELIVERY OF A FETAL DEATH PRIOR TO THE PRESENT DELIVERY.

A 'PREVIOUS LIVE BORN NOW DEAD' IS A LIVE BORN CHILD WHO DIED PRIOR TO THE PRESENT DELIVERY.

'BIRTH ORDER' IS THE SUM OF ALL PREVIOUS DELIVERIES (LIVE BIRTHS AND FETAL DEATHS) PLUS THE PRESENT DELIVERY.

'BIRTH WEIGHT' IS EXPRESSED IN GRAMS. A PREMATURE BIRTH IS DEFINED AS A LIVE BORN INFANT WEIGHING 2500 GRAMS (5 POUNDS, 8 OUNCES) OR LESS AT BIRTH, REGARDLESS OF THE PERIOD OF GESTATION. (BIRTH WEIGHT INDEX RECOMMENDED BY THE EXPERT GROUP ON PREMATURITY OF THE WORLD HEALTH ORGANIZATION, 1950.)

'AGE OF MOTHER' IS REPORTED AGE IN COMPLETED YEARS AT LAST BIRTHDAY.

'EDUCATION OF MOTHER' IS THE NUMBER OF YEARS OF SCHOOLING COMPLETED AT TIME OF THE BIRTH.

THE 'APGAR SCORE' IS A SYSTEM FOR RATING THE PHYSICAL CONDITION OF NEWBORNS. SCORES RANGE 0-10 AND ARE A SUMMATION OF SCORES 0-2 ASSIGNED TO EACH OF 5 ITEMS: HEART RATE, RESPIRATORY EFFECT, MUSCLE TONE, REFLEX IRRITABILITY AND COLOR. APGAR SCORES OF 0-2 REPRESENT SEVERE ASPHYXIA; 3-6, MILD TO MODERATE ASPHYXIA; 7-10, RARE NEED FOR RESUSCITATION. SCORES AT 5 MINUTES, AS TABULATED HERE, ARE REPORTEDLY MORE HIGHLY ASSOCIATED WITH MORTALITY AND NEUROLOGIC DEFECTS THAN ARE SCORES AT 1 MINUTE.

FOR STATE TABLES ONLY, A 'CONGENITAL MALFORMATION' IS ONE OF TWO POSSIBLE MALFORMATIONS REPORTED BY THE CERTIFIER. IT IS THE FIRST-MENTIONED CONDITION EXCEPT WHERE THE TWO CONDITIONS 'LINK' AS PER ICD LINKAGE RULES. IN SUCH CASES, ONE OR THE OTHER CONDITION IS 'PREFERRED' OR THE TWO COMBINED ARE REPRESENTED BY A THIRD CODE.

THE FOLLOWING CATEGORIES ARE TABULATED IN STATE TABLES:

NOMENCLATURE	9TH ICD CODE
NO MALFORMATION LISTED	NONE
SPINA BIFIDA	741
CONG. ANOM. OF HEART	745.746
CLEFT PALATE AND CLEFT LIP	749
HYPOSPADIAS AND EPISPADIAS	752.6
DEFORMITIES OF FEET (INCLUDES CLUBFOOT)	754.5 - 754.7
POLYDACTYLY	755.0
DOWN'S SYNDROME	758.0
ALL OTHER 740-759	ALL OTHER

RESIDENCE ALLOCATION

BIRTHS ARE ALLOCATED TO THE USUAL RESIDENCE OF THE MOTHER REGARDLESS OF THE PLACE OF OCCURRENCE.

RACE ALLOCATION

TWO BROAD CATEGORIES, 'WHITE' AND 'NONWHITE' ARE USED. WHERE ONE PARENT IS CLASSIFIED AS WHITE AND THE OTHER NONWHITE, THE BIRTH IS CLASSIFIED AS NONWHITE.

COMPLETENESS OF BIRTH REGISTRATION

COUNTS AND PERCENTAGES IN THIS REPORT ARE BASED ON LIVE BIRTHS FILED WITH THE LOCAL REGISTRAR PRIOR TO APRIL AND PROCESSED IN THE STATE OFFICE PRIOR TO MAY OF THE YEAR FOLLOWING THE BIRTH. THE NUMBER FILED SUBSEQUENTLY IS CONSIDERED NEGLIGIBLE FOR STATISTICAL PURPOSES.

INSTRUCTIONS FOR READING THE TABLES

THE FOLLOWING PAGE PROVIDES AN EXAMPLE AND INSTRUCTIONS FOR READING THE TABLES OF THIS PRINTOUT.

- C R O S S T A B U L A T I O N O F - - - - - - - - - - - - - - - - - - -
AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS VALUE.. 1 LEGITIMATE
RACE VALUE.. 1 WHITE
- PAGE 2 OF 3

		WT		
	COUNT I			
	ROW PCT I	2500 GMS OR	OVER 2500 GMS	ROW
	COL PCT I	LESS 1 I	2 I	TOTAL
AGE				
	20 I	355 I	2150 I	2505
	I	14.2 I	85.8 I	9.5
	I	10.4 I	9.4 I	
	21 I	275 I	1855 I	2130
	I	12.9 I	87.1 I	8.1
	I	8.0 I	8.1 I	
	22 I	209 I	1615 I	1824
	I	11.5 I	88.5 I	6.9
	I	6.1 I	7.0 I	
	23 I	175 I	1420 I	1595
	I	11.0 I	89.0 I	6.1
	I	5.1 I	6.2 I	
	24 I	177 I	1190 I	1367
	I	12.9 I	87.1 I	5.2
	I	5.2 I	5.2 I	
25 - 29	25 I	503 I	3990 I	4493
	I	11.2 I	88.8 I	17.1
	I	14.7 I	17.4 I	
30 - 34	26 I	216 I	1678 I	1894
	I	11.4 I	88.6 I	7.2
	I	6.3 I	7.3 I	
35 - 39	27 I	97 I	685 I	782
	I	12.4 I	87.6 I	3.0
	I	2.8 I	3.0 I	
40 - 44	28 I	35 I	199 I	234
	I	15.0 I	85.0 I	0.9
	I	1.0 I	0.9 I	
	COLUMN	3425	22925	26350
	TOTAL	13.0	87.0	100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE PARTITIONS WHICH ARE SEPARATED BY ROWS OF DASHES. THE FIRST PARTITION, ABOVE THE DASHES, INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND PARTITION, BETWEEN THE TWO ROWS OF DASHES, SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR LEGITIMATE WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD PARTITION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 LEGITIMATE WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'WT' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 LEGITIMATE WHITE BIRTHS THAT WEIGHED 2500 GMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 LEGITIMATE WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2 AND 10.4. THIS MEANS THAT

- 355 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 14.2 PERCENT OF 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 10.4 PERCENT OF 3425 LEGITIMATE WHITE BIRTHS WEIGHING 2500 GMS OR LESS WERE TO WOMEN AGE 20.

TABLE OF CONTENTS

LISTING OF CROSSTABULATIONS OF RESIDENT LIVE BIRTHS

TABLE		PAGE
1.	AGE OF MOTHER BY BIRTH ORDER BY MARITAL STATUS BY RACE (AGE/BTH ORDR/MS/RACE)	1
2.	AGE OF MOTHER BY BIRTH ORDER BY RACE (AGE/BTH ORDR/RACE)	11
3.	AGE OF MOTHER BY BIRTH WEIGHT BY RACE (AGE/BTH WT/RACE)	19
4.	EDUCATION OF MOTHER BY BIRTH ORDER BY RACE (ED/BTH ORDR/RACE)	27
5.	MONTH PRENATAL CARE BEGAN BY EDUCATION OF MOTHER BY RACE (MPCB/ED/RACE)	30
6.	MONTH PRENATAL CARE BEGAN BY AGE OF MOTHER BY RACE (MPCB/AGE/RACE)	36
7.	MONTH PRENATAL CARE BEGAN BY MARITAL STATUS BY RACE (MPCB/MS/RACE)	48
8.	MONTH PRENATAL CARE BEGAN BY BIRTH ORDER BY RACE (MPCB/BTH ORDR/RACE)	54
9.	MONTH PRENATAL CARE BEGAN BY BIRTH WEIGHT BY RACE (MPCB/BTH WT/RACE)	60
10.	NUMBER OF PRENATAL VISITS BY EDUCATION OF MOTHER BY RACE (PRENTL VSTS/ED/RACE)	66
11.	NUMBER OF PRENATAL VISITS BY AGE OF MOTHER BY RACE (PRENTL VSTS/AGE/RACE)	72
12.	NUMBER OF PRENATAL VISITS BY MARITAL STATUS BY RACE (PRENTL VSTS/MS/RACE)	84
13.	NUMBER OF PRENATAL VISITS BY BIRTH ORDER BY RACE (PRENTL VSTS/BTH ORDR/RACE)	90
14.	NUMBER OF PRENATAL VISITS BY BIRTH WEIGHT BY RACE (PRENTL VSTS/BTH WT/RACE)	96
15.	MONTH PRENATAL CARE BEGAN BY NUMBER OF PRENATAL VISITS BY RACE (MPCB/PRENTL VSTS/RACE)	102

TABLE PAGE

16. PREVIOUS LIVE BORN NOW DEAD BY RACE (PREV LB NOW DEAD/RACE) 114

17. PREVIOUS FETAL DEATHS BY RACE (PREV FTL DTHS/RACE) 115

18. APGAR SCORE (5 MIN) BY AGE OF MOTHER BY RACE (APGAR5/AGE/RACE) 117

19. APGAR SCORE (5 MIN) BY EDUCATION OF MOTHER BY RACE (APGAR5/EDUC/RACE) 129

20. CONGENITAL MALFORMATION BY AGE OF MOTHER BY RACE (MAL/AGE/RACE) 135

21. CONGENITAL MALFORMATION BY EDUCATION OF MOTHER BY RACE (MAL/EDUC/RACE) 141

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
13		1										1
		100.0										.0
		.0										
14		23	3									26
		88.5	11.5									.0
		.1	.0									
15		138	9	2								149
		92.6	6.0	1.3								.3
		.6	.0	.0								
16		431	44	2	1							478
		90.2	9.2	.4	.2							.9
		2.0	.2	.0	.0							
17		804	118	22	4							948
		84.8	12.4	2.3	.4							1.8
		3.7	.6	.3	.1							
18		1290	376	63	7	2						1738
		74.2	21.6	3.6	.4	.1						3.3
		5.9	2.1	.8	.2	.2						
19		1781	678	154	24	5	2					2644
		67.4	25.6	5.8	.9	.2	.1					5.0
		8.1	3.7	1.9	.8	.5	.5					
20		1855	954	217	44	10	3			1	1	3085
		60.1	30.9	7.0	1.4	.3	.1			.0	.0	5.8
		8.5	5.2	2.7	1.4	.9	.7			1.1	11.1	
21		1853	1125	352	84	14	2		2			3432
		54.0	32.8	10.3	2.4	.4	.1		.1			6.4
		8.4	6.2	4.3	2.7	1.3	.5		2.4			
(CONTINUED)	COLUMN TOTAL	21938	18250	8158	3059	1107	432	160	83	89	9	53285
		41.2	34.2	15.3	5.7	2.1	.8	.3	.2	.2	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
22		1722	1259	423	106	45	6	1	1	2	2	3567
		48.3	35.3	11.9	3.0	1.3	.2	.0	.0	.1	.1	6.7
		7.8	6.9	5.2	3.5	4.1	1.4	.6	1.2	2.2	22.2	
23		1681	1310	509	144	48	8	2	3			3705
		45.4	35.4	13.7	3.9	1.3	.2	.1	.1			7.0
		7.7	7.2	6.2	4.7	4.3	1.9	1.3	3.6			
24		1575	1359	523	178	49	19	5	3	1		3712
		42.4	36.6	14.1	4.8	1.3	.5	.1	.1	.0		7.0
		7.2	7.4	6.4	5.8	4.4	4.4	3.1	3.6	1.1		
25		6320	6926	2936	1110	355	145	32	16	5	2	17847
25 - 29		35.4	38.8	16.5	6.2	2.0	.8	.2	.1	.0	.0	33.5
		28.8	38.0	36.0	36.3	32.1	33.6	20.0	19.3	5.6	22.2	
26		2071	3435	2295	935	379	142	51	31	20	2	9361
30 - 34		22.1	36.7	24.5	10.0	4.0	1.5	.5	.3	.2	.0	17.6
		9.4	18.8	28.1	30.6	34.2	32.9	31.9	37.3	22.5	22.2	
27		361	611	616	373	166	88	50	24	36	1	2326
35 - 39		15.5	26.3	26.5	16.0	7.1	3.8	2.1	1.0	1.5	.0	4.4
		1.6	3.3	7.6	12.2	15.0	20.4	31.3	28.9	40.4	11.1	
28		29	42	43	47	34	17	19	3	22	1	257
40 - 44		11.3	16.3	16.7	18.3	13.2	6.6	7.4	1.2	8.6	.4	.5
		.1	.2	.5	1.5	3.1	3.9	11.9	3.6	24.7	11.1	
29		2			2					2		6
45 AND OVER		33.3			33.3					33.3		.0
		.0			.1					2.2		
30		1	1	1								3
NOT STATED		33.3	33.3	33.3								.0
		.0	.0	.0								
COLUMN TOTAL		21938	18250	8158	3059	1107	432	160	83	89	9	53285
		41.2	34.2	15.3	5.7	2.1	.8	.3	.2	.2	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
13		9										9
		100.0										.2
		.3										
14		43										43
		100.0										1.0
		1.6										
15		149	5									154
		96.8	3.2									3.7
		5.7	.6									
16		307	15									322
		95.3	4.7									7.7
		11.7	1.7									
17		378	35	4								417
		90.6	8.4	1.0								10.0
		14.4	3.9	1.1								
18		374	76	5	1						1	457
		81.8	16.6	1.1	.2						.2	11.0
		14.3	8.6	1.4	.6						50.0	
19		347	93	15	4		1					460
		75.4	20.2	3.3	.9		.2					11.1
		13.2	10.5	4.2	2.6		2.6					
20		276	96	36	5							413
		66.8	23.2	8.7	1.2							9.9
		10.5	10.8	10.0	3.2							
21		210	92	38	11	2						353
		59.5	26.1	10.8	3.1	.6						8.5
		8.0	10.4	10.6	7.1	2.9						
(CONTINUED)	COLUMN TOTAL	2624	887	360	156	70	39	15	3	4	2	4160
		63.1	21.3	8.7	3.8	1.7	.9	.4	.1	.1	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	22	129	76	28	9	5	1					248
		52.0	30.6	11.3	3.6	2.0	.4					6.0
		4.9	8.6	7.8	5.8	7.1	2.6					
	23	78	83	35	14	9	1	1				221
		35.3	37.6	15.8	6.3	4.1	.5	.5				5.3
		3.0	9.4	9.7	9.0	12.9	2.6	6.7				
	24	73	72	29	22	6	5					207
		35.3	34.8	14.0	10.6	2.9	2.4					5.0
		2.8	8.1	8.1	14.1	8.6	12.8					
	25	189	169	107	44	23	18	6	1	1	1	559
25 - 29		33.8	30.2	19.1	7.9	4.1	3.2	1.1	.2	.2	.2	13.4
		7.2	19.1	29.7	28.2	32.9	46.2	40.0	33.3	25.0	50.0	
	26	51	56	46	33	19	6	1	1	2		215
30 - 34		23.7	26.0	21.4	15.3	8.8	2.8	.5	.5	.9		5.2
		1.9	6.3	12.8	21.2	27.1	15.4	6.7	33.3	50.0		
	27	10	15	14	11	3	6	6	1			66
35 - 39		15.2	22.7	21.2	16.7	4.5	9.1	9.1	1.5			1.6
		.4	1.7	3.9	7.1	4.3	15.4	40.0	33.3			
	28	1	4	3	2	3	1	1		1		16
40 - 44		6.3	25.0	18.8	12.5	18.8	6.3	6.3		6.3		.4
		.0	.5	.8	1.3	4.3	2.6	6.7		25.0		
	COLUMN TOTAL	2624	887	360	156	70	39	15	3	4	2	4160
		63.1	21.3	8.7	3.8	1.7	.9	.4	.1	.1	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED

RACE VALUE.. 1 WHITE

AGE	BO		
	COUNT / ROW PCT / COL PCT	NOT STATED	ROW TOTAL
		10	
30		1	1
NOT STATED		100.0	100.0
		100.0	
COLUMN TOTAL		1	1
		100.0	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1I 1ST	2ND 2I	3RD 3I	4TH 4I	5TH 5I	6TH 6I	7TH 7I	8TH 8I	9TH AND OVER 9I	NOT STATED 10I	ROW TOTAL
14		2										2
		100.0										.0
		.1										
15		3										3
		100.0										.0
		.1										
16		27	10	3	1							41
		65.9	24.4	7.3	2.4							.3
		.9	.2	.1	.1							
17		54	28	5								87
		62.1	32.2	5.7								.7
		1.7	.7	.2								
18		175	90	19	6							290
		60.3	31.0	6.6	2.1							2.2
		5.6	2.1	.6	.4							
19		275	198	62	11	2					1	549
		50.1	36.1	11.3	2.0	.4					.2	4.1
		8.7	4.6	2.1	.7	.3					20.0	
20		338	263	116	24	7	3	1				752
		44.9	35.0	15.4	3.2	.9	.4	.1				5.6
		10.7	6.2	4.0	1.6	1.0	.8	.6				
21		277	347	171	63	19	2				1	880
		31.5	39.4	19.4	7.2	2.2	.2				.1	6.6
		8.8	8.1	5.8	4.1	2.6	.6				20.0	
22		287	355	223	82	29	7	1				984
		29.2	36.1	22.7	8.3	2.9	.7	.1				7.4
		9.1	8.3	7.6	5.4	4.0	2.0	.6				
(CONTINUED)	COLUMN TOTAL	3150	4269	2924	1531	731	356	168	87	108	5	13329
		23.6	32.0	21.9	11.5	5.5	2.7	1.3	.7	.8	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
	23	271	382	236	93	36	10	4				1032
		26.3	37.0	22.9	9.0	3.5	1.0	.4				7.7
		8.6	8.9	8.1	6.1	4.9	2.8	2.4				
	24	247	379	217	113	53	17	5	1	1	1	1034
		23.9	36.7	21.0	10.9	5.1	1.6	.5	.1	.1	.1	7.8
		7.8	8.9	7.4	7.4	7.3	4.8	3.0	1.1	.9	20.0	
	25	891	1476	1095	571	268	124	54	16	13	1	4509
25 - 29		19.8	32.7	24.3	12.7	5.9	2.8	1.2	.4	.3	.0	33.8
		28.3	34.6	37.4	37.3	36.7	34.8	32.1	18.4	12.0	20.0	
	26	254	619	621	412	211	116	60	34	38		2365
30 - 34		10.7	26.2	26.3	17.4	8.9	4.9	2.5	1.4	1.6		17.7
		8.1	14.5	21.2	26.9	28.9	32.6	35.7	39.1	35.2		
	27	48	114	147	141	86	57	34	26	32	1	686
35 - 39		7.0	16.6	21.4	20.6	12.5	8.3	5.0	3.8	4.7	.1	5.1
		1.5	2.7	5.0	9.2	11.8	16.0	20.2	29.9	29.6	20.0	
	28	1	8	9	14	20	18	9	9	21		109
40 - 44		.9	7.3	8.3	12.8	18.3	16.5	8.3	8.3	19.3		.8
		.0	.2	.3	.9	2.7	5.1	5.4	10.3	19.4		
	29						2		1	3		6
45 AND OVER							33.3		16.7	50.0		.0
							.6		1.1	2.8		
	COLUMN TOTAL	3150	4269	2924	1531	731	356	168	87	108	5	13329
		23.6	32.0	21.9	11.5	5.5	2.7	1.3	.7	.8	.0	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	ROW TOTAL
12		7									7
		100.0									.1
		.1									
13		48									48
		100.0									.4
		.7									
14		167	8								175
		95.4	4.6								1.3
		2.6	.2								
15		460	42	1							503
		91.5	8.3	.2							3.8
		7.1	1.2	.1							
16		714	117	8							839
		85.1	13.9	1.0							6.4
		11.0	3.4	.5							
17		901	205	43	4	1		1			1155
		78.0	17.7	3.7	.3	.1		.1			8.8
		13.8	5.9	2.5	.5	.3		1.7			
18		942	342	78	11	4					1377
		68.4	24.8	5.7	.8	.3					10.5
		14.5	9.8	4.6	1.4	1.1					
19		896	441	108	36	6	1				1488
		60.2	29.6	7.3	2.4	.4	.1				11.4
		13.8	12.6	6.3	4.6	1.7	.8				
20		644	423	187	53	11	1				1319
		48.8	32.1	14.2	4.0	.8	.1				10.1
		9.9	12.1	10.9	6.8	3.1	.8				
(CONTINUED)	COLUMN TOTAL	6509 / 49.8	3488 / 26.7	1710 / 13.1	776 / 5.9	353 / 2.7	132 / 1.0	60 / .5	26 / .2	25 / .2	13079 / 100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	ROW TOTAL
	21	472	357	181	68	21	4	3			1106
		42.7	32.3	16.4	6.1	1.9	.4	.3			8.5
		7.3	10.2	10.6	8.8	5.9	3.0	5.0			
	22	362	349	181	65	29	5				991
		36.5	35.2	18.3	6.6	2.9	.5				7.6
		5.6	10.0	10.6	8.4	8.2	3.8				
	23	232	268	142	79	26	11	2	2	1	763
		30.4	35.1	18.6	10.4	3.4	1.4	.3	.3	.1	5.8
		3.6	7.7	8.3	10.2	7.4	8.3	3.3	7.7	4.0	
	24	180	202	124	59	35	12	4	1	1	618
		29.1	32.7	20.1	9.5	5.7	1.9	.6	.2	.2	4.7
		2.8	5.8	7.3	7.6	9.9	9.1	6.7	3.8	4.0	
	25	370	571	435	237	127	50	19	11	4	1824
25 - 29		20.3	31.3	23.8	13.0	7.0	2.7	1.0	.6	.2	13.9
		5.7	16.4	25.4	30.5	36.0	37.9	31.7	42.3	16.0	
	26	94	142	179	124	67	27	22	4	7	666
30 - 34		14.1	21.3	26.9	18.6	10.1	4.1	3.3	.6	1.1	5.1
		1.4	4.1	10.5	16.0	19.0	20.5	36.7	15.4	28.0	
	27	17	19	39	32	22	15	7	7	7	165
35 - 39		10.3	11.5	23.6	19.4	13.3	9.1	4.2	4.2	4.2	1.3
		.3	.5	2.3	4.1	6.2	11.4	11.7	26.9	28.0	
	28	3	1	4	8	4	5	2	1	5	33
40 - 44		9.1	3.0	12.1	24.2	12.1	15.2	6.1	3.0	15.2	.3
		.0	.0	.2	1.0	1.1	3.8	3.3	3.8	20.0	
	29					1					1
45 AND OVER						100.0					.0
						.8					
	COLUMN	6509	3488	1710	776	353	132	60	26	25	13079
(CONTINUED)	TOTAL	49.8	26.7	13.1	5.9	2.7	1.0	.5	.2	.2	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 2 NONWHITE

AGE		BO 1	2	3	4	5	6	7	8	9	ROW TOTAL
	30		1								1
NOT	STATED		100.0								.0
			.0								
	COLUMN	6509	3488	1710	776	353	132	60	26	25	13079
	TOTAL	49.8	26.7	13.1	5.9	2.7	1.0	.5	.2	.2	100.0

(BO: 1 = 1ST, 2 = 2ND, 3 = 3RD, 4 = 4TH, 5 = 5TH, 6 = 6TH, 7 = 7TH, 8 = 8TH, 9 = 9TH AND OVER)

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF AGE BY BO BIRTH ORDER
CONTROLLING FOR.. AGE OF MOTHER
RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
12		7										7
		100.0										.0
		.0										
13		58										58
		100.0										.1
		.2										
14		235	11									246
		95.5	4.5									.3
		.7	.0									
15		750	56	3								809
		92.7	6.9	.4								1.0
		2.2	.2	.0								
16		1479	186	13	2							1680
		88.0	11.1	.8	.1							2.0
		4.3	.7	.1	.0							
17		2137	386	74	8	1		1				2607
		82.0	14.8	2.8	.3	.0		.0				3.1
		6.2	1.4	.6	.1	.0		.2				
18		2781	884	165	25	6					1	3862
		72.0	22.9	4.3	.6	.2					.0	4.6
		8.1	3.3	1.3	.5	.3					5.9	
19		3299	1410	339	75	13	4				1	5141
		64.2	27.4	6.6	1.5	.3	.1				.0	6.1
		9.6	5.2	2.6	1.4	.6	.4				5.9	
20		3113	1736	556	126	28	7	1		1	1	5569
		55.9	31.2	10.0	2.3	.5	.1	.0		.0	.0	6.6
		9.1	6.5	4.2	2.3	1.2	.7	.2		.4	5.9	
(CONTINUED)	COLUMN TOTAL	34221	26894	13152	5522	2261	959	403	199	226	17	83854
		40.8	32.1	15.7	6.6	2.7	1.1	.5	.2	.3	.0	100.0

TABLE 2

CROSSTABULATION OF AGE BY BO
CONTROLLING FOR.. AGE OF MOTHER
RACE. BIRTH ORDER
VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
21		2812	1921	742	226	56	8	3	2		1	5771
		48.7	33.3	12.9	3.9	1.0	.1	.1	.0		.0	6.9
		8.2	7.1	5.6	4.1	2.5	.8	.7	1.0		5.9	
22		2500	2039	855	262	108	19	2	1	2	2	5790
		43.2	35.2	14.8	4.5	1.9	.3	.0	.0	.0	.0	6.9
		7.3	7.6	6.5	4.7	4.8	2.0	.5	.5	.9	11.8	
23		2262	2043	922	330	119	30	9	5	1		5721
		39.5	35.7	16.1	5.8	2.1	.5	.2	.1	.0		6.8
		6.6	7.6	7.0	6.0	5.3	3.1	2.2	2.5	.4		
24		2075	2012	893	372	143	53	14	5	3	1	5571
		37.2	36.1	16.0	6.7	2.6	1.0	.3	.1	.1	.0	6.6
		6.1	7.5	6.8	6.7	6.3	5.5	3.5	2.5	1.3	5.9	
25		7770	9142	4573	1962	773	337	111	44	23	4	24739
25 - 29		31.4	37.0	18.5	7.9	3.1	1.4	.4	.2	.1	.0	29.5
		22.7	34.0	34.8	35.5	34.2	35.1	27.5	22.1	10.2	23.5	
26		2470	4252	3141	1504	676	291	134	70	67	2	12607
30 - 34		19.6	33.7	24.9	11.9	5.4	2.3	1.1	.6	.5	.0	15.0
		7.2	15.8	23.9	27.2	29.9	30.3	33.3	35.2	29.6	11.8	
27		436	759	816	557	277	166	97	58	75	2	3243
35 - 39		13.4	23.4	25.2	17.2	8.5	5.1	3.0	1.8	2.3	.1	3.9
		1.3	2.8	6.2	10.1	12.3	17.3	24.1	29.1	33.2	11.8	
28		34	55	59	71	61	41	31	13	49	1	415
40 - 44		8.2	13.3	14.2	17.1	14.7	9.9	7.5	3.1	11.8	.2	.5
		.1	.2	.4	1.3	2.7	4.3	7.7	6.5	21.7	5.9	
29		2			2		3		1	5		13
45 AND OVER		15.4			15.4		23.1		7.7	38.5		.0
		.0			.0		.3		.5	2.2		
COLUMN TOTAL		34221	26894	13152	5522	2261	959	403	199	226	17	83854
		40.8	32.1	15.7	6.6	2.7	1.1	.5	.2	.3	.0	100.0

(CONTINUED)

CROSSTABULATION OF AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
30		1	2	1							1	5
NOT STATED		20.0	40.0	20.0							20.0	.0
		.0	.0	.0							5.9	
	COLUMN TOTAL	34221	26894	13152	5522	2261	959	403	199	226	17	83854
		40.8	32.1	15.7	6.6	2.7	1.1	.5	.2	.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF AGE BY BO

CONTROLLING FOR.. AGE OF MOTHER
RACE BIRTH ORDER
VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
13		10										10
		100.0										.0
		.0										
14		66	3									69
		95.7	4.3									.1
		.3	.0									
15		287	14	2								303
		94.7	4.6	.7								.5
		1.2	.1	.0								
16		738	59	2	1							800
		92.3	7.4	.3	.1							1.4
		3.0	.3	.0	.0							
17		1182	153	26	4							1365
		86.6	11.2	1.9	.3							2.4
		4.8	.8	.3	.1							
18		1664	452	68	8	2					1	2195
		75.8	20.6	3.1	.4	.1					.0	3.8
		6.8	2.4	.8	.2	.2					8.3	
19		2128	771	169	28	5	3					3104
		68.6	24.8	5.4	.9	.2	.1					5.4
		8.7	4.0	2.0	.9	.4	.6					
20		2131	1050	253	49	10	3			1	1	3498
		60.9	30.0	7.2	1.4	.3	.1			.0	.0	6.1
		8.7	5.5	3.0	1.5	.8	.6			1.1	8.3	
21		2063	1217	390	95	16	2		2			3785
		54.5	32.2	10.3	2.5	.4	.1		.1			6.6
		8.4	6.4	4.6	3.0	1.4	.4		2.3			
(CONTINUED)	COLUMN TOTAL	24562	19137	8518	3215	1177	471	175	86	93	12	57446
		42.8	33.3	14.8	5.6	2.0	.8	.3	.1	.2	.0	100.0

CROSSTABULATION OF AGE BY BO BIRTH ORDER

CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 1 WHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	22	1851	1335	451	115	50	7	1	1	2	2	3815
		48.5	35.0	11.8	3.0	1.3	.2	.0	.0	.1	.1	6.6
		7.5	7.0	5.3	3.6	4.2	1.5	.6	1.2	2.2	16.7	
	23	1759	1393	544	158	57	9	3	3			3926
		44.8	35.5	13.9	4.0	1.5	.2	.1	.1			6.8
		7.2	7.3	6.4	4.9	4.8	1.9	1.7	3.5			
	24	1648	1431	552	200	55	24	5	3	1		3919
		42.1	36.5	14.1	5.1	1.4	.6	.1	.1	.0		6.8
		6.7	7.5	6.5	6.2	4.7	5.1	2.9	3.5	1.1		
	25	6509	7095	3043	1154	378	163	38	17	6	3	18406
25 - 29		35.4	38.5	16.5	6.3	2.1	.9	.2	.1	.0	.0	32.0
		26.5	37.1	35.7	35.9	32.1	34.6	21.7	19.8	6.5	25.0	
	26	2122	3491	2341	968	398	148	52	32	22	2	9576
30 - 34		22.2	36.5	24.4	10.1	4.2	1.5	.5	.3	.2	.0	16.7
		8.6	18.2	27.5	30.1	33.8	31.4	29.7	37.2	23.7	16.7	
	27	371	626	630	384	169	94	56	25	36	1	2392
35 - 39		15.5	26.2	26.3	16.1	7.1	3.9	2.3	1.0	1.5	.0	4.2
		1.5	3.3	7.4	11.9	14.4	20.0	32.0	29.1	38.7	8.3	
	28	30	46	46	49	37	18	20	3	23	1	273
40 - 44		11.0	16.8	16.8	17.9	13.6	6.6	7.3	1.1	8.4	.4	.5
		.1	.2	.5	1.5	3.1	3.8	11.4	3.5	24.7	8.3	
	29	2			2					2		6
45 AND OVER		33.3			33.3					33.3		.0
		.0			.1					2.2		
	30	1	1	1							1	4
NOT STATED		25.0	25.0	25.0							25.0	.0
		.0	.0	.0							8.3	
	COLUMN TOTAL	24562	19137	8518	3215	1177	471	175	86	93	12	57446
		42.8	33.3	14.8	5.6	2.0	.8	.3	.1	.2	.0	100.0

TABLE 2

CROSSTABULATION OF AGE BY BO
CONTROLLING FOR.. AGE OF MOTHER
BIRTH ORDER
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1I 1ST	2I 2ND	3I 3RD	4I 4TH	5I 5TH	6I 6TH	7I 7TH	8I 8TH	9I 9TH AND OVER	10I NOT STATED	ROW TOTAL
12		7										7
		100.0										.0
		.1										
13		48										48
		100.0										.2
		.5										
14		169	8									177
		95.5	4.5									.7
		1.7	.1									
15		463	42	1								506
		91.5	8.3	.2								1.9
		4.8	.5	.0								
16		741	127	11	1							880
		84.2	14.4	1.3	.1							3.3
		7.7	1.6	.2	.0							
17		955	233	48	4	1		1				1242
		76.9	18.8	3.9	.3	.1		.1				4.7
		9.9	3.0	1.0	.2	.1		.4				
18		1117	432	97	17	4						1667
		67.0	25.9	5.8	1.0	.2						6.3
		11.6	5.6	2.1	.7	.4						
19		1171	639	170	47	8	1				1	2037
		57.5	31.4	8.3	2.3	.4	.0				.0	7.7
		12.1	8.2	3.7	2.0	.7	.2				20.0	
20		982	686	303	77	18	4	1				2071
		47.4	33.1	14.6	3.7	.9	.2	.0				7.8
		10.2	8.8	6.5	3.3	1.7	.8	.4				
(CONTINUED)	COLUMN TOTAL	9659 / 36.6	7757 / 29.4	4634 / 17.5	2307 / 8.7	1084 / 4.1	488 / 1.8	228 / .9	113 / .4	133 / .5	5 / .0	26408 / 100.0

TABLE 2

CROSSTABULATION OF AGE BY BO

AGE OF MOTHER

BIRTH ORDER

CONTROLLING FOR.. RACE

VALUE.. 2 NONWHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
21		749	704	352	131	40	6	3			1	1986
		37.7	35.4	17.7	6.6	2.0	.3	.2			.1	7.5
		7.8	9.1	7.6	5.7	3.7	1.2	1.3			20.0	
22		649	704	404	147	58	12	1				1975
		32.9	35.6	20.5	7.4	2.9	.6	.1				7.5
		6.7	9.1	8.7	6.4	5.4	2.5	.4				
23		503	650	378	172	62	21	6	2	1		1795
		28.0	36.2	21.1	9.6	3.5	1.2	.3	.1	.1		6.8
		5.2	8.4	8.2	7.5	5.7	4.3	2.6	1.8	.8		
24		427	581	341	172	88	29	9	2	2	1	1652
		25.8	35.2	20.6	10.4	5.3	1.8	.5	.1	.1	.1	6.3
		4.4	7.5	7.4	7.5	8.1	5.9	3.9	1.8	1.5	20.0	
25		1261	2047	1530	808	395	174	73	27	17	1	6333
25 - 29		19.9	32.3	24.2	12.8	6.2	2.7	1.2	.4	.3	.0	24.0
		13.1	26.4	33.0	35.0	36.4	35.7	32.0	23.9	12.8	20.0	
26		348	761	800	536	278	143	82	38	45		3031
30 - 34		11.5	25.1	26.4	17.7	9.2	4.7	2.7	1.3	1.5		11.5
		3.6	9.8	17.3	23.2	25.6	29.3	36.0	33.6	33.8		
27		65	133	186	173	108	72	41	33	39	1	851
35 - 39		7.6	15.6	21.9	20.3	12.7	8.5	4.8	3.9	4.6	.1	3.2
		.7	1.7	4.0	7.5	10.0	14.8	18.0	29.2	29.3	20.0	
28		4	9	13	22	24	23	11	10	26		142
40 - 44		2.8	6.3	9.2	15.5	16.9	16.2	7.7	7.0	18.3		.5
		.0	.1	.3	1.0	2.2	4.7	4.8	8.8	19.5		
29							3		1	3		7
45 AND OVER							42.9		14.3	42.9		.0
							.6		.9	2.3		
COLUMN TOTAL		9659	7757	4634	2307	1084	488	228	113	133	5	26408
		36.6	29.4	17.5	8.7	4.1	1.8	.9	.4	.5	.0	100.0

(CONTINUED)

TABLE 2

CROSSTABULATION OF AGE BY BO BIRTH ORDER

AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

AGE	BO	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
30	COUNT		1									1
	ROW PCT		100.0									.0
NOT STATED	COL PCT		.0									
	COLUMN TOTAL	9659	7757	4634	2307	1084	488	228	113	133	5	26408
		36.6	29.4	17.5	8.7	4.1	1.8	.9	.4	.5	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF AGE BY WT

AGE OF MOTHER BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACE. VALUE = TOTAL

AGE	WT / COUNT / ROW PCT / COL PCT	1500 GMS OR LESS (0)	501 TO 1000 GMS (1)	1001 TO 1500 GMS (2)	1501 TO 2000 GMS (3)	2001 TO 2500 GMS (4)	2501 TO 3000 GMS (5)	3001 TO 3500 GMS (6)	3501 TO 4000 GMS (7)	OVER 4000 GMS (8)	NOT STATED (9)	ROW TOTAL
12			1		1		2	2	1			7
			14.3		14.3		28.6	28.6	14.3			.0
			.2		.1		.0	.0	.0			
13				2	2	3	18	22	11			58
				3.4	3.4	5.2	31.0	37.9	19.0			.1
				.3	.2	.1	.1	.1	.0			
14			7	4	11	22	57	89	46	9	1	246
			2.8	1.6	4.5	8.9	23.2	36.2	18.7	3.7	.4	.3
			1.6	.6	.9	.5	.4	.3	.2	.1	3.1	
15		4	6	8	22	61	169	326	172	41		809
		.5	.7	1.0	2.7	7.5	20.9	40.3	21.3	5.1		1.0
		2.6	1.4	1.3	1.7	1.5	1.2	1.0	.7	.5		
16		5	18	19	37	123	385	678	330	83	2	1680
		.3	1.1	1.1	2.2	7.3	22.9	40.4	19.6	4.9	.1	2.0
		3.2	4.1	3.0	2.9	3.0	2.7	2.2	1.4	1.0	6.3	
17		7	19	33	50	205	566	1020	566	140	1	2607
		.3	.7	1.3	1.9	7.9	21.7	39.1	21.7	5.4	.0	3.1
		4.5	4.3	5.2	4.0	5.0	3.9	3.3	2.4	1.7	3.1	
18		10	28	33	86	241	834	1506	857	265	2	3862
		.3	.7	.9	2.2	6.2	21.6	39.0	22.2	6.9	.1	4.6
		6.5	6.3	5.2	6.8	5.9	5.8	4.8	3.7	3.2	6.3	
19		9	37	46	103	275	1061	1992	1262	351	5	5141
		.2	.7	.9	2.0	5.3	20.6	38.7	24.5	6.8	.1	6.1
		5.8	8.4	7.2	8.2	6.7	7.4	6.4	5.4	4.2	15.6	
20		8	33	47	107	312	1074	2101	1465	420	2	5569
		.1	.6	.8	1.9	5.6	19.3	37.7	26.3	7.5	.0	6.6
		5.2	7.5	7.4	8.5	7.6	7.5	6.8	6.3	5.0	6.3	
(CONTINUED)	COLUMN TOTAL	154	441	637	1261	4090	14415	31088	23326	8410	32	83854
		.2	.5	.8	1.5	4.9	17.2	37.1	27.8	10.0	.0	100.0

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACE.

VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	WT 1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
	21	12	22	52	82	327	1096	2144	1571	463	2	5771
		.2	.4	.9	1.4	5.7	19.0	37.2	27.2	8.0	.0	6.9
		7.8	5.0	8.2	6.5	8.0	7.6	6.9	6.7	5.5	6.3	
	22	7	36	42	91	281	1046	2186	1588	512	1	5790
		.1	.6	.7	1.6	4.9	18.1	37.8	27.4	8.8	.0	6.9
		4.5	8.2	6.6	7.2	6.9	7.3	7.0	6.8	6.1	3.1	
	23	19	35	40	77	268	974	2225	1551	532		5721
		.3	.6	.7	1.3	4.7	17.0	38.9	27.1	9.3		6.8
		12.3	7.9	6.3	6.1	6.6	6.8	7.2	6.6	6.3		
	24	8	26	45	79	253	916	2109	1539	596		5571
		.1	.5	.8	1.4	4.5	16.4	37.9	27.6	10.7		6.6
		5.2	5.9	7.1	6.3	6.2	6.4	6.8	6.6	7.1		
	25	40	96	164	312	1048	3811	9063	7341	2853	11	24739
25 - 29		.2	.4	.7	1.3	4.2	15.4	36.6	29.7	11.5	.0	29.5
		26.0	21.8	25.7	24.7	25.6	26.4	29.2	31.5	33.9	34.4	
	26	18	59	84	137	486	1820	4407	3958	1636	2	12607
30 - 34		.1	.5	.7	1.1	3.9	14.4	35.0	31.4	13.0	.0	15.0
		11.7	13.4	13.2	10.9	11.9	12.6	14.2	17.0	19.5	6.3	
	27	6	17	17	56	157	514	1062	960	453	1	3243
35 - 39		.2	.5	.5	1.7	4.8	15.8	32.7	29.6	14.0	.0	3.9
		3.9	3.9	2.7	4.4	3.8	3.6	3.4	4.1	5.4	3.1	
	28	1	1	1	8	27	70	149	102	55	1	415
40 - 44		.2	.2	.2	1.9	6.5	16.9	35.9	24.6	13.3	.2	.5
		.6	.2	.2	.6	.7	.5	.5	.4	.7	3.1	
	29					1	2	4	5	1		13
45 AND OVER						7.7	15.4	30.8	38.5	7.7		.0
						.0	.0	.0	.0	.0		
(CONTINUED)	COLUMN TOTAL	154	441	637	1261	4090	14415	31088	23326	8410	32	83854
		.2	.5	.8	1.5	4.9	17.2	37.1	27.8	10.0	.0	100.0

TABLE 3

CROSSTABULATION OF AGE BY WT
AGE OF MOTHER BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. VALUE = TOTAL
RACE.

AGE	WT	0 1500 GMS OR LESS	1 501 TO 1000 GMS	2 1001 TO 1500 GMS	3 1501 TO 2000 GMS	4 2001 TO 2500 GMS	5 2501 TO 3000 GMS	6 3001 TO 3500 GMS	7 3501 TO 4000 GMS	8 OVER 4000 GMS	9 NOT STATED	ROW TOTAL
30	COUNT						3	1			1	5
	ROW PCT						60.0	20.0			20.0	.0
NOT STATED	COL PCT						.0	.0			3.1	
	COLUMN TOTAL	154	441	637	1261	4090	14415	31088	23326	8410	32	83854
		.2	.5	.8	1.5	4.9	17.2	37.1	27.8	10.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT 0 I500 GMS OR LESS	1 501 TO 1000 GMS	2 1001 TO 1500 GMS	3 1501 TO 2000 GMS	4 2001 TO 2500 GMS	5 2501 TO 3000 GMS	6 3001 TO 3500 GMS	7 3501 TO 4000 GMS	8 OVER 4000 GMS	9 NOT STATED	ROW TOTAL
13						4	5	1				10
						40.0	50.0	10.0				.0
						.0	.0	.0				
14				2	2	2	12	28	17	6		69
				2.9	2.9	2.9	17.4	40.6	24.6	8.7		.1
				.6	.3	.1	.1	.1	.1	.1		
15			2	2	6	17	52	112	84	28		303
			.7	.7	2.0	5.6	17.2	37.0	27.7	9.2		.5
			1.1	.6	.9	.8	.6	.5	.5	.4		
16		3	5	8	10	41	135	327	208	62	1	800
		.4	.6	1.0	1.3	5.1	16.9	40.9	26.0	7.8	.1	1.4
		5.0	2.8	2.6	1.5	1.9	1.6	1.6	1.2	.9	5.9	
17		4	7	11	20	81	211	542	388	101		1365
		.3	.5	.8	1.5	5.9	15.5	39.7	28.4	7.4		2.4
		6.7	4.0	3.5	3.1	3.7	2.6	2.6	2.2	1.4		
18		3	12	20	35	111	381	840	593	199	1	2195
		.1	.5	.9	1.6	5.1	17.4	38.3	27.0	9.1	.0	3.8
		5.0	6.8	6.4	5.4	5.1	4.6	4.0	3.3	2.8	5.9	
19		4	15	22	43	121	522	1207	885	284	1	3104
		.1	.5	.7	1.4	3.9	16.8	38.9	28.5	9.1	.0	5.4
		6.7	8.5	7.0	6.6	5.5	6.3	5.8	4.9	4.0	5.9	
20		5	14	22	44	160	547	1285	1073	346	2	3498
		.1	.4	.6	1.3	4.6	15.6	36.7	30.7	9.9	.1	6.1
		8.3	7.9	7.0	6.7	7.3	6.6	6.2	6.0	4.9	11.8	
21		1	6	28	42	167	603	1390	1183	363	2	3785
		.0	.2	.7	1.1	4.4	15.9	36.7	31.3	9.6	.1	6.6
		1.7	3.4	8.9	6.4	7.6	7.3	6.7	6.6	5.2	11.8	
COLUMN TOTAL		60	177	313	653	2196	8271	20846	17888	7025	17	57446
		.1	.3	.5	1.1	3.8	14.4	36.3	31.1	12.2	.0	100.0

(CONTINUED)

CROSSTABULATION OF AGE BY WT

AGE CONTROLLING FOR.. AGE OF MOTHER

BIRTH WEIGHT IN GRAMS

RACE VALUE.. 1 WHITE

AGE	WT / COUNT / ROW PCT / COL PCT	1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
22		3	13	17	47	151	580	1406	1181	416	1	3815
		.1	.3	.4	1.2	4.0	15.2	36.9	31.0	10.9	.0	6.6
		5.0	7.3	5.4	7.2	6.9	7.0	6.7	6.6	5.9	5.9	
23		6	13	15	43	149	574	1507	1170	449		3926
		.2	.3	.4	1.1	3.8	14.6	38.4	29.8	11.4		6.8
		10.0	7.3	4.8	6.6	6.8	6.9	7.2	6.5	6.4		
24		2	11	22	47	145	570	1429	1189	504		3919
		.1	.3	.6	1.2	3.7	14.5	36.5	30.3	12.9		6.8
		3.3	6.2	7.0	7.2	6.6	6.9	6.9	6.6	7.2		
25		18	39	92	192	632	2469	6625	5874	2459	6	18406
25 - 29		.1	.2	.5	1.0	3.4	13.4	36.0	31.9	13.4	.0	32.0
		30.0	22.0	29.4	29.4	28.8	29.9	31.8	32.8	35.0	35.3	
26		8	35	44	86	302	1232	3273	3209	1386	1	9576
30 - 34		.1	.4	.5	.9	3.2	12.9	34.2	33.5	14.5	.0	16.7
		13.3	19.8	14.1	13.2	13.8	14.9	15.7	17.9	19.7	5.9	
27		2	5	8	32	99	336	768	763	379		2392
35 - 39		.1	.2	.3	1.3	4.1	14.0	32.1	31.9	15.8		4.2
		3.3	2.8	2.6	4.9	4.5	4.1	3.7	4.3	5.4		
28		1			4	17	41	99	68	42	1	273
40 - 44		.4			1.5	6.2	15.0	36.3	24.9	15.4	.4	.5
		1.7			.6	.8	.5	.5	.4	.6	5.9	
29						1	2	1	1	1		6
45 AND OVER						16.7	33.3	16.7	16.7	16.7		.0
						.0	.0	.0	.0	.0		
30								2	1		1	4
NOT STATED								50.0	25.0		25.0	.0
								.0	.0		5.9	
COLUMN TOTAL		60	177	313	653	2196	8271	20846	17888	7025	17	57446
		.1	.3	.5	1.1	3.8	14.4	36.3	31.1	12.2	.0	100.0

TABLE 3

CROSSTABULATION OF AGE BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. AGE OF MOTHER
RACE
VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	WT 1500 GMS OR LESS (0)	501 TO 1000 GMS (1)	1001 TO 1500 GMS (2)	1501 TO 2000 GMS (3)	2001 TO 2500 GMS (4)	2501 TO 3000 GMS (5)	3001 TO 3500 GMS (6)	3501 TO 4000 GMS (7)	OVER 4000 GMS (8)	NOT STATED (9)	ROW TOTAL
12			1		1		2	2	1			7
			14.3		14.3		28.6	28.6	14.3			.0
			.4		.2		.0	.0	.0			
13				2	2	3	14	17	10			48
				4.2	4.2	6.3	29.2	35.4	20.8			.2
				.6	.3	.2	.2	.2	.2			
14			7	2	9	20	45	61	29	3	1	177
			4.0	1.1	5.1	11.3	25.4	34.5	16.4	1.7	.6	.7
			2.7	.6	1.5	1.1	.7	.6	.5	.2	6.7	
15		4	4	6	16	44	117	214	88	13		506
		.8	.8	1.2	3.2	8.7	23.1	42.3	17.4	2.6		1.9
		4.3	1.5	1.9	2.6	2.3	1.9	2.1	1.6	.9		
16		2	13	11	27	82	250	351	122	21	1	880
		.2	1.5	1.3	3.1	9.3	28.4	39.9	13.9	2.4	.1	3.3
		2.1	4.9	3.4	4.4	4.3	4.1	3.4	2.2	1.5	6.7	
17		3	12	22	30	124	355	478	178	39	1	1242
		.2	1.0	1.8	2.4	10.0	28.6	38.5	14.3	3.1	.1	4.7
		3.2	4.5	6.8	4.9	6.5	5.8	4.7	3.3	2.8	6.7	
18		7	16	13	51	130	453	666	264	66	1	1667
		.4	1.0	.8	3.1	7.8	27.2	40.0	15.8	4.0	.1	6.3
		7.4	6.1	4.0	8.4	6.9	7.4	6.5	4.9	4.8	6.7	
19		5	22	24	60	154	539	785	377	67	4	2037
		.2	1.1	1.2	2.9	7.6	26.5	38.5	18.5	3.3	.2	7.7
		5.3	8.3	7.4	9.9	8.1	8.8	7.7	6.9	4.8	26.7	
20		3	19	25	63	152	527	816	392	74		2071
		.1	.9	1.2	3.0	7.3	25.4	39.4	18.9	3.6		7.8
		3.2	7.2	7.7	10.4	8.0	8.6	8.0	7.2	5.3		
COLUMN TOTAL		94	264	324	608	1894	6144	10242	5438	1385	15	26408
(CONTINUED)		.4	1.0	1.2	2.3	7.2	23.3	38.8	20.6	5.2	.1	100.0

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

AGE	WT / COUNT / ROW PCT / COL PCT	1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
21		11	16	24	40	160	493	754	388	100		1986
		.6	.8	1.2	2.0	8.1	24.8	38.0	19.5	5.0		7.5
		11.7	6.1	7.4	6.6	8.4	8.0	7.4	7.1	7.2		
22		4	23	25	44	130	466	780	407	96		1975
		.2	1.2	1.3	2.2	6.6	23.6	39.5	20.6	4.9		7.5
		4.3	8.7	7.7	7.2	6.9	7.6	7.6	7.5	6.9		
23		13	22	25	34	119	400	718	381	83		1795
		.7	1.2	1.4	1.9	6.6	22.3	40.0	21.2	4.6		6.8
		13.8	8.3	7.7	5.6	6.3	6.5	7.0	7.0	6.0		
24		6	15	23	32	108	346	680	350	92		1652
		.4	.9	1.4	1.9	6.5	20.9	41.2	21.2	5.6		6.3
		6.4	5.7	7.1	5.3	5.7	5.6	6.6	6.4	6.6		
25		22	57	72	120	416	1342	2438	1467	394	5	6333
25 - 29		.3	.9	1.1	1.9	6.6	21.2	38.5	23.2	6.2	.1	24.0
		23.4	21.6	22.2	19.7	22.0	21.8	23.8	27.0	28.4	33.3	
26		10	24	40	51	184	588	1134	749	250	1	3031
30 - 34		.3	.8	1.3	1.7	6.1	19.4	37.4	24.7	8.2	.0	11.5
		10.6	9.1	12.3	8.4	9.7	9.6	11.1	13.8	18.1	6.7	
27		4	12	9	24	58	178	294	197	74	1	851
35 - 39		.5	1.4	1.1	2.8	6.8	20.9	34.5	23.1	8.7	.1	3.2
		4.3	4.5	2.8	3.9	3.1	2.9	2.9	3.6	5.3	6.7	
28			1	1	4	10	29	50	34	13		142
40 - 44			.7	.7	2.8	7.0	20.4	35.2	23.9	9.2		.5
			.4	.3	.7	.5	.5	.5	.6	.9		
29								3	4			7
45 AND OVER								42.9	57.1			.0
								.0	.1			
COLUMN TOTAL		94	264	324	608	1894	6144	10242	5438	1385	15	26408
		.4	1.0	1.2	2.3	7.2	23.3	38.8	20.6	5.2	.1	100.0

(CONTINUED)

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

AGE	WT / COUNT / ROW PCT / COL PCT	1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
NOT STATED	30							1				1
								100.0				.0
								.0				
	COLUMN	94	264	324	608	1894	6144	10242	5438	1385	15	26408
	TOTAL	.4	1.0	1.2	2.3	7.2	23.3	38.8	20.6	5.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF
EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

EDUC	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.		1182	728	506	278	153	88	45	25	42	1	3048
		38.8	23.9	16.6	9.1	5.0	2.9	1.5	.8	1.4	.0	3.6
		3.5	2.7	3.8	5.0	6.8	9.2	11.2	12.6	18.6	5.9	
2 H.S. 1-3 YEARS		7502	5235	2878	1391	693	348	155	73	88	2	18365
		40.8	28.5	15.7	7.6	3.8	1.9	.8	.4	.5	.0	21.9
		21.9	19.5	21.9	25.2	30.7	36.3	38.5	36.7	38.9	11.8	
3 H.S. 4 YEARS		14022	11737	5609	2328	902	354	132	68	67	3	35222
		39.8	33.3	15.9	6.6	2.6	1.0	.4	.2	.2	.0	42.0
		41.0	43.6	42.6	42.2	39.9	36.9	32.8	34.2	29.6	17.6	
4 COL.1-3 YEARS		6228	4941	2349	924	335	114	44	23	23	2	14983
		41.6	33.0	15.7	6.2	2.2	.8	.3	.2	.2	.0	17.9
		18.2	18.4	17.9	16.7	14.8	11.9	10.9	11.6	10.2	11.8	
5 COL. 4+ YEARS		5256	4241	1801	598	177	55	27	8	6	1	12170
		43.2	34.8	14.8	4.9	1.5	.5	.2	.1	.0	.0	14.5
		15.4	15.8	13.7	10.8	7.8	5.7	6.7	4.0	2.7	5.9	
6 NOT STATED		31	12	9	3	1			2		8	66
		47.0	18.2	13.6	4.5	1.5			3.0		12.1	.1
		.1	.0	.1	.1	.0			1.0		47.1	
COLUMN TOTAL		34221	26894	13152	5522	2261	959	403	199	226	17	83854
		40.8	32.1	15.7	6.6	2.7	1.1	.5	.2	.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF
EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

EDUC	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.		675	531	343	169	98	54	27	14	16	1	1928
		35.0	27.5	17.8	8.8	5.1	2.8	1.4	.7	.8	.1	3.4
		2.7	2.8	4.0	5.3	8.3	11.5	15.4	16.3	17.2	8.3	
2 H.S. 1-3 YEARS		4583	3341	1619	693	276	130	50	26	20	1	10739
		42.7	31.1	15.1	6.5	2.6	1.2	.5	.2	.2	.0	18.7
		18.7	17.5	19.0	21.6	23.4	27.6	28.6	30.2	21.5	8.3	
3 H.S. 4 YEARS		10034	7952	3387	1269	450	179	50	29	32	2	23384
		42.9	34.0	14.5	5.4	1.9	.8	.2	.1	.1	.0	40.7
		40.9	41.6	39.8	39.5	38.2	38.0	28.6	33.7	34.4	16.7	
4 COL.1-3 YEARS		4738	3688	1664	606	216	62	27	13	19	2	11035
		42.9	33.4	15.1	5.5	2.0	.6	.2	.1	.2	.0	19.2
		19.3	19.3	19.5	18.8	18.4	13.2	15.4	15.1	20.4	16.7	
5 COL. 4+ YEARS		4516	3619	1504	478	136	46	21	4	6	1	10331
		43.7	35.0	14.6	4.6	1.3	.4	.2	.0	.1	.0	18.0
		18.4	18.9	17.7	14.9	11.6	9.8	12.0	4.7	6.5	8.3	
6 NOT STATED		16	6	1		1					5	29
		55.2	20.7	3.4		3.4					17.2	.1
		.1	.0	.0		.1					41.7	
COLUMN TOTAL		24562	19137	8518	3215	1177	471	175	86	93	12	57446
		42.8	33.3	14.8	5.6	2.0	.8	.3	.1	.2	.0	100.0

TABLE 4

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

EDUC	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.		507	197	163	109	55	34	18	11	26		1120
		45.3	17.6	14.6	9.7	4.9	3.0	1.6	1.0	2.3		4.2
		5.2	2.5	3.5	4.7	5.1	7.0	7.9	9.7	19.5		
2 H.S. 1-3 YEARS		2919	1894	1259	698	417	218	105	47	68	1	7626
		38.3	24.8	16.5	9.2	5.5	2.9	1.4	.6	.9	.0	28.9
		30.2	24.4	27.2	30.3	38.5	44.7	46.1	41.6	51.1	20.0	
3 H.S. 4 YEARS		3988	3785	2222	1059	452	175	82	39	35	1	11838
		33.7	32.0	18.8	8.9	3.8	1.5	.7	.3	.3	.0	44.8
		41.3	48.8	47.9	45.9	41.7	35.9	36.0	34.5	26.3	20.0	
4 COL.1-3 YEARS		1490	1253	685	318	119	52	17	10	4		3948
		37.7	31.7	17.4	8.1	3.0	1.3	.4	.3	.1		15.0
		15.4	16.2	14.8	13.8	11.0	10.7	7.5	8.8	3.0		
5 COL. 4+ YEARS		740	622	297	120	41	9	6	4			1839
		40.2	33.8	16.2	6.5	2.2	.5	.3	.2			7.0
		7.7	8.0	6.4	5.2	3.8	1.8	2.6	3.5			
6 NOT STATED		15	6	8	3				2		3	37
		40.5	16.2	21.6	8.1				5.4		8.1	.1
		.2	.1	.2	.1				1.8		60.0	
COLUMN TOTAL		9659	7757	4634	2307	1084	488	228	113	133	5	26408
		36.6	29.4	17.5	8.7	4.1	1.8	.9	.4	.5	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		91	359	321	74	17	5	867
		10.5	41.4	37.0	8.5	2.0	.6	1.0
		3.0	2.0	.9	.5	.1	7.6	
1 FIRST MONTH		192	1331	3925	2358	2557	5	10368
		1.9	12.8	37.9	22.7	24.7	.0	12.4
		6.3	7.2	11.1	15.7	21.0	7.6	
2 SECOND MONTH		831	5513	15069	7515	7138	11	36077
		2.3	15.3	41.8	20.8	19.8	.0	43.0
		27.3	30.0	42.8	50.2	58.7	16.7	
3 THIRD MONTH		709	4643	8441	3071	1845	14	18723
		3.8	24.8	45.1	16.4	9.9	.1	22.3
		23.3	25.3	24.0	20.5	15.2	21.2	
4 FOURTH MONTH		440	2744	3706	1034	381	6	8311
		5.3	33.0	44.6	12.4	4.6	.1	9.9
		14.4	14.9	10.5	6.9	3.1	9.1	
5 FIFTH MONTH		330	1768	1879	471	133	5	4586
		7.2	38.6	41.0	10.3	2.9	.1	5.5
		10.8	9.6	5.3	3.1	1.1	7.6	
6 SIXTH MONTH		217	970	911	234	52	2	2386
		9.1	40.7	38.2	9.8	2.2	.1	2.8
		7.1	5.3	2.6	1.6	.4	3.0	
7 SEVENTH MONTH		142	609	577	131	28	7	1494
		9.5	40.8	38.6	8.8	1.9	.5	1.8
		4.7	3.3	1.6	.9	.2	10.6	
8 EIGHTH MONTH		65	313	278	74	13	1	744
		8.7	42.1	37.4	9.9	1.7	.1	.9
		2.1	1.7	.8	.5	.1	1.5	
(CONTINUED) COLUMN TOTAL		3048	18365	35222	14983	12170	66	83854
		3.6	21.9	42.0	17.9	14.5	.1	100.0

TABLE 5

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	22	93	84	10	3	1	213
	ROW PCT	10.3	43.7	39.4	4.7	1.4	.5	.3
	COL PCT	.7	.5	.2	.1	.0	1.5	
10 NOT STATED	COUNT	9	22	31	11	3	9	85
	ROW PCT	10.6	25.9	36.5	12.9	3.5	10.6	.1
	COL PCT	.3	.1	.1	.1	.0	13.6	
COLUMN TOTAL		3048	18365	35222	14983	12170	66	83854
		3.6	21.9	42.0	17.9	14.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		39	124	114	43	5	2	327
		11.9	37.9	34.9	13.1	1.5	.6	.6
		2.0	1.2	.5	.4	.0	6.9	
1 FIRST MONTH		121	801	2845	1891	2240	4	7902
		1.5	10.1	36.0	23.9	28.3	.1	13.8
		6.3	7.5	12.2	17.1	21.7	13.8	
2 SECOND MONTH		595	3747	11430	6009	6240	8	28029
		2.1	13.4	40.8	21.4	22.3	.0	48.8
		30.9	34.9	48.9	54.5	60.4	27.6	
3 THIRD MONTH		473	2844	5395	2067	1429	3	12211
		3.9	23.3	44.2	16.9	11.7	.0	21.3
		24.5	26.5	23.1	18.7	13.8	10.3	
4 FOURTH MONTH		285	1447	1935	600	277		4544
		6.3	31.8	42.6	13.2	6.1		7.9
		14.8	13.5	8.3	5.4	2.7		
5 FIFTH MONTH		182	866	855	211	86	2	2202
		8.3	39.3	38.8	9.6	3.9	.1	3.8
		9.4	8.1	3.7	1.9	.8	6.9	
6 SIXTH MONTH		117	450	387	110	24	1	1089
		10.7	41.3	35.5	10.1	2.2	.1	1.9
		6.1	4.2	1.7	1.0	.2	3.4	
7 SEVENTH MONTH		66	269	253	56	18	3	665
		9.9	40.5	38.0	8.4	2.7	.5	1.2
		3.4	2.5	1.1	.5	.2	10.3	
8 EIGHTH MONTH		32	135	113	37	7		324
		9.9	41.7	34.9	11.4	2.2		.6
		1.7	1.3	.5	.3	.1		
COLUMN TOTAL		1928	10739	23384	11035	10331	29	57446
		3.4	18.7	40.7	19.2	18.0	.1	100.0

(CONTINUED)

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	13	45	36	6	2	1	103
	ROW PCT	12.6	43.7	35.0	5.8	1.9	1.0	.2
	COL PCT	.7	.4	.2	.1	.0	3.4	
10 NOT STATED	COUNT	5	11	21	5	3	5	50
	ROW PCT	10.0	22.0	42.0	10.0	6.0	10.0	.1
	COL PCT	.3	.1	.1	.0	.0	17.2	
COLUMN TOTAL		1928	10739	23384	11035	10331	29	57446
		3.4	18.7	40.7	19.2	18.0	.1	100.0

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		52	235	207	31	12	3	540
		9.6	43.5	38.3	5.7	2.2	.6	2.0
		4.6	3.1	1.7	.8	.7	8.1	
1 FIRST MONTH		71	530	1080	467	317	1	2466
		2.9	21.5	43.8	18.9	12.9	.0	9.3
		6.3	6.9	9.1	11.8	17.2	2.7	
2 SECOND MONTH		236	1766	3639	1506	898	3	8048
		2.9	21.9	45.2	18.7	11.2	.0	30.5
		21.1	23.2	30.7	38.1	48.8	8.1	
3 THIRD MONTH		236	1799	3046	1004	416	11	6512
		3.6	27.6	46.8	15.4	6.4	.2	24.7
		21.1	23.6	25.7	25.4	22.6	29.7	
4 FOURTH MONTH		155	1297	1771	434	104	6	3767
		4.1	34.4	47.0	11.5	2.8	.2	14.3
		13.8	17.0	15.0	11.0	5.7	16.2	
5 FIFTH MONTH		148	902	1024	260	47	3	2384
		6.2	37.8	43.0	10.9	2.0	.1	9.0
		13.2	11.8	8.7	6.6	2.6	8.1	
6 SIXTH MONTH		100	520	524	124	28	1	1297
		7.7	40.1	40.4	9.6	2.2	.1	4.9
		8.9	6.8	4.4	3.1	1.5	2.7	
7 SEVENTH MONTH		76	340	324	75	10	4	829
		9.2	41.0	39.1	9.0	1.2	.5	3.1
		6.8	4.5	2.7	1.9	.5	10.8	
8 EIGHTH MONTH		33	178	165	37	6	1	420
		7.9	42.4	39.3	8.8	1.4	.2	1.6
		2.9	2.3	1.4	.9	.3	2.7	
(CONTINUED) COLUMN TOTAL		1120	7626	11838	3948	1839	37	26408
		4.2	28.9	44.8	15.0	7.0	.1	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	9	48	48	4	1		110
	ROW PCT	8.2	43.6	43.6	3.6	.9		.4
	COL PCT	.8	.6	.4	.1	.1		
10 NOT STATED	COUNT	4	11	10	6		4	35
	ROW PCT	11.4	31.4	28.6	17.1		11.4	.1
	COL PCT	.4	.1	.1	.2		10.8	
COLUMN TOTAL		1120	7626	11838	3948	1839	37	26408
		4.2	28.9	44.8	15.0	7.0	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE		1	3	10	37	49	56	71	95	85	71	867
		.1	.3	1.2	4.3	5.7	6.5	8.2	11.0	9.8	8.2	1.0
		14.3	5.2	4.1	4.6	2.9	2.1	1.8	1.8	1.5	1.2	
1 FIRST MONTH			2	7	36	80	155	236	359	470	522	10368
			.0	.1	.3	.8	1.5	2.3	3.5	4.5	5.0	12.4
			3.4	2.8	4.4	4.8	5.9	6.1	7.0	8.4	9.0	
2 SECOND MONTH		1	6	35	145	334	608	1018	1590	1836	2150	36077
		.0	.0	.1	.4	.9	1.7	2.8	4.4	5.1	6.0	43.0
		14.3	10.3	14.2	17.9	19.9	23.3	26.4	30.9	33.0	37.3	
3 THIRD MONTH			11	49	177	405	658	992	1328	1435	1450	18723
			.1	.3	.9	2.2	3.5	5.3	7.1	7.7	7.7	22.3
			19.0	19.9	21.9	24.1	25.2	25.7	25.8	25.8	25.1	
4 FOURTH MONTH			6	48	146	283	442	665	781	780	761	8311
			.1	.6	1.8	3.4	5.3	8.0	9.4	9.4	9.2	9.9
			10.3	19.5	18.0	16.8	17.0	17.2	15.2	14.0	13.2	
5 FIFTH MONTH		3	14	31	106	238	326	422	463	459	373	4586
		.1	.3	.7	2.3	5.2	7.1	9.2	10.1	10.0	8.1	5.5
		42.9	24.1	12.6	13.1	14.2	12.5	10.9	9.0	8.2	6.5	
6 SIXTH MONTH		1	6	31	82	162	170	226	257	246	216	2386
		.0	.3	1.3	3.4	6.8	7.1	9.5	10.8	10.3	9.1	2.8
		14.3	10.3	12.6	10.1	9.6	6.5	5.9	5.0	4.4	3.7	
7 SEVENTH MONTH		1	8	29	52	77	116	143	161	155	131	1494
		.1	.5	1.9	3.5	5.2	7.8	9.6	10.8	10.4	8.8	1.8
		14.3	13.8	11.8	6.4	4.6	4.4	3.7	3.1	2.8	2.3	
8 EIGHTH MONTH			1	6	19	39	55	63	76	79	76	744
			.1	.8	2.6	5.2	7.4	8.5	10.2	10.6	10.2	.9
			1.7	2.4	2.3	2.3	2.1	1.6	1.5	1.4	1.3	
COLUMN TOTAL		7	58	246	809	1680	2607	3862	5141	5569	5771	83854
		.0	.1	.3	1.0	2.0	3.1	4.6	6.1	6.6	6.9	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
0		60	48	46	140	55	34	5	1		867
NONE		6.9	5.5	5.3	16.1	6.3	3.9	.6	.1		1.0
		1.0	.8	.8	.6	.4	1.0	1.2	7.7		
1		610	651	703	3777	2163	550	47			10368
FIRST MONTH		5.9	6.3	6.8	36.4	20.9	5.3	.5			12.4
		10.5	11.4	12.6	15.3	17.2	17.0	11.3			
2		2329	2388	2546	12651	6711	1552	169	5	3	36077
SECOND MONTH		6.5	6.6	7.1	35.1	18.6	4.3	.5	.0	.0	43.0
		40.2	41.7	45.7	51.1	53.2	47.9	40.7	38.5	60.0	
3		1425	1431	1236	5059	2332	642	91	1	1	18723
THIRD MONTH		7.6	7.6	6.6	27.0	12.5	3.4	.5	.0	.0	22.3
		24.6	25.0	22.2	20.4	18.5	19.8	21.9	7.7	20.0	
4		631	608	508	1644	718	243	46	1		8311
FOURTH MONTH		7.6	7.3	6.1	19.8	8.6	2.9	.6	.0		9.9
		10.9	10.6	9.1	6.6	5.7	7.5	11.1	7.7		
5		373	299	246	749	338	118	26	2		4586
FIFTH MONTH		8.1	6.5	5.4	16.3	7.4	2.6	.6	.0		5.5
		6.4	5.2	4.4	3.0	2.7	3.6	6.3	15.4		
6		179	143	125	341	128	59	12	2		2386
SIXTH MONTH		7.5	6.0	5.2	14.3	5.4	2.5	.5	.1		2.8
		3.1	2.5	2.2	1.4	1.0	1.8	2.9	15.4		
7		102	91	91	215	93	19	9	1		1494
SEVENTH MONTH		6.8	6.1	6.1	14.4	6.2	1.3	.6	.1		1.8
		1.8	1.6	1.6	.9	.7	.6	2.2	7.7		
8		62	40	48	111	43	18	8			744
EIGHTH MONTH		8.3	5.4	6.5	14.9	5.8	2.4	1.1			.9
		1.1	.7	.9	.4	.3	.6	1.9			
(CONTINUED)	COLUMN TOTAL	5790	5721	5571	24739	12607	3243	415	13	5	83854
		6.9	6.8	6.6	29.5	15.0	3.9	.5	.0	.0	100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINTH MONTH					7	11	19	21	25	20	17	213
					3.3	5.2	8.9	9.9	11.7	9.4	8.0	.3
					.9	.7	.7	.5	.5	.4	.3	
10 NOT STATED			1		2	2	2	5	6	4	4	85
			1.2		2.4	2.4	2.4	5.9	7.1	4.7	4.7	.1
			1.7		.2	.1	.1	.1	.1	.1	.1	
(CONTINUED)	COLUMN TOTAL	7	58	246	809	1680	2607	3862	5141	5569	5771	83854
		.0	.1	.3	1.0	2.0	3.1	4.6	6.1	6.6	6.9	100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
9	COUNT	15	16	13	29	15	3	2			213
NINTH MONTH	ROW PCT	7.0	7.5	6.1	13.6	7.0	1.4	.9			.3
	COL PCT	.3	.3	.2	.1	.1	.1	.5			
10	COUNT	4	6	9	23	11	5			1	85
NOT STATED	ROW PCT	4.7	7.1	10.6	27.1	12.9	5.9			1.2	.1
	COL PCT	.1	.1	.2	.1	.1	.2			20.0	
COLUMN TOTAL		5790	5721	5571	24739	12607	3243	415	13	5	83854
		6.9	6.8	6.6	29.5	15.0	3.9	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
0 NONE		1	3	14	21	24	27	30	34	24	18	327
		.3	.9	4.3	6.4	7.3	8.3	9.2	10.4	7.3	5.5	.6
		10.0	4.3	4.6	2.6	1.8	1.2	1.0	1.0	.6	.5	
1 FIRST MONTH			2	16	33	79	135	217	300	380	446	7902
			.0	.2	.4	1.0	1.7	2.7	3.8	4.8	5.6	13.8
			2.9	5.3	4.1	5.8	6.2	7.0	8.6	10.0	11.7	
2 SECOND MONTH			15	67	172	371	667	1112	1330	1598	1762	28029
			.1	.2	.6	1.3	2.4	4.0	4.7	5.7	6.3	48.8
			21.7	22.1	21.5	27.2	30.4	35.8	38.0	42.2	46.2	
3 THIRD MONTH		2	12	69	201	381	625	858	922	969	892	12211
		.0	.1	.6	1.6	3.1	5.1	7.0	7.6	7.9	7.3	21.3
		20.0	17.4	22.8	25.1	27.9	28.5	27.6	26.4	25.6	23.4	
4 FOURTH MONTH			13	52	132	208	358	415	450	433	351	4544
			.3	1.1	2.9	4.6	7.9	9.1	9.9	9.5	7.7	7.9
			18.8	17.2	16.5	15.2	16.3	13.4	12.9	11.4	9.2	
5 FIFTH MONTH		2	7	33	109	138	174	234	224	174	178	2202
		.1	.3	1.5	5.0	6.3	7.9	10.6	10.2	7.9	8.1	3.8
		20.0	10.1	10.9	13.6	10.1	7.9	7.5	6.4	4.6	4.7	
6 SIXTH MONTH		3	8	25	78	76	103	117	110	105	87	1089
		.3	.7	2.3	7.2	7.0	9.5	10.7	10.1	9.6	8.0	1.9
		30.0	11.6	8.3	9.8	5.6	4.7	3.8	3.1	2.8	2.3	
7 SEVENTH MONTH		2	8	14	31	54	64	83	75	58	43	665
		.3	1.2	2.1	4.7	8.1	9.6	12.5	11.3	8.7	6.5	1.2
		20.0	11.6	4.6	3.9	4.0	2.9	2.7	2.1	1.5	1.1	
8 EIGHTH MONTH			1	8	17	22	30	25	38	34	28	324
			.3	2.5	5.2	6.8	9.3	7.7	11.7	10.5	8.6	.6
			1.4	2.6	2.1	1.6	1.4	.8	1.1	.9	.7	
COLUMN TOTAL		10	69	303	800	1365	2195	3104	3498	3785	3815	57446
		.0	.1	.5	1.4	2.4	3.8	5.4	6.1	6.6	6.6	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0 NONE		16	21	50	26	16	2			327
		4.9	6.4	15.3	8.0	4.9	.6			.6
		.4	.5	.3	.3	.7	.7			
1 FIRST MONTH		473	527	3059	1755	447	33			7902
		6.0	6.7	38.7	22.2	5.7	.4			13.8
		12.0	13.4	16.6	18.3	18.7	12.1			
2 SECOND MONTH		1848	2005	10208	5489	1251	128	4	2	28029
		6.6	7.2	36.4	19.6	4.5	.5	.0	.0	48.8
		47.1	51.2	55.5	57.3	52.3	46.9	66.7	50.0	
3 THIRD MONTH		949	802	3436	1604	424	64		1	12211
		7.8	6.6	28.1	13.1	3.5	.5		.0	21.3
		24.2	20.5	18.7	16.8	17.7	23.4		25.0	
4 FOURTH MONTH		347	297	917	402	148	21			4544
		7.6	6.5	20.2	8.8	3.3	.5			7.9
		8.8	7.6	5.0	4.2	6.2	7.7			
5 FIFTH MONTH		154	136	387	182	58	12			2202
		7.0	6.2	17.6	8.3	2.6	.5			3.8
		3.9	3.5	2.1	1.9	2.4	4.4			
6 SIXTH MONTH		65	65	172	43	27	4	1		1089
		6.0	6.0	15.8	3.9	2.5	.4	.1		1.9
		1.7	1.7	.9	.4	1.1	1.5	16.7		
7 SEVENTH MONTH		39	40	98	41	8	6	1		665
		5.9	6.0	14.7	6.2	1.2	.9	.2		1.2
		1.0	1.0	.5	.4	.3	2.2	16.7		
8 EIGHTH MONTH		24	14	52	21	8	2			324
		7.4	4.3	16.0	6.5	2.5	.6			.6
		.6	.4	.3	.2	.3	.7			
COLUMN TOTAL		3926	3919	18406	9576	2392	273	6	4	57446
(CONTINUED)		6.8	6.8	32.0	16.7	4.2	.5	.0	.0	100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB		AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
9 NINTH MONTH	COUNT			4	4	11	9	11	12	7	8	103
	ROW PCT			3.9	3.9	10.7	8.7	10.7	11.7	6.8	7.8	.2
	COL PCT			1.3	.5	.8	.4	.4	.3	.2	.2	
10 NOT STATED	COUNT			1	2	1	3	2	3	3	2	50
	ROW PCT			2.0	4.0	2.0	6.0	4.0	6.0	6.0	4.0	.1
	COL PCT			.3	.3	.1	.1	.1	.1	.1	.1	
(CONTINUED)	COLUMN TOTAL	10 .0	69 .1	303 .5	800 1.4	1365 2.4	2195 3.8	3104 5.4	3498 6.1	3785 6.6	3815 6.6	57446 100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB		AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NINTH MONTH	9 COUNT	8	6	14	7	1	1			103
	ROW PCT	7.8	5.8	13.6	6.8	1.0	1.0			.2
	COL PCT	.2	.2	.1	.1	.0	.4			
NOT STATED	10 COUNT	3	6	13	6	4			1	50
	ROW PCT	6.0	12.0	26.0	12.0	8.0			2.0	.1
	COL PCT	.1	.2	.1	.1	.2			25.0	
	COLUMN TOTAL	3926	3919	18406	9576	2392	273	6	4	57446
		6.8	6.8	32.0	16.7	4.2	.5	.0	.0	100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE		1	2	7	23	28	32	44	65	51	47	540
		.2	.4	1.3	4.3	5.2	5.9	8.1	12.0	9.4	8.7	2.0
		14.3	4.2	4.0	4.5	3.2	2.6	2.6	3.2	2.5	2.4	
1 FIRST MONTH			2	5	20	47	76	101	142	170	142	2466
			.1	.2	.8	1.9	3.1	4.1	5.8	6.9	5.8	9.3
			4.2	2.8	4.0	5.3	6.1	6.1	7.0	8.2	7.2	
2 SECOND MONTH		1	6	20	78	162	237	351	478	506	552	8048
		.0	.1	.2	1.0	2.0	2.9	4.4	5.9	6.3	6.9	30.5
		14.3	12.5	11.3	15.4	18.4	19.1	21.1	23.5	24.4	27.8	
3 THIRD MONTH			9	37	108	204	277	367	470	513	481	6512
			.1	.6	1.7	3.1	4.3	5.6	7.2	7.9	7.4	24.7
			18.8	20.9	21.3	23.2	22.3	22.0	23.1	24.8	24.2	
4 FOURTH MONTH			6	35	94	151	234	307	366	330	328	3767
			.2	.9	2.5	4.0	6.2	8.1	9.7	8.8	8.7	14.3
			12.5	19.8	18.6	17.2	18.8	18.4	18.0	15.9	16.5	
5 FIFTH MONTH		3	12	24	73	129	188	248	229	235	199	2384
		.1	.5	1.0	3.1	5.4	7.9	10.4	9.6	9.9	8.3	9.0
		42.9	25.0	13.6	14.4	14.7	15.1	14.9	11.2	11.3	10.0	
6 SIXTH MONTH		1	3	23	57	84	94	123	140	136	111	1297
		.1	.2	1.8	4.4	6.5	7.2	9.5	10.8	10.5	8.6	4.9
		14.3	6.3	13.0	11.3	9.5	7.6	7.4	6.9	6.6	5.6	
7 SEVENTH MONTH		1	6	21	38	46	62	79	78	80	73	829
		.1	.7	2.5	4.6	5.5	7.5	9.5	9.4	9.7	8.8	3.1
		14.3	12.5	11.9	7.5	5.2	5.0	4.7	3.8	3.9	3.7	
8 EIGHTH MONTH			1	5	11	22	33	33	51	41	42	420
			.2	1.2	2.6	5.2	7.9	7.9	12.1	9.8	10.0	1.6
			2.1	2.8	2.2	2.5	2.7	2.0	2.5	2.0	2.1	
COLUMN TOTAL		7	48	177	506	880	1242	1667	2037	2071	1986	26408
		.0	.2	.7	1.9	3.3	4.7	6.3	7.7	7.8	7.5	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
0		42	32	25	90	29	18	3	1		540
NONE		7.8	5.9	4.6	16.7	5.4	3.3	.6	.2		2.0
		2.1	1.8	1.5	1.4	1.0	2.1	2.1	14.3		
1		164	178	176	718	408	103	14			2466
FIRST MONTH		6.7	7.2	7.1	29.1	16.5	4.2	.6			9.3
		8.3	9.9	10.7	11.3	13.5	12.1	9.9			
2		567	540	541	2443	1222	301	41	1	1	8048
SECOND MONTH		7.0	6.7	6.7	30.4	15.2	3.7	.5	.0	.0	30.5
		28.7	30.1	32.7	38.6	40.3	35.4	28.9	14.3	100.0	
3		533	482	434	1623	728	218	27	1		6512
THIRD MONTH		8.2	7.4	6.7	24.9	11.2	3.3	.4	.0		24.7
		27.0	26.9	26.3	25.6	24.0	25.6	19.0	14.3		
4		280	261	211	727	316	95	25	1		3767
FOURTH MONTH		7.4	6.9	5.6	19.3	8.4	2.5	.7	.0		14.3
		14.2	14.5	12.8	11.5	10.4	11.2	17.6	14.3		
5		195	145	110	362	156	60	14	2		2384
FIFTH MONTH		8.2	6.1	4.6	15.2	6.5	2.5	.6	.1		9.0
		9.9	8.1	6.7	5.7	5.1	7.1	9.9	28.6		
6		92	78	60	169	85	32	8	1		1297
SIXTH MONTH		7.1	6.0	4.6	13.0	6.6	2.5	.6	.1		4.9
		4.7	4.3	3.6	2.7	2.8	3.8	5.6	14.3		
7		59	52	51	117	52	11	3			829
SEVENTH MONTH		7.1	6.3	6.2	14.1	6.3	1.3	.4			3.1
		3.0	2.9	3.1	1.8	1.7	1.3	2.1			
8		34	16	34	59	22	10	6			420
EIGHTH MONTH		8.1	3.8	8.1	14.0	5.2	2.4	1.4			1.6
		1.7	.9	2.1	.9	.7	1.2	4.2			
COLUMN TOTAL		1975	1795	1652	6333	3031	851	142	7	1	26408
(CONTINUED)		7.5	6.8	6.3	24.0	11.5	3.2	.5	.0	.0	100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
PAGE 3 OF 4

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINTH MONTH					3	7	8	12	14	8	10	110
					2.7	6.4	7.3	10.9	12.7	7.3	9.1	.4
					.6	.8	.6	.7	.7	.4	.5	
10 NOT STATED			1		1		1	2	4	1	1	35
			2.9		2.9		2.9	5.7	11.4	2.9	2.9	.1
			2.1		.2		.1	.1	.2	.0	.1	
(CONTINUED) COLUMN TOTAL		7	48	177	506	880	1242	1667	2037	2071	1986	26408
		.0	.2	.7	1.9	3.3	4.7	6.3	7.7	7.8	7.5	100.0

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	AGE	22	23	24	25	26	27	28	29	30	ROW TOTAL
9 NINTH MONTH	COUNT	7	8	7	15	8	2	1			110
	ROW PCT	6.4	7.3	6.4	13.6	7.3	1.8	.9			.4
	COL PCT	.4	.4	.4	.2	.3	.2	.7			
10 NOT STATED	COUNT	2	3	3	10	5	1				35
	ROW PCT	5.7	8.6	8.6	28.6	14.3	2.9				.1
	COL PCT	.1	.2	.2	.2	.2	.1				
COLUMN TOTAL		1975	1795	1652	6333	3031	851	142	7	1	26408
		7.5	6.8	6.3	24.0	11.5	3.2	.5	.0	.0	100.0

AGE	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 7

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

		STATUS			
	COUNT / ROW PCT / COL PCT	MARRIED 1	NOT MARRIED 2	NOT STATED 3	ROW TOTAL
MPCB					
	0	272	595		867
NONE		31.4	68.6		1.0
		.4	3.5		
	1	9294	1074		10368
FIRST MONTH		89.6	10.4		12.4
		14.0	6.2		
	2	32014	4063		36077
SECOND MONTH		88.7	11.3		43.0
		48.1	23.6		
	3	14624	4099		18723
THIRD MONTH		78.1	21.9		22.3
		22.0	23.8		
	4	5484	2827		8311
FOURTH MONTH		66.0	34.0		9.9
		8.2	16.4		
	5	2498	2088		4586
FIFTH MONTH		54.5	45.5		5.5
		3.7	12.1		
	6	1226	1160		2386
SIXTH MONTH		51.4	48.6		2.8
		1.8	6.7		
	7	713	781		1494
SEVENTH MONTH		47.7	52.3		1.8
		1.1	4.5		
	8	324	420		744
EIGHTH MONTH		43.5	56.5		.9
		.5	2.4		
	COLUMN	66614	17239	1	83854
(CONTINUED)	TOTAL	79.4	20.6	.0	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	STATUS	MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9 NINTH MONTH	COUNT	107	106		213
	ROW PCT	50.2	49.8		.3
	COL PCT	.2	.6		
10 NOT STATED	COUNT	58	26	1	85
	ROW PCT	68.2	30.6	1.2	.1
	COL PCT	.1	.2	100.0	
	COLUMN TOTAL	66614	17239	1	83854
		79.4	20.6	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
0 NONE		153	174		327
		46.8	53.2		.6
		.3	4.2		
1 FIRST MONTH		7713	189		7902
		97.6	2.4		13.8
		14.5	4.5		
2 SECOND MONTH		27048	981		28029
		96.5	3.5		48.8
		50.8	23.6		
3 THIRD MONTH		11243	968		12211
		92.1	7.9		21.3
		21.1	23.3		
4 FOURTH MONTH		3869	675		4544
		85.1	14.9		7.9
		7.3	16.2		
5 FIFTH MONTH		1691	511		2202
		76.8	23.2		3.8
		3.2	12.3		
6 SIXTH MONTH		808	281		1089
		74.2	25.8		1.9
		1.5	6.8		
7 SEVENTH MONTH		454	211		665
		68.3	31.7		1.2
		.9	5.1		
8 EIGHTH MONTH		202	122		324
		62.3	37.7		.6
		.4	2.9		
(CONTINUED)	COLUMN TOTAL	53285	4160	1	57446
		92.8	7.2	.0	100.0

TABLE 7

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	STATUS	1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	65	38		103
	ROW PCT	63.1	36.9		.2
	COL PCT	.1	.9		
10 NOT STATED	COUNT	39	10	1	50
	ROW PCT	78.0	20.0	2.0	.1
	COL PCT	.1	.2	100.0	
COLUMN TOTAL	COUNT	53285	4160	1	57446
		92.8	7.2	.0	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	ROW TOTAL
0 NONE		119	421	540
		22.0	78.0	2.0
		.9	3.2	
1 FIRST MONTH		1581	885	2466
		64.1	35.9	9.3
		11.9	6.8	
2 SECOND MONTH		4966	3082	8048
		61.7	38.3	30.5
		37.3	23.6	
3 THIRD MONTH		3381	3131	6512
		51.9	48.1	24.7
		25.4	23.9	
4 FOURTH MONTH		1615	2152	3767
		42.9	57.1	14.3
		12.1	16.5	
5 FIFTH MONTH		807	1577	2384
		33.9	66.1	9.0
		6.1	12.1	
6 SIXTH MONTH		418	879	1297
		32.2	67.8	4.9
		3.1	6.7	
7 SEVENTH MONTH		259	570	829
		31.2	68.8	3.1
		1.9	4.4	
8 EIGHTH MONTH		122	298	420
		29.0	71.0	1.6
		.9	2.3	
COLUMN TOTAL		13329	13079	26408
		50.5	49.5	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	ROW TOTAL
9 NINTH MONTH	42	68	110
	38.2	61.8	.4
	.3	.5	
10 NOT STATED	19	16	35
	54.3	45.7	.1
	.1	.1	
COLUMN TOTAL	13329	13079	26408
	50.5	49.5	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		315	199	128	107	62	22	15	5	14		867
		36.3	23.0	14.8	12.3	7.2	2.5	1.7	.6	1.6		1.0
		.9	.7	1.0	1.9	2.7	2.3	3.7	2.5	6.2		
1 FIRST MONTH		4234	3492	1613	634	222	96	35	14	26	2	10368
		40.8	33.7	15.6	6.1	2.1	.9	.3	.1	.3	.0	12.4
		12.4	13.0	12.3	11.5	9.8	10.0	8.7	7.0	11.5	11.8	
2 SECOND MONTH		14795	12209	5630	2114	801	299	119	56	50	4	36077
		41.0	33.8	15.6	5.9	2.2	.8	.3	.2	.1	.0	43.0
		43.2	45.4	42.8	38.3	35.4	31.2	29.5	28.1	22.1	23.5	
3 THIRD MONTH		7679	5969	2918	1266	494	216	90	44	46	1	18723
		41.0	31.9	15.6	6.8	2.6	1.2	.5	.2	.2	.0	22.3
		22.4	22.2	22.2	22.9	21.8	22.5	22.3	22.1	20.4	5.9	
4 FOURTH MONTH		3352	2429	1350	628	301	127	57	32	34	1	8311
		40.3	29.2	16.2	7.6	3.6	1.5	.7	.4	.4	.0	9.9
		9.8	9.0	10.3	11.4	13.3	13.2	14.1	16.1	15.0	5.9	
5 FIFTH MONTH		1902	1252	735	350	168	94	39	22	23	1	4586
		41.5	27.3	16.0	7.6	3.7	2.0	.9	.5	.5	.0	5.5
		5.6	4.7	5.6	6.3	7.4	9.8	9.7	11.1	10.2	5.9	
6 SIXTH MONTH		978	642	360	208	101	48	23	12	14		2386
		41.0	26.9	15.1	8.7	4.2	2.0	1.0	.5	.6		2.8
		2.9	2.4	2.7	3.8	4.5	5.0	5.7	6.0	6.2		
7 SEVENTH MONTH		602	423	227	127	55	34	10	8	8		1494
		40.3	28.3	15.2	8.5	3.7	2.3	.7	.5	.5		1.8
		1.8	1.6	1.7	2.3	2.4	3.5	2.5	4.0	3.5		
8 EIGHTH MONTH		271	204	133	55	44	14	8	6	9		744
		36.4	27.4	17.9	7.4	5.9	1.9	1.1	.8	1.2		.9
		.8	.8	1.0	1.0	1.9	1.5	2.0	3.0	4.0		
COLUMN TOTAL		34221	26894	13152	5522	2261	959	403	199	226	17	83854
		40.8	32.1	15.7	6.6	2.7	1.1	.5	.2	.3	.0	100.0

(CONTINUED)

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9 NINTH MONTH	71	53	41	26	9	6	5		2		213
	33.3	24.9	19.2	12.2	4.2	2.8	2.3		.9		.3
	.2	.2	.3	.5	.4	.6	1.2		.9		
10 NOT STATED	22	22	17	7	4	3	2			8	85
	25.9	25.9	20.0	8.2	4.7	3.5	2.4			9.4	.1
	.1	.1	.1	.1	.2	.3	.5			47.1	
COLUMN TOTAL	34221	26894	13152	5522	2261	959	403	199	226	17	83854
	40.8	32.1	15.7	6.6	2.7	1.1	.5	.2	.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0 NONE		157	64	38	28	17	12	7		4		327
		48.0	19.6	11.6	8.6	5.2	3.7	2.1		1.2		.6
		.6	.3	.4	.9	1.4	2.5	4.0		4.3		
1 FIRST MONTH		3356	2733	1162	423	125	61	20	7	13	2	7902
		42.5	34.6	14.7	5.4	1.6	.8	.3	.1	.2	.0	13.8
		13.7	14.3	13.6	13.2	10.6	13.0	11.4	8.1	14.0	16.7	
2 SECOND MONTH		11950	9691	4180	1430	494	173	58	26	23	4	28029
		42.6	34.6	14.9	5.1	1.8	.6	.2	.1	.1	.0	48.8
		48.7	50.6	49.1	44.5	42.0	36.7	33.1	30.2	24.7	33.3	
3 THIRD MONTH		5294	4024	1755	708	259	92	37	22	20		12211
		43.4	33.0	14.4	5.8	2.1	.8	.3	.2	.2		21.3
		21.6	21.0	20.6	22.0	22.0	19.5	21.1	25.6	21.5		
4 FOURTH MONTH		1931	1401	698	296	126	52	15	14	11		4544
		42.5	30.8	15.4	6.5	2.8	1.1	.3	.3	.2		7.9
		7.9	7.3	8.2	9.2	10.7	11.0	8.6	16.3	11.8		
5 FIFTH MONTH		920	634	345	156	69	41	15	8	13	1	2202
		41.8	28.8	15.7	7.1	3.1	1.9	.7	.4	.6	.0	3.8
		3.7	3.3	4.1	4.9	5.9	8.7	8.6	9.3	14.0	8.3	
6 SIXTH MONTH		476	286	166	83	43	17	11	5	2		1089
		43.7	26.3	15.2	7.6	3.9	1.6	1.0	.5	.2		1.9
		1.9	1.5	1.9	2.6	3.7	3.6	6.3	5.8	2.2		
7 SEVENTH MONTH		281	190	93	52	22	14	6	2	5		665
		42.3	28.6	14.0	7.8	3.3	2.1	.9	.3	.8		1.2
		1.1	1.0	1.1	1.6	1.9	3.0	3.4	2.3	5.4		
8 EIGHTH MONTH		143	74	55	24	16	6	2	2	2		324
		44.1	22.8	17.0	7.4	4.9	1.9	.6	.6	.6		.6
		.6	.4	.6	.7	1.4	1.3	1.1	2.3	2.2		
COLUMN TOTAL		24562	19137	8518	3215	1177	471	175	86	93	12	57446
		42.8	33.3	14.8	5.6	2.0	.8	.3	.1	.2	.0	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	BO	1I 1ST	2I 2ND	3I 3RD	4I 4TH	5I 5TH	6I 6TH	7I 7TH	8I 8TH	9I 9TH AND OVER	10I NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	40	24	18	11	4	2	4				103
	ROW PCT	38.8	23.3	17.5	10.7	3.9	1.9	3.9				.2
	COL PCT	.2	.1	.2	.3	.3	.4	2.3				
10 NOT STATED	COUNT	14	16	8	4	2	1				5	50
	ROW PCT	28.0	32.0	16.0	8.0	4.0	2.0				10.0	.1
	COL PCT	.1	.1	.1	.1	.2	.2				41.7	
COLUMN TOTAL		24562	19137	8518	3215	1177	471	175	86	93	12	57446
		42.8	33.3	14.8	5.6	2.0	.8	.3	.1	.2	.0	100.0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		158	135	90	79	45	10	8	5	10		540
		29.3	25.0	16.7	14.6	8.3	1.9	1.5	.9	1.9		2.0
		1.6	1.7	1.9	3.4	4.2	2.0	3.5	4.4	7.5		
1 FIRST MONTH		878	759	451	211	97	35	15	7	13		2466
		35.6	30.8	18.3	8.6	3.9	1.4	.6	.3	.5		9.3
		9.1	9.8	9.7	9.1	8.9	7.2	6.6	6.2	9.8		
2 SECOND MONTH		2845	2518	1450	684	307	126	61	30	27		8048
		35.4	31.3	18.0	8.5	3.8	1.6	.8	.4	.3		30.5
		29.5	32.5	31.3	29.6	28.3	25.8	26.8	26.5	20.3		
3 THIRD MONTH		2385	1945	1163	558	235	124	53	22	26	1	6512
		36.6	29.9	17.9	8.6	3.6	1.9	.8	.3	.4	.0	24.7
		24.7	25.1	25.1	24.2	21.7	25.4	23.2	19.5	19.5	20.0	
4 FOURTH MONTH		1421	1028	652	332	175	75	42	18	23	1	3767
		37.7	27.3	17.3	8.8	4.6	2.0	1.1	.5	.6	.0	14.3
		14.7	13.3	14.1	14.4	16.1	15.4	18.4	15.9	17.3	20.0	
5 FIFTH MONTH		982	618	390	194	99	53	24	14	10		2384
		41.2	25.9	16.4	8.1	4.2	2.2	1.0	.6	.4		9.0
		10.2	8.0	8.4	8.4	9.1	10.9	10.5	12.4	7.5		
6 SIXTH MONTH		502	356	194	125	58	31	12	7	12		1297
		38.7	27.4	15.0	9.6	4.5	2.4	.9	.5	.9		4.9
		5.2	4.6	4.2	5.4	5.4	6.4	5.3	6.2	9.0		
7 SEVENTH MONTH		321	233	134	75	33	20	4	6	3		829
		38.7	28.1	16.2	9.0	4.0	2.4	.5	.7	.4		3.1
		3.3	3.0	2.9	3.3	3.0	4.1	1.8	5.3	2.3		
8 EIGHTH MONTH		128	130	78	31	28	8	6	4	7		420
		30.5	31.0	18.6	7.4	6.7	1.9	1.4	1.0	1.7		1.6
		1.3	1.7	1.7	1.3	2.6	1.6	2.6	3.5	5.3		
COLUMN TOTAL		9659	7757	4634	2307	1084	488	228	113	133	5	26408
		36.6	29.4	17.5	8.7	4.1	1.8	.9	.4	.5	.0	100.0

(CONTINUED)

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9 NINTH MONTH	COUNT	31	29	23	15	5	4	1		2		110
	ROW PCT	28.2	26.4	20.9	13.6	4.5	3.6	.9		1.8		.4
	COL PCT	.3	.4	.5	.7	.5	.8	.4		1.5		
10 NOT STATED	COUNT	8	6	9	3	2	2	2			3	35
	ROW PCT	22.9	17.1	25.7	8.6	5.7	5.7	5.7			8.6	.1
	COL PCT	.1	.1	.2	.1	.2	.4	.9			60.0	
COLUMN TOTAL		9659	7757	4634	2307	1084	488	228	113	133	5	26408
		36.6	29.4	17.5	8.7	4.1	1.8	.9	.4	.5	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	WT 1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
0 NONE		17	26	39	42	97	230	292	93	27	4	867
		2.0	3.0	4.5	4.8	11.2	26.5	33.7	10.7	3.1	.5	1.0
		11.0	5.9	6.1	3.3	2.4	1.6	.9	.4	.3	12.5	
1 FIRST MONTH		28	59	69	148	446	1582	3794	3052	1188	2	10368
		.3	.6	.7	1.4	4.3	15.3	36.6	29.4	11.5	.0	12.4
		18.2	13.4	10.8	11.7	10.9	11.0	12.2	13.1	14.1	6.3	
2 SECOND MONTH		59	150	245	457	1538	5598	13173	10740	4110	7	36077
		.2	.4	.7	1.3	4.3	15.5	36.5	29.8	11.4	.0	43.0
		38.3	34.0	38.5	36.2	37.6	38.8	42.4	46.0	48.9	21.9	
3 THIRD MONTH		27	109	141	281	941	3286	7055	5086	1792	5	18723
		.1	.6	.8	1.5	5.0	17.6	37.7	27.2	9.6	.0	22.3
		17.5	24.7	22.1	22.3	23.0	22.8	22.7	21.8	21.3	15.6	
4 FOURTH MONTH		15	56	75	139	493	1668	3037	2144	682	2	8311
		.2	.7	.9	1.7	5.9	20.1	36.5	25.8	8.2	.0	9.9
		9.7	12.7	11.8	11.0	12.1	11.6	9.8	9.2	8.1	6.3	
5 FIFTH MONTH		7	28	31	92	268	985	1793	1087	293	2	4586
		.2	.6	.7	2.0	5.8	21.5	39.1	23.7	6.4	.0	5.5
		4.5	6.3	4.9	7.3	6.6	6.8	5.8	4.7	3.5	6.3	
6 SIXTH MONTH			8	15	52	162	495	942	556	155	1	2386
			.3	.6	2.2	6.8	20.7	39.5	23.3	6.5	.0	2.8
			1.8	2.4	4.1	4.0	3.4	3.0	2.4	1.8	3.1	
7 SEVENTH MONTH		1		14	32	83	348	592	328	93	3	1494
		.1		.9	2.1	5.6	23.3	39.6	22.0	6.2	.2	1.8
		.6		2.2	2.5	2.0	2.4	1.9	1.4	1.1	9.4	
8 EIGHTH MONTH			1	2	11	45	164	303	167	51		744
			.1	.3	1.5	6.0	22.0	40.7	22.4	6.9		.9
			.2	.3	.9	1.1	1.1	1.0	.7	.6		
COLUMN TOTAL		154	441	637	1261	4090	14415	31088	23326	8410	32	83854
		.2	.5	.8	1.5	4.9	17.2	37.1	27.8	10.0	.0	100.0

(CONTINUED)

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	WT COUNT / ROW PCT / COL PCT	0 1500 GMS OR LESS	1 501 TO 1000 GMS	2 1001 TO 1500 GMS	3 1501 TO 2000 GMS	4 2001 TO 2500 GMS	5 2501 TO 3000 GMS	6 3001 TO 3500 GMS	7 3501 TO 4000 GMS	8 OVER 4000 GMS	9 NOT STATED	ROW TOTAL
9 NINTH MONTH				1	4	13	48	84	48	15		213
				.5	1.9	6.1	22.5	39.4	22.5	7.0		.3
				.2	.3	.3	.3	.3	.2	.2		
10 NOT STATED			4	5	3	4	11	23	25	4	6	85
			4.7	5.9	3.5	4.7	12.9	27.1	29.4	4.7	7.1	.1
			.9	.8	.2	.1	.1	.1	.1	.0	18.8	
COLUMN TOTAL		154 .2	441 .5	637 .8	1261 1.5	4090 4.9	14415 17.2	31088 37.1	23326 27.8	8410 10.0	32 .0	83854 100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	WT / COUNT / ROW PCT / COL PCT	1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
0		2	5	10	10	29	85	115	53	17	1	327
NONE		.6	1.5	3.1	3.1	8.9	26.0	35.2	16.2	5.2	.3	.6
		3.3	2.8	3.2	1.5	1.3	1.0	.6	.3	.2	5.9	
1		10	28	42	86	296	1033	2825	2507	1073	2	7902
FIRST MONTH		.1	.4	.5	1.1	3.7	13.1	35.8	31.7	13.6	.0	13.8
		16.7	15.8	13.4	13.2	13.5	12.5	13.6	14.0	15.3	11.8	
2		28	72	143	289	991	3833	10073	9003	3592	5	28029
SECOND MONTH		.1	.3	.5	1.0	3.5	13.7	35.9	32.1	12.8	.0	48.8
		46.7	40.7	45.7	44.3	45.1	46.3	48.3	50.3	51.1	29.4	
3		14	40	61	155	461	1797	4534	3703	1443	3	12211
THIRD MONTH		.1	.3	.5	1.3	3.8	14.7	37.1	30.3	11.8	.0	21.3
		23.3	22.6	19.5	23.7	21.0	21.7	21.7	20.7	20.5	17.6	
4		4	15	30	54	216	768	1586	1386	485		4544
FOURTH MONTH		.1	.3	.7	1.2	4.8	16.9	34.9	30.5	10.7		7.9
		6.7	8.5	9.6	8.3	9.8	9.3	7.6	7.7	6.9		
5		2	11	12	27	104	371	849	629	195	2	2202
FIFTH MONTH		.1	.5	.5	1.2	4.7	16.8	38.6	28.6	8.9	.1	3.8
		3.3	6.2	3.8	4.1	4.7	4.5	4.1	3.5	2.8	11.8	
6			2	4	13	62	178	415	305	110		1089
SIXTH MONTH			.2	.4	1.2	5.7	16.3	38.1	28.0	10.1		1.9
			1.1	1.3	2.0	2.8	2.2	2.0	1.7	1.6		
7				7	10	21	127	258	176	65	1	665
SEVENTH MONTH				1.1	1.5	3.2	19.1	38.8	26.5	9.8	.2	1.2
				2.2	1.5	1.0	1.5	1.2	1.0	.9	5.9	
8			1		4	9	58	138	82	32		324
EIGHTH MONTH			.3		1.2	2.8	17.9	42.6	25.3	9.9		.6
			.6		.6	.4	.7	.7	.5	.5		
COLUMN TOTAL		60 .1	177 .3	313 .5	653 1.1	2196 3.8	8271 14.4	20846 36.3	17888 31.1	7025 12.2	17 .0	57446 100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE
PAGE 2 OF 2

MPCB	WT	1500 GMS OR LESS (0)	501 TO 1000 GMS (1)	1001 TO 1500 GMS (2)	1501 TO 2000 GMS (3)	2001 TO 2500 GMS (4)	2501 TO 3000 GMS (5)	3001 TO 3500 GMS (6)	3501 TO 4000 GMS (7)	OVER 4000 GMS (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH	COUNT				2	4	18	40	29	10		103
	ROW PCT				1.9	3.9	17.5	38.8	28.2	9.7		.2
	COL PCT				.3	.2	.2	.2	.2	.1		
10 NOT STATED	COUNT		3	4	3	3	3	13	15	3	3	50
	ROW PCT		6.0	8.0	6.0	6.0	6.0	26.0	30.0	6.0	6.0	.1
	COL PCT		1.7	1.3	.5	.1	.0	.1	.1	.0	17.6	
COLUMN TOTAL		60	177	313	653	2196	8271	20846	17888	7025	17	57446
		.1	.3	.5	1.1	3.8	14.4	36.3	31.1	12.2	.0	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	WT 1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
0 NONE		15	21	29	32	68	145	177	40	10	3	540
		2.8	3.9	5.4	5.9	12.6	26.9	32.8	7.4	1.9	.6	2.0
		16.0	8.0	9.0	5.3	3.6	2.4	1.7	.7	.7	20.0	
1 FIRST MONTH		18	31	27	62	150	549	969	545	115		2466
		.7	1.3	1.1	2.5	6.1	22.3	39.3	22.1	4.7		9.3
		19.1	11.7	8.3	10.2	7.9	8.9	9.5	10.0	8.3		
2 SECOND MONTH		31	78	102	168	547	1765	3100	1737	518	2	8048
		.4	1.0	1.3	2.1	6.8	21.9	38.5	21.6	6.4	.0	30.5
		33.0	29.5	31.5	27.6	28.9	28.7	30.3	31.9	37.4	13.3	
3 THIRD MONTH		13	69	80	126	480	1489	2521	1383	349	2	6512
		.2	1.1	1.2	1.9	7.4	22.9	38.7	21.2	5.4	.0	24.7
		13.8	26.1	24.7	20.7	25.3	24.2	24.6	25.4	25.2	13.3	
4 FOURTH MONTH		11	41	45	85	277	900	1451	758	197	2	3767
		.3	1.1	1.2	2.3	7.4	23.9	38.5	20.1	5.2	.1	14.3
		11.7	15.5	13.9	14.0	14.6	14.6	14.2	13.9	14.2	13.3	
5 FIFTH MONTH		5	17	19	65	164	614	944	458	98		2384
		.2	.7	.8	2.7	6.9	25.8	39.6	19.2	4.1		9.0
		5.3	6.4	5.9	10.7	8.7	10.0	9.2	8.4	7.1		
6 SIXTH MONTH			6	11	39	100	317	527	251	45	1	1297
			.5	.8	3.0	7.7	24.4	40.6	19.4	3.5	.1	4.9
			2.3	3.4	6.4	5.3	5.2	5.1	4.6	3.2	6.7	
7 SEVENTH MONTH		1		7	22	62	221	334	152	28	2	829
		.1		.8	2.7	7.5	26.7	40.3	18.3	3.4	.2	3.1
		1.1		2.2	3.6	3.3	3.6	3.3	2.8	2.0	13.3	
8 EIGHTH MONTH				2	7	36	106	165	85	19		420
				.5	1.7	8.6	25.2	39.3	20.2	4.5		1.6
				.6	1.2	1.9	1.7	1.6	1.6	1.4		
COLUMN TOTAL		94	264	324	608	1894	6144	10242	5438	1385	15	26408
		.4	1.0	1.2	2.3	7.2	23.3	38.8	20.6	5.2	.1	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	WT 1500 GMS OR LESS (0)	501 TO 1000 GMS (1)	1001 TO 1500 GMS (2)	1501 TO 2000 GMS (3)	2001 TO 2500 GMS (4)	2501 TO 3000 GMS (5)	3001 TO 3500 GMS (6)	3501 TO 4000 GMS (7)	OVER 4000 GMS (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH				1	2	9	30	44	19	5		110
				.9	1.8	8.2	27.3	40.0	17.3	4.5		.4
				.3	.3	.5	.5	.4	.3	.4		
10 NOT STATED			1	1		1	8	10	10	1	3	35
			2.9	2.9		2.9	22.9	28.6	28.6	2.9	8.6	.1
			.4	.3		.1	.1	.1	.2	.1	20.0	
COLUMN TOTAL		94	264	324	608	1894	6144	10242	5438	1385	15	26408
		.4	1.0	1.2	2.3	7.2	23.3	38.8	20.6	5.2	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		91	359	321	74	17	5	867
NONE		10.5	41.4	37.0	8.5	2.0	.6	1.0
		3.0	2.0	.9	.5	.1	7.6	
1		51	183	160	35	7		436
ONE		11.7	42.0	36.7	8.0	1.6		.5
		1.7	1.0	.5	.2	.1		
2		45	285	227	37	11		605
TWO		7.4	47.1	37.5	6.1	1.8		.7
		1.5	1.6	.6	.2	.1		
3		84	378	309	79	15	2	867
THREE		9.7	43.6	35.6	9.1	1.7	.2	1.0
		2.8	2.1	.9	.5	.1	3.0	
4		122	550	514	105	31	5	1327
FOUR		9.2	41.4	38.7	7.9	2.3	.4	1.6
		4.0	3.0	1.5	.7	.3	7.6	
5		140	694	674	150	67	1	1726
FIVE		8.1	40.2	39.0	8.7	3.9	.1	2.1
		4.6	3.8	1.9	1.0	.6	1.5	
6		194	878	1001	260	101	2	2436
SIX		8.0	36.0	41.1	10.7	4.1	.1	2.9
		6.4	4.8	2.8	1.7	.8	3.0	
7		169	944	1188	351	166	5	2823
SEVEN		6.0	33.4	42.1	12.4	5.9	.2	3.4
		5.5	5.1	3.4	2.3	1.4	7.6	
8		235	1262	1691	547	320	3	4058
EIGHT		5.8	31.1	41.7	13.5	7.9	.1	4.8
		7.7	6.9	4.8	3.7	2.6	4.5	
(CONTINUED)	COLUMN TOTAL	3048	18365	35222	14983	12170	66	83854
		3.6	21.9	42.0	17.9	14.5	.1	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		179	1155	1804	686	400	3	4227
NINE		4.2	27.3	42.7	16.2	9.5	.1	5.0
		5.9	6.3	5.1	4.6	3.3	4.5	
10		350	2264	3973	1480	1051	3	9121
TEN		3.8	24.8	43.6	16.2	11.5	.0	10.9
		11.5	12.3	11.3	9.9	8.6	4.5	
11		189	1224	2573	1096	812	4	5898
ELEVEN		3.2	20.8	43.6	18.6	13.8	.1	7.0
		6.2	6.7	7.3	7.3	6.7	6.1	
12		492	3184	7351	3166	2658	11	16862
TWELVE		2.9	18.9	43.6	18.8	15.8	.1	20.1
		16.1	17.3	20.9	21.1	21.8	16.7	
13		171	1134	2836	1439	1204	1	6785
THIRTEEN		2.5	16.7	41.8	21.2	17.7	.0	8.1
		5.6	6.2	8.1	9.6	9.9	1.5	
14		188	1339	3982	2090	2070		9669
FOURTEEN		1.9	13.8	41.2	21.6	21.4		11.5
		6.2	7.3	11.3	13.9	17.0		
15		143	1131	3033	1546	1520	5	7378
FIFTEEN		1.9	15.3	41.1	21.0	20.6	.1	8.8
		4.7	6.2	8.6	10.3	12.5	7.6	
16		197	1378	3543	1831	1716	3	8668
SIXTEEN OR MORE		2.3	15.9	40.9	21.1	19.8	.0	10.3
		6.5	7.5	10.1	12.2	14.1	4.5	
17		8	23	42	11	4	13	101
NOT STATED		7.9	22.8	41.6	10.9	4.0	12.9	.1
		.3	.1	.1	.1	.0	19.7	
COLUMN TOTAL		3048	18365	35222	14983	12170	66	83854
		3.6	21.9	42.0	17.9	14.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	ROW TOTAL
0		39	124	114	43	5	2	327
NONE		11.9	37.9	34.9	13.1	1.5	.6	.6
		2.0	1.2	.5	.4	.0	6.9	
1		26	60	49	13	2		150
ONE		17.3	40.0	32.7	8.7	1.3		.3
		1.3	.6	.2	.1	.0		
2		19	92	58	12	6		187
TWO		10.2	49.2	31.0	6.4	3.2		.3
		1.0	.9	.2	.1	.1		
3		32	134	106	35	6	1	314
THREE		10.2	42.7	33.8	11.1	1.9	.3	.5
		1.7	1.2	.5	.3	.1	3.4	
4		62	209	186	31	15	1	504
FOUR		12.3	41.5	36.9	6.2	3.0	.2	.9
		3.2	1.9	.8	.3	.1	3.4	
5		62	290	240	60	50		702
FIVE		8.8	41.3	34.2	8.5	7.1		1.2
		3.2	2.7	1.0	.5	.5		
6		108	399	412	117	70	1	1107
SIX		9.8	36.0	37.2	10.6	6.3	.1	1.9
		5.6	3.7	1.8	1.1	.7	3.4	
7		108	455	545	185	114	2	1409
SEVEN		7.7	32.3	38.7	13.1	8.1	.1	2.5
		5.6	4.2	2.3	1.7	1.1	6.9	
8		135	670	883	312	243	2	2245
EIGHT		6.0	29.8	39.3	13.9	10.8	.1	3.9
		7.0	6.2	3.8	2.8	2.4	6.9	
COLUMN TOTAL		1928	10739	23384	11035	10331	29	57446
		3.4	18.7	40.7	19.2	18.0	.1	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		109	641	1061	455	306		2572
NINE		4.2	24.9	41.3	17.7	11.9		4.5
		5.7	6.0	4.5	4.1	3.0		
10		229	1326	2465	1006	883		5909
TEN		3.9	22.4	41.7	17.0	14.9		10.3
		11.9	12.3	10.5	9.1	8.5		
11		140	746	1735	803	697	1	4122
ELEVEN		3.4	18.1	42.1	19.5	16.9	.0	7.2
		7.3	6.9	7.4	7.3	6.7	3.4	
12		327	2054	5235	2471	2303	4	12394
TWELVE		2.6	16.6	42.2	19.9	18.6	.0	21.6
		17.0	19.1	22.4	22.4	22.3	13.8	
13		133	766	2039	1092	1042	1	5073
THIRTEEN		2.6	15.1	40.2	21.5	20.5	.0	8.8
		6.9	7.1	8.7	9.9	10.1	3.4	
14		140	985	3114	1719	1795		7753
FOURTEEN		1.8	12.7	40.2	22.2	23.2		13.5
		7.3	9.2	13.3	15.6	17.4		
15		107	784	2336	1241	1303	4	5775
FIFTEEN		1.9	13.6	40.5	21.5	22.6	.1	10.1
		5.5	7.3	10.0	11.2	12.6	13.8	
16		147	994	2783	1436	1487	2	6849
SIXTEEN OR MORE		2.1	14.5	40.6	21.0	21.7	.0	11.9
		7.6	9.3	11.9	13.0	14.4	6.9	
17		5	10	23	4	4	8	54
NOT STATED		9.3	18.5	42.6	7.4	7.4	14.8	.1
		.3	.1	.1	.0	.0	27.6	
COLUMN TOTAL		1928	10739	23384	11035	10331	29	57446
		3.4	18.7	40.7	19.2	18.0	.1	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		52	235	207	31	12	3	540
NONE		9.6	43.5	38.3	5.7	2.2	.6	2.0
		4.6	3.1	1.7	.8	.7	8.1	
1		25	123	111	22	5		286
ONE		8.7	43.0	38.8	7.7	1.7		1.1
		2.2	1.6	.9	.6	.3		
2		26	193	169	25	5		418
TWO		6.2	46.2	40.4	6.0	1.2		1.6
		2.3	2.5	1.4	.6	.3		
3		52	244	203	44	9	1	553
THREE		9.4	44.1	36.7	8.0	1.6	.2	2.1
		4.6	3.2	1.7	1.1	.5	2.7	
4		60	341	328	74	16	4	823
FOUR		7.3	41.4	39.9	9.0	1.9	.5	3.1
		5.4	4.5	2.8	1.9	.9	10.8	
5		78	404	434	90	17	1	1024
FIVE		7.6	39.5	42.4	8.8	1.7	.1	3.9
		7.0	5.3	3.7	2.3	.9	2.7	
6		86	479	589	143	31	1	1329
SIX		6.5	36.0	44.3	10.8	2.3	.1	5.0
		7.7	6.3	5.0	3.6	1.7	2.7	
7		61	489	643	166	52	3	1414
SEVEN		4.3	34.6	45.5	11.7	3.7	.2	5.4
		5.4	6.4	5.4	4.2	2.8	8.1	
8		100	592	808	235	77	1	1813
EIGHT		5.5	32.7	44.6	13.0	4.2	.1	6.9
		8.9	7.8	6.8	6.0	4.2	2.7	
(CONTINUED)	COLUMN TOTAL	1120	7626	11838	3948	1839	37	26408
		4.2	28.9	44.8	15.0	7.0	.1	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		70	514	743	231	94	3	1655
NINE		4.2	31.1	44.9	14.0	5.7	.2	6.3
		6.3	6.7	6.3	5.9	5.1	8.1	
10		121	938	1508	474	168	3	3212
TEN		3.8	29.2	46.9	14.8	5.2	.1	12.2
		10.8	12.3	12.7	12.0	9.1	8.1	
11		49	478	838	293	115	3	1776
ELEVEN		2.8	26.9	47.2	16.5	6.5	.2	6.7
		4.4	6.3	7.1	7.4	6.3	8.1	
12		165	1130	2116	695	355	7	4468
TWELVE		3.7	25.3	47.4	15.6	7.9	.2	16.9
		14.7	14.8	17.9	17.6	19.3	18.9	
13		38	368	797	347	162		1712
THIRTEEN		2.2	21.5	46.6	20.3	9.5		6.5
		3.4	4.8	6.7	8.8	8.8		
14		48	354	868	371	275		1916
FOURTEEN		2.5	18.5	45.3	19.4	14.4		7.3
		4.3	4.6	7.3	9.4	15.0		
15		36	347	697	305	217	1	1603
FIFTEEN		2.2	21.6	43.5	19.0	13.5	.1	6.1
		3.2	4.6	5.9	7.7	11.8	2.7	
16		50	384	760	395	229	1	1819
SIXTEEN OR MORE		2.7	21.1	41.8	21.7	12.6	.1	6.9
		4.5	5.0	6.4	10.0	12.5	2.7	
17		3	13	19	7		5	47
NOT STATED		6.4	27.7	40.4	14.9		10.6	.2
		.3	.2	.2	.2		13.5	
COLUMN TOTAL		1120	7626	11838	3948	1839	37	26408
		4.2	28.9	44.8	15.0	7.0	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0	1	3	10	37	49	56	71	95	85	71	867
NONE	.1	.3	1.2	4.3	5.7	6.5	8.2	11.0	9.8	8.2	1.0
	14.3	5.2	4.1	4.6	2.9	2.1	1.8	1.8	1.5	1.2	
1		1	6	10	28	32	46	56	47	37	436
ONE		.2	1.4	2.3	6.4	7.3	10.6	12.8	10.8	8.5	.5
		1.7	2.4	1.2	1.7	1.2	1.2	1.1	.8	.6	
2			2	22	32	42	58	66	80	47	605
TWO			.3	3.6	5.3	6.9	9.6	10.9	13.2	7.8	.7
			.8	2.7	1.9	1.6	1.5	1.3	1.4	.8	
3		1	11	27	52	66	78	87	83	78	867
THREE		.1	1.3	3.1	6.0	7.6	9.0	10.0	9.6	9.0	1.0
		1.7	4.5	3.3	3.1	2.5	2.0	1.7	1.5	1.4	
4		3	20	38	68	82	128	134	131	94	1327
FOUR		.2	1.5	2.9	5.1	6.2	9.6	10.1	9.9	7.1	1.6
		5.2	8.1	4.7	4.0	3.1	3.3	2.6	2.4	1.6	
5	1	2	18	41	88	106	147	174	177	131	1726
FIVE	.1	.1	1.0	2.4	5.1	6.1	8.5	10.1	10.3	7.6	2.1
	14.3	3.4	7.3	5.1	5.2	4.1	3.8	3.4	3.2	2.3	
6	1	4	14	51	105	145	232	233	229	216	2436
SIX	.0	.2	.6	2.1	4.3	6.0	9.5	9.6	9.4	8.9	2.9
	14.3	6.9	5.7	6.3	6.3	5.6	6.0	4.5	4.1	3.7	
7	1	7	17	44	114	153	230	284	209	221	2823
SEVEN	.0	.2	.6	1.6	4.0	5.4	8.1	10.1	7.4	7.8	3.4
	14.3	12.1	6.9	5.4	6.8	5.9	6.0	5.5	3.8	3.8	
8		3	28	73	136	187	278	330	340	345	4058
EIGHT		.1	.7	1.8	3.4	4.6	6.9	8.1	8.4	8.5	4.8
		5.2	11.4	9.0	8.1	7.2	7.2	6.4	6.1	6.0	
COLUMN TOTAL	7	58	246	809	1680	2607	3862	5141	5569	5771	83854
	.0	.1	.3	1.0	2.0	3.1	4.6	6.1	6.6	6.9	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		60	48	46	140	55	34	5	1		867
NONE		6.9	5.5	5.3	16.1	6.3	3.9	.6	.1		1.0
		1.0	.8	.8	.6	.4	1.0	1.2	7.7		
1		28	21	27	59	23	12	3			436
ONE		6.4	4.8	6.2	13.5	5.3	2.8	.7			.5
		.5	.4	.5	.2	.2	.4	.7			
2		51	35	29	84	39	12	6			605
TWO		8.4	5.8	4.8	13.9	6.4	2.0	1.0			.7
		.9	.6	.5	.3	.3	.4	1.4			
3		72	68	71	116	45	10	2			867
THREE		8.3	7.8	8.2	13.4	5.2	1.2	.2			1.0
		1.2	1.2	1.3	.5	.4	.3	.5			
4		88	90	77	227	107	30	10			1327
FOUR		6.6	6.8	5.8	17.1	8.1	2.3	.8			1.6
		1.5	1.6	1.4	.9	.8	.9	2.4			
5		144	123	94	314	113	47	6			1726
FIVE		8.3	7.1	5.4	18.2	6.5	2.7	.3			2.1
		2.5	2.1	1.7	1.3	.9	1.4	1.4			
6		199	150	138	441	215	53	9	1		2436
SIX		8.2	6.2	5.7	18.1	8.8	2.2	.4	.0		2.9
		3.4	2.6	2.5	1.8	1.7	1.6	2.2	7.7		
7		216	205	172	595	258	76	20	1		2823
SEVEN		7.7	7.3	6.1	21.1	9.1	2.7	.7	.0		3.4
		3.7	3.6	3.1	2.4	2.0	2.3	4.8	7.7		
8		295	279	214	986	418	120	26			4058
EIGHT		7.3	6.9	5.3	24.3	10.3	3.0	.6			4.8
		5.1	4.9	3.8	4.0	3.3	3.7	6.3			
COLUMN TOTAL		5790	5721	5571	24739	12607	3243	415	13	5	83854
		6.9	6.8	6.6	29.5	15.0	3.9	.5	.0	.0	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9			5	14	46	123	188	242	312	311	317	4227
NINE			.1	.3	1.1	2.9	4.4	5.7	7.4	7.4	7.5	5.0
			8.6	5.7	5.7	7.3	7.2	6.3	6.1	5.6	5.5	
10		1	6	39	107	220	377	468	652	675	690	9121
TEN		.0	.1	.4	1.2	2.4	4.1	5.1	7.1	7.4	7.6	10.9
		14.3	10.3	15.9	13.2	13.1	14.5	12.1	12.7	12.1	12.0	
11			3	14	46	118	162	258	366	403	409	5898
ELEVEN			.1	.2	.8	2.0	2.7	4.4	6.2	6.8	6.9	7.0
			5.2	5.7	5.7	7.0	6.2	6.7	7.1	7.2	7.1	
12		1	8	22	120	225	427	678	897	1032	1171	16862
TWELVE		.0	.0	.1	.7	1.3	2.5	4.0	5.3	6.1	6.9	20.1
		14.3	13.8	8.9	14.8	13.4	16.4	17.6	17.4	18.5	20.3	
13			3	9	38	56	148	228	347	416	449	6785
THIRTEEN			.0	.1	.6	.8	2.2	3.4	5.1	6.1	6.6	8.1
			5.2	3.7	4.7	3.3	5.7	5.9	6.7	7.5	7.8	
14			2	8	37	82	146	236	410	490	527	9669
FOURTEEN			.0	.1	.4	.8	1.5	2.4	4.2	5.1	5.5	11.5
			3.4	3.3	4.6	4.9	5.6	6.1	8.0	8.8	9.1	
15		1	4	7	37	83	128	237	299	422	444	7378
FIFTEEN		.0	.1	.1	.5	1.1	1.7	3.2	4.1	5.7	6.0	8.8
		14.3	6.9	2.8	4.6	4.9	4.9	6.1	5.8	7.6	7.7	
16			3	7	33	96	161	243	391	433	511	8668
SIXTEEN OR MORE			.0	.1	.4	1.1	1.9	2.8	4.5	5.0	5.9	10.3
			5.2	2.8	4.1	5.7	6.2	6.3	7.6	7.8	8.9	
17					2	5	1	4	8	6	13	101
NOT STATED					2.0	5.0	1.0	4.0	7.9	5.9	12.9	.1
					.2	.3	.0	.1	.2	.1	.2	
COLUMN TOTAL		7	58	246	809	1680	2607	3862	5141	5569	5771	83854
		.0	.1	.3	1.0	2.0	3.1	4.6	6.1	6.6	6.9	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	AGE 30 - 34	AGE 35 - 39	AGE 40 - 44	AGE 45 AND OVER		NOT STATED			
9	306	297	301	1079	519	135	30		2	4227
NINE	7.2	7.0	7.1	25.5	12.3	3.2	.7		.0	5.0
	5.3	5.2	5.4	4.4	4.1	4.2	7.2		40.0	
10	626	596	597	2504	1176	348	36	2	1	9121
TEN	6.9	6.5	6.5	27.5	12.9	3.8	.4	.0	.0	10.9
	10.8	10.4	10.7	10.1	9.3	10.7	8.7	15.4	20.0	
11	389	434	420	1753	873	216	31	3		5898
ELEVEN	6.6	7.4	7.1	29.7	14.8	3.7	.5	.1		7.0
	6.7	7.6	7.5	7.1	6.9	6.7	7.5	23.1		
12	1142	1196	1167	5388	2667	641	79	1		16862
TWELVE	6.8	7.1	6.9	32.0	15.8	3.8	.5	.0		20.1
	19.7	20.9	20.9	21.8	21.2	19.8	19.0	7.7		
13	474	483	467	2239	1136	273	19			6785
THIRTEEN	7.0	7.1	6.9	33.0	16.7	4.0	.3			8.1
	8.2	8.4	8.4	9.1	9.0	8.4	4.6			
14	633	618	618	3459	1929	427	46	1		9669
FOURTEEN	6.5	6.4	6.4	35.8	20.0	4.4	.5	.0		11.5
	10.9	10.8	11.1	14.0	15.3	13.2	11.1	7.7		
15	465	517	504	2472	1341	387	27	2	1	7378
FIFTEEN	6.3	7.0	6.8	33.5	18.2	5.2	.4	.0	.0	8.8
	8.0	9.0	9.0	10.0	10.6	11.9	6.5	15.4	20.0	
16	593	551	621	2862	1683	419	60	1		8668
SIXTEEN OR MORE	6.8	6.4	7.2	33.0	19.4	4.8	.7	.0		10.3
	10.2	9.6	11.1	11.6	13.3	12.9	14.5	7.7		
17	9	10	8	21	10	3			1	101
NOT STATED	8.9	9.9	7.9	20.8	9.9	3.0			1.0	.1
	.2	.2	.1	.1	.1	.1			20.0	
COLUMN TOTAL	5790	5721	5571	24739	12607	3243	415	13	5	83854
	6.9	6.8	6.6	29.5	15.0	3.9	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
0		1	3	14	21	24	27	30	34	24	18	327
NONE		.3	.9	4.3	6.4	7.3	8.3	9.2	10.4	7.3	5.5	.6
		10.0	4.3	4.6	2.6	1.8	1.2	1.0	1.0	.6	.5	
1			2	3	8	12	13	17	24	10	7	150
ONE			1.3	2.0	5.3	8.0	8.7	11.3	16.0	6.7	4.7	.3
			2.9	1.0	1.0	.9	.6	.5	.7	.3	.2	
2				7	9	13	19	16	21	14	18	187
TWO				3.7	4.8	7.0	10.2	8.6	11.2	7.5	9.6	.3
				2.3	1.1	1.0	.9	.5	.6	.4	.5	
3			1	7	15	23	28	29	33	27	34	314
THREE			.3	2.2	4.8	7.3	8.9	9.2	10.5	8.6	10.8	.5
			1.4	2.3	1.9	1.7	1.3	.9	.9	.7	.9	
4		1	4	6	27	26	58	55	48	35	34	504
FOUR		.2	.8	1.2	5.4	5.2	11.5	10.9	9.5	6.9	6.7	.9
		10.0	5.8	2.0	3.4	1.9	2.6	1.8	1.4	.9	.9	
5			5	13	24	43	62	77	77	41	55	702
FIVE			.7	1.9	3.4	6.1	8.8	11.0	11.0	5.8	7.8	1.2
			7.2	4.3	3.0	3.2	2.8	2.5	2.2	1.1	1.4	
6			4	18	42	66	95	110	102	103	87	1107
SIX			.4	1.6	3.8	6.0	8.6	9.9	9.2	9.3	7.9	1.9
			5.8	5.9	5.3	4.8	4.3	3.5	2.9	2.7	2.3	
7		2	2	14	51	60	113	140	99	114	108	1409
SEVEN		.1	.1	1.0	3.6	4.3	8.0	9.9	7.0	8.1	7.7	2.5
		20.0	2.9	4.6	6.4	4.4	5.1	4.5	2.8	3.0	2.8	
8		1	10	29	68	89	130	167	194	195	157	2245
EIGHT		.0	.4	1.3	3.0	4.0	5.8	7.4	8.6	8.7	7.0	3.9
		10.0	14.5	9.6	8.5	6.5	5.9	5.4	5.5	5.2	4.1	
COLUMN TOTAL		10	69	303	800	1365	2195	3104	3498	3785	3815	57446
		.0	.1	.5	1.4	2.4	3.8	5.4	6.1	6.6	6.6	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0	16	21	50	26	16	2			327
NONE	4.9	6.4	15.3	8.0	4.9	.6			.6
	.4	.5	.3	.3	.7	.7			
1	7	2	28	11	6				150
ONE	4.7	1.3	18.7	7.3	4.0				.3
	.2	.1	.2	.1	.3				
2	8	12	31	13	4	2			187
TWO	4.3	6.4	16.6	7.0	2.1	1.1			.3
	.2	.3	.2	.1	.2	.7			
3	22	24	43	24	4				314
THREE	7.0	7.6	13.7	7.6	1.3				.5
	.6	.6	.2	.3	.2				
4	36	28	85	43	12	6			504
FOUR	7.1	5.6	16.9	8.5	2.4	1.2			.9
	.9	.7	.5	.4	.5	2.2			
5	57	43	122	56	25	2			702
FIVE	8.1	6.1	17.4	8.0	3.6	.3			1.2
	1.5	1.1	.7	.6	1.0	.7			
6	69	63	207	109	28	4			1107
SIX	6.2	5.7	18.7	9.8	2.5	.4			1.9
	1.8	1.6	1.1	1.1	1.2	1.5			
7	101	84	324	147	38	11	1		1409
SEVEN	7.2	6.0	23.0	10.4	2.7	.8	.1		2.5
	2.6	2.1	1.8	1.5	1.6	4.0	16.7		
8	149	117	583	273	70	13			2245
EIGHT	6.6	5.2	26.0	12.2	3.1	.6			3.9
	3.8	3.0	3.2	2.9	2.9	4.8			
COLUMN TOTAL	3926	3919	18406	9576	2392	273	6	4	57446
(CONTINUED)	6.8	6.8	32.0	16.7	4.2	.5	.0	.0	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
9		2	5	16	58	92	134	183	177	181	190	2572
NINE		.1	.2	.6	2.3	3.6	5.2	7.1	6.9	7.0	7.4	4.5
		20.0	7.2	5.3	7.3	6.7	6.1	5.9	5.1	4.8	5.0	
10		1	13	38	100	196	258	377	415	457	404	5909
TEN		.0	.2	.6	1.7	3.3	4.4	6.4	7.0	7.7	6.8	10.3
		10.0	18.8	12.5	12.5	14.4	11.8	12.1	11.9	12.1	10.6	
11			6	18	68	97	151	238	274	282	249	4122
ELEVEN			.1	.4	1.6	2.4	3.7	5.8	6.6	6.8	6.0	7.2
			8.7	5.9	8.5	7.1	6.9	7.7	7.8	7.5	6.5	
12			7	45	122	244	451	596	685	811	801	12394
TWELVE			.1	.4	1.0	2.0	3.6	4.8	5.5	6.5	6.5	21.6
			10.1	14.9	15.3	17.9	20.5	19.2	19.6	21.4	21.0	
13			3	15	35	102	149	229	295	324	336	5073
THIRTEEN			.1	.3	.7	2.0	2.9	4.5	5.8	6.4	6.6	8.8
			4.3	5.0	4.4	7.5	6.8	7.4	8.4	8.6	8.8	
14			1	22	49	93	166	308	389	405	486	7753
FOURTEEN			.0	.3	.6	1.2	2.1	4.0	5.0	5.2	6.3	13.5
			1.4	7.3	6.1	6.8	7.6	9.9	11.1	10.7	12.7	
15		2	2	19	48	69	160	226	303	340	360	5775
FIFTEEN		.0	.0	.3	.8	1.2	2.8	3.9	5.2	5.9	6.2	10.1
		20.0	2.9	6.3	6.0	5.1	7.3	7.3	8.7	9.0	9.4	
16			1	17	53	116	180	302	325	419	466	6849
SIXTEEN OR MORE			.0	.2	.8	1.7	2.6	4.4	4.7	6.1	6.8	11.9
			1.4	5.6	6.6	8.5	8.2	9.7	9.3	11.1	12.2	
17				2	2		1	4	3	3	5	54
NOT STATED				3.7	3.7		1.9	7.4	5.6	5.6	9.3	.1
				.7	.3		.0	.1	.1	.1	.1	
COLUMN TOTAL		10	69	303	800	1365	2195	3104	3498	3785	3815	57446
		.0	.1	.5	1.4	2.4	3.8	5.4	6.1	6.6	6.6	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED			
9	187	186	697	360	88	14		2	2572
NINE	7.3	7.2	27.1	14.0	3.4	.5		.1	4.5
	4.8	4.7	3.8	3.8	3.7	5.1		50.0	
10	399	398	1747	837	244	24	1		5909
TEN	6.8	6.7	29.6	14.2	4.1	.4	.0		10.3
	10.2	10.2	9.5	8.7	10.2	8.8	16.7		
11	290	313	1295	664	154	22	1		4122
ELEVEN	7.0	7.6	31.4	16.1	3.7	.5	.0		7.2
	7.4	8.0	7.0	6.9	6.4	8.1	16.7		
12	871	883	4224	2102	496	56			12394
TWELVE	7.0	7.1	34.1	17.0	4.0	.5			21.6
	22.2	22.5	22.9	22.0	20.7	20.5			
13	372	350	1729	892	225	17			5073
THIRTEEN	7.3	6.9	34.1	17.6	4.4	.3			8.8
	9.5	8.9	9.4	9.3	9.4	6.2			
14	494	488	2889	1592	337	33	1		7753
FOURTEEN	6.4	6.3	37.3	20.5	4.3	.4	.0		13.5
	12.6	12.5	15.7	16.6	14.1	12.1	16.7		
15	406	397	2011	1094	314	21	2	1	5775
FIFTEEN	7.0	6.9	34.8	18.9	5.4	.4	.0	.0	10.1
	10.3	10.1	10.9	11.4	13.1	7.7	33.3	25.0	
16	438	504	2327	1327	328	46			6849
SIXTEEN OR MORE	6.4	7.4	34.0	19.4	4.8	.7			11.9
	11.2	12.9	12.6	13.9	13.7	16.8			
17	4	6	14	6	3			1	54
NOT STATED	7.4	11.1	25.9	11.1	5.6			1.9	.1
	.1	.2	.1	.1	.1			25.0	
COLUMN TOTAL	3926	3919	18406	9576	2392	273	6	4	57446
	6.8	6.8	32.0	16.7	4.2	.5	.0	.0	100.0

TABLE 11

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0		1	2	7	23	28	32	44	65	51	47	540
NONE		.2	.4	1.3	4.3	5.2	5.9	8.1	12.0	9.4	8.7	2.0
		14.3	4.2	4.0	4.5	3.2	2.6	2.6	3.2	2.5	2.4	
1			1	4	7	20	20	33	39	23	27	286
ONE			.3	1.4	2.4	7.0	7.0	11.5	13.6	8.0	9.4	1.1
			2.1	2.3	1.4	2.3	1.6	2.0	1.9	1.1	1.4	
2				2	15	23	29	39	50	59	33	418
TWO				.5	3.6	5.5	6.9	9.3	12.0	14.1	7.9	1.6
				1.1	3.0	2.6	2.3	2.3	2.5	2.8	1.7	
3			1	10	20	37	43	50	58	50	51	553
THREE			.2	1.8	3.6	6.7	7.8	9.0	10.5	9.0	9.2	2.1
			2.1	5.6	4.0	4.2	3.5	3.0	2.8	2.4	2.6	
4			2	16	32	41	56	70	79	83	59	823
FOUR			.2	1.9	3.9	5.0	6.8	8.5	9.6	10.1	7.2	3.1
			4.2	9.0	6.3	4.7	4.5	4.2	3.9	4.0	3.0	
5		1	2	13	28	64	63	85	97	100	90	1024
FIVE		.1	.2	1.3	2.7	6.3	6.2	8.3	9.5	9.8	8.8	3.9
		14.3	4.2	7.3	5.5	7.3	5.1	5.1	4.8	4.8	4.5	
6		1	4	10	33	63	79	137	123	127	113	1329
SIX		.1	.3	.8	2.5	4.7	5.9	10.3	9.3	9.6	8.5	5.0
		14.3	8.3	5.6	6.5	7.2	6.4	8.2	6.0	6.1	5.7	
7		1	5	15	30	63	93	117	144	110	107	1414
SEVEN		.1	.4	1.1	2.1	4.5	6.6	8.3	10.2	7.8	7.6	5.4
		14.3	10.4	8.5	5.9	7.2	7.5	7.0	7.1	5.3	5.4	
8			2	18	44	68	98	148	163	146	150	1813
EIGHT			.1	1.0	2.4	3.8	5.4	8.2	9.0	8.1	8.3	6.9
			4.2	10.2	8.7	7.7	7.9	8.9	8.0	7.0	7.6	
(CONTINUED)	COLUMN TOTAL	7	48	177	506	880	1242	1667	2037	2071	1986	26408
		.0	.2	.7	1.9	3.3	4.7	6.3	7.7	7.8	7.5	100.0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
0		42	32	25	90	29	18	3	1		540
NONE		7.8	5.9	4.6	16.7	5.4	3.3	.6	.2		2.0
		2.1	1.8	1.5	1.4	1.0	2.1	2.1	14.3		
1		21	14	25	31	12	6	3			286
ONE		7.3	4.9	8.7	10.8	4.2	2.1	1.0			1.1
		1.1	.8	1.5	.5	.4	.7	2.1			
2		33	27	17	53	26	8	4			418
TWO		7.9	6.5	4.1	12.7	6.2	1.9	1.0			1.6
		1.7	1.5	1.0	.8	.9	.9	2.8			
3		38	46	47	73	21	6	2			553
THREE		6.9	8.3	8.5	13.2	3.8	1.1	.4			2.1
		1.9	2.6	2.8	1.2	.7	.7	1.4			
4		54	54	49	142	64	18	4			823
FOUR		6.6	6.6	6.0	17.3	7.8	2.2	.5			3.1
		2.7	3.0	3.0	2.2	2.1	2.1	2.8			
5		89	66	51	192	57	22	4			1024
FIVE		8.7	6.4	5.0	18.8	5.6	2.1	.4			3.9
		4.5	3.7	3.1	3.0	1.9	2.6	2.8			
6		112	81	75	234	106	25	5	1		1329
SIX		8.4	6.1	5.6	17.6	8.0	1.9	.4	.1		5.0
		5.7	4.5	4.5	3.7	3.5	2.9	3.5	14.3		
7		108	104	88	271	111	38	9			1414
SEVEN		7.6	7.4	6.2	19.2	7.9	2.7	.6			5.4
		5.5	5.8	5.3	4.3	3.7	4.5	6.3			
8		138	130	97	403	145	50	13			1813
EIGHT		7.6	7.2	5.4	22.2	8.0	2.8	.7			6.9
		7.0	7.2	5.9	6.4	4.8	5.9	9.2			
(CONTINUED)	COLUMN TOTAL	1975	1795	1652	6333	3031	851	142	7	1	26408
		7.5	6.8	6.3	24.0	11.5	3.2	.5	.0	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9			3	9	30	65	96	108	129	134	136	1655
NINE			.2	.5	1.8	3.9	5.8	6.5	7.8	8.1	8.2	6.3
			6.3	5.1	5.9	7.4	7.7	6.5	6.3	6.5	6.8	
10		1	5	26	69	120	181	210	275	260	233	3212
TEN		.0	.2	.8	2.1	3.7	5.6	6.5	8.6	8.1	7.3	12.2
		14.3	10.4	14.7	13.6	13.6	14.6	12.6	13.5	12.6	11.7	
11			3	8	28	50	65	107	128	129	127	1776
ELEVEN			.2	.5	1.6	2.8	3.7	6.0	7.2	7.3	7.2	6.7
			6.3	4.5	5.5	5.7	5.2	6.4	6.3	6.2	6.4	
12		1	8	15	75	103	183	227	301	347	360	4468
TWELVE		.0	.2	.3	1.7	2.3	4.1	5.1	6.7	7.8	8.1	16.9
		14.3	16.7	8.5	14.8	11.7	14.7	13.6	14.8	16.8	18.1	
13			3	6	23	21	46	79	118	121	125	1712
THIRTEEN			.2	.4	1.3	1.2	2.7	4.6	6.9	7.1	7.3	6.5
			6.3	3.4	4.5	2.4	3.7	4.7	5.8	5.8	6.3	
14			2	7	15	33	53	70	102	101	122	1916
FOURTEEN			.1	.4	.8	1.7	2.8	3.7	5.3	5.3	6.4	7.3
			4.2	4.0	3.0	3.8	4.3	4.2	5.0	4.9	6.1	
15		1	2	5	18	35	59	77	73	119	104	1603
FIFTEEN		.1	.1	.3	1.1	2.2	3.7	4.8	4.6	7.4	6.5	6.1
		14.3	4.2	2.8	3.6	4.0	4.8	4.6	3.6	5.7	5.2	
16			3	6	16	43	45	63	89	108	92	1819
SIXTEEN OR MORE			.2	.3	.9	2.4	2.5	3.5	4.9	5.9	5.1	6.9
			6.3	3.4	3.2	4.9	3.6	3.8	4.4	5.2	4.6	
17						3	1	3	4	3	10	47
NOT STATED						6.4	2.1	6.4	8.5	6.4	21.3	.2
						.3	.1	.2	.2	.1	.5	
COLUMN TOTAL		7	48	177	506	880	1242	1667	2037	2071	1986	26408
		.0	.2	.7	1.9	3.3	4.7	6.3	7.7	7.8	7.5	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
	AGE	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
9		116	110	115	382	159	47	16			1655
NINE		7.0	6.6	6.9	23.1	9.6	2.8	1.0			6.3
		5.9	6.1	7.0	6.0	5.2	5.5	11.3			
10		222	197	199	757	339	104	12	1	1	3212
TEN		6.9	6.1	6.2	23.6	10.6	3.2	.4	.0	.0	12.2
		11.2	11.0	12.0	12.0	11.2	12.2	8.5	14.3	100.0	
11		140	144	107	458	209	62	9	2		1776
ELEVEN		7.9	8.1	6.0	25.8	11.8	3.5	.5	.1		6.7
		7.1	8.0	6.5	7.2	6.9	7.3	6.3	28.6		
12		341	325	284	1164	565	145	23	1		4468
TWELVE		7.6	7.3	6.4	26.1	12.6	3.2	.5	.0		16.9
		17.3	18.1	17.2	18.4	18.6	17.0	16.2	14.3		
13		138	111	117	510	244	48	2			1712
THIRTEEN		8.1	6.5	6.8	29.8	14.3	2.8	.1			6.5
		7.0	6.2	7.1	8.1	8.1	5.6	1.4			
14		147	124	130	570	337	90	13			1916
FOURTEEN		7.7	6.5	6.8	29.7	17.6	4.7	.7			7.3
		7.4	6.9	7.9	9.0	11.1	10.6	9.2			
15		105	111	107	461	247	73	6			1603
FIFTEEN		6.6	6.9	6.7	28.8	15.4	4.6	.4			6.1
		5.3	6.2	6.5	7.3	8.1	8.6	4.2			
16		127	113	117	535	356	91	14	1		1819
SIXTEEN OR MORE		7.0	6.2	6.4	29.4	19.6	5.0	.8	.1		6.9
		6.4	6.3	7.1	8.4	11.7	10.7	9.9	14.3		
17		4	6	2	7	4					47
NOT STATED		8.5	12.8	4.3	14.9	8.5					.2
		.2	.3	.1	.1	.1					
COLUMN TOTAL		1975	1795	1652	6333	3031	851	142	7	1	26408
		7.5	6.8	6.3	24.0	11.5	3.2	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		272	595		867
		31.4	68.6		1.0
		.4	3.5		
1 ONE		174	262		436
		39.9	60.1		.5
		.3	1.5		
2 TWO		244	361		605
		40.3	59.7		.7
		.4	2.1		
3 THREE		385	482		867
		44.4	55.6		1.0
		.6	2.8		
4 FOUR		679	648		1327
		51.2	48.8		1.6
		1.0	3.8		
5 FIVE		926	800		1726
		53.7	46.3		2.1
		1.4	4.6		
6 SIX		1408	1028		2436
		57.8	42.2		2.9
		2.1	6.0		
7 SEVEN		1813	1010		2823
		64.2	35.8		3.4
		2.7	5.9		
8 EIGHT		2744	1314		4058
		67.6	32.4		4.8
		4.1	7.6		
(CONTINUED)	COLUMN TOTAL	66614	17239	1	83854
		79.4	20.6	.0	100.0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9	COUNT	3136	1091		4227
NINE	ROW PCT	74.2	25.8		5.0
	COL PCT	4.7	6.3		
10	COUNT	6927	2194		9121
TEN	ROW PCT	75.9	24.1		10.9
	COL PCT	10.4	12.7		
11	COUNT	4790	1108		5898
ELEVEN	ROW PCT	81.2	18.8		7.0
	COL PCT	7.2	6.4		
12	COUNT	14221	2641		16862
TWELVE	ROW PCT	84.3	15.7		20.1
	COL PCT	21.3	15.3		
13	COUNT	5830	955		6785
THIRTEEN	ROW PCT	85.9	14.1		8.1
	COL PCT	8.8	5.5		
14	COUNT	8733	936		9669
FOURTEEN	ROW PCT	90.3	9.7		11.5
	COL PCT	13.1	5.4		
15	COUNT	6539	839		7378
FIFTEEN	ROW PCT	88.6	11.4		8.8
	COL PCT	9.8	4.9		
16	COUNT	7723	945		8668
SIXTEEN OR MORE	ROW PCT	89.1	10.9		10.3
	COL PCT	11.6	5.5		
17	COUNT	70	30	1	101
NOT STATED	ROW PCT	69.3	29.7	1.0	.1
	COL PCT	.1	.2	100.0	
COLUMN TOTAL	COUNT	66614	17239	1	83854
	PCT	79.4	20.6	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	1 NOT MARRIED	2 NOT STATED	3	ROW TOTAL
0 NONE		153	174			327
		46.8	53.2			.6
		.3	4.2			
1 ONE		88	62			150
		58.7	41.3			.3
		.2	1.5			
2 TWO		121	66			187
		64.7	35.3			.3
		.2	1.6			
3 THREE		231	83			314
		73.6	26.4			.5
		.4	2.0			
4 FOUR		392	112			504
		77.8	22.2			.9
		.7	2.7			
5 FIVE		558	144			702
		79.5	20.5			1.2
		1.0	3.5			
6 SIX		894	213			1107
		80.8	19.2			1.9
		1.7	5.1			
7 SEVEN		1180	229			1409
		83.7	16.3			2.5
		2.2	5.5			
8 EIGHT		1922	323			2245
		85.6	14.4			3.9
		3.6	7.8			
(CONTINUED)	COLUMN TOTAL	53285	4160	1		57446
		92.8	7.2	.0		100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9		2307	265		2572
NINE		89.7	10.3		4.5
		4.3	6.4		
10		5374	535		5909
TEN		90.9	9.1		10.3
		10.1	12.9		
11		3836	286		4122
ELEVEN		93.1	6.9		7.2
		7.2	6.9		
12		11724	670		12394
TWELVE		94.6	5.4		21.6
		22.0	16.1		
13		4838	235		5073
THIRTEEN		95.4	4.6		8.8
		9.1	5.6		
14		7492	261		7753
FOURTEEN		96.6	3.4		13.5
		14.1	6.3		
15		5547	228		5775
FIFTEEN		96.1	3.9		10.1
		10.4	5.5		
16		6585	264		6849
SIXTEEN OR MORE		96.1	3.9		11.9
		12.4	6.3		
17		43	10	1	54
NOT STATED		79.6	18.5	1.9	.1
		.1	.2	100.0	
COLUMN TOTAL		53285	4160	1	57446
		92.8	7.2	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	ROW TOTAL
0 NONE		119	421	540
		22.0	78.0	2.0
		.9	3.2	
1 ONE		86	200	286
		30.1	69.9	1.1
		.6	1.5	
2 TWO		123	295	418
		29.4	70.6	1.6
		.9	2.3	
3 THREE		154	399	553
		27.8	72.2	2.1
		1.2	3.1	
4 FOUR		287	536	823
		34.9	65.1	3.1
		2.2	4.1	
5 FIVE		368	656	1024
		35.9	64.1	3.9
		2.8	5.0	
6 SIX		514	815	1329
		38.7	61.3	5.0
		3.9	6.2	
7 SEVEN		633	781	1414
		44.8	55.2	5.4
		4.7	6.0	
8 EIGHT		822	991	1813
		45.3	54.7	6.9
		6.2	7.6	
COLUMN TOTAL		13329	13079	26408
		50.5	49.5	100.0

(CONTINUED)

TABLE 12

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

PCVISIT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	ROW TOTAL
9	829	826	1655
NINE	50.1	49.9	6.3
	6.2	6.3	
10	1553	1659	3212
TEN	48.3	51.7	12.2
	11.7	12.7	
11	954	822	1776
ELEVEN	53.7	46.3	6.7
	7.2	6.3	
12	2497	1971	4468
TWELVE	55.9	44.1	16.9
	18.7	15.1	
13	992	720	1712
THIRTEEN	57.9	42.1	6.5
	7.4	5.5	
14	1241	675	1916
FOURTEEN	64.8	35.2	7.3
	9.3	5.2	
15	992	611	1603
FIFTEEN	61.9	38.1	6.1
	7.4	4.7	
16	1138	681	1819
SIXTEEN OR MORE	62.6	37.4	6.9
	8.5	5.2	
17	27	20	47
NOT STATED	57.4	42.6	.2
	.2	.2	
COLUMN TOTAL	13329	13079	26408
	50.5	49.5	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0		315	199	128	107	62	22	15	5	14		867
NONE		36.3	23.0	14.8	12.3	7.2	2.5	1.7	.6	1.6		1.0
		.9	.7	1.0	1.9	2.7	2.3	3.7	2.5	6.2		
1		136	136	82	38	16	13	7	6	2		436
ONE		31.2	31.2	18.8	8.7	3.7	3.0	1.6	1.4	.5		.5
		.4	.5	.6	.7	.7	1.4	1.7	3.0	.9		
2		185	182	108	64	32	12	11		10	1	605
TWO		30.6	30.1	17.9	10.6	5.3	2.0	1.8		1.7	.2	.7
		.5	.7	.8	1.2	1.4	1.3	2.7		4.4	5.9	
3		295	242	158	89	46	21	10	4	2		867
THREE		34.0	27.9	18.2	10.3	5.3	2.4	1.2	.5	.2		1.0
		.9	.9	1.2	1.6	2.0	2.2	2.5	2.0	.9		
4		474	367	222	134	63	31	24	5	7		1327
FOUR		35.7	27.7	16.7	10.1	4.7	2.3	1.8	.4	.5		1.6
		1.4	1.4	1.7	2.4	2.8	3.2	6.0	2.5	3.1		
5		612	533	295	140	77	39	11	8	11		1726
FIVE		35.5	30.9	17.1	8.1	4.5	2.3	.6	.5	.6		2.1
		1.8	2.0	2.2	2.5	3.4	4.1	2.7	4.0	4.9		
6		923	703	410	199	107	43	24	11	16		2436
SIX		37.9	28.9	16.8	8.2	4.4	1.8	1.0	.5	.7		2.9
		2.7	2.6	3.1	3.6	4.7	4.5	6.0	5.5	7.1		
7		1124	817	456	220	97	53	23	16	17		2823
SEVEN		39.8	28.9	16.2	7.8	3.4	1.9	.8	.6	.6		3.4
		3.3	3.0	3.5	4.0	4.3	5.5	5.7	8.0	7.5		
8		1599	1236	686	316	115	54	26	12	13	1	4058
EIGHT		39.4	30.5	16.9	7.8	2.8	1.3	.6	.3	.3	.0	4.8
		4.7	4.6	5.2	5.7	5.1	5.6	6.5	6.0	5.8	5.9	
(CONTINUED)	COLUMN TOTAL	34221	26894	13152	5522	2261	959	403	199	226	17	83854
		40.8	32.1	15.7	6.6	2.7	1.1	.5	.2	.3	.0	100.0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST 1I	2ND 2I	3RD 3I	4TH 4I	5TH 5I	6TH 6I	7TH 7I	8TH 8I	9TH AND OVER 9I	NOT STATED 10I	ROW TOTAL
9		1696	1322	692	297	131	52	23	7	7		4227
NINE		40.1	31.3	16.4	7.0	3.1	1.2	.5	.2	.2		5.0
		5.0	4.9	5.3	5.4	5.8	5.4	5.7	3.5	3.1		
10		3699	2902	1483	617	244	102	39	18	15	2	9121
TEN		40.6	31.8	16.3	6.8	2.7	1.1	.4	.2	.2	.0	10.9
		10.8	10.8	11.3	11.2	10.8	10.6	9.7	9.0	6.6	11.8	
11		2452	1905	915	353	157	55	25	21	15		5898
ELEVEN		41.6	32.3	15.5	6.0	2.7	.9	.4	.4	.3		7.0
		7.2	7.1	7.0	6.4	6.9	5.7	6.2	10.6	6.6		
12		6925	5688	2584	1023	372	162	48	27	32	1	16862
TWELVE		41.1	33.7	15.3	6.1	2.2	1.0	.3	.2	.2	.0	20.1
		20.2	21.1	19.6	18.5	16.5	16.9	11.9	13.6	14.2	5.9	
13		2866	2303	1002	363	146	53	29	6	16	1	6785
THIRTEEN		42.2	33.9	14.8	5.4	2.2	.8	.4	.1	.2	.0	8.1
		8.4	8.6	7.6	6.6	6.5	5.5	7.2	3.0	7.1	5.9	
14		4106	3244	1440	545	211	71	24	13	14	1	9669
FOURTEEN		42.5	33.6	14.9	5.6	2.2	.7	.2	.1	.1	.0	11.5
		12.0	12.1	10.9	9.9	9.3	7.4	6.0	6.5	6.2	5.9	
15		3163	2392	1135	429	149	59	22	13	16		7378
FIFTEEN		42.9	32.4	15.4	5.8	2.0	.8	.3	.2	.2		8.8
		9.2	8.9	8.6	7.8	6.6	6.2	5.5	6.5	7.1		
16		3621	2700	1334	583	226	116	40	27	19	2	8668
SIXTEEN OR MORE		41.8	31.1	15.4	6.7	2.6	1.3	.5	.3	.2	.0	10.3
		10.6	10.0	10.1	10.6	10.0	12.1	9.9	13.6	8.4	11.8	
17		30	23	22	5	10	1	2			8	101
NOT STATED		29.7	22.8	21.8	5.0	9.9	1.0	2.0			7.9	.1
		.1	.1	.2	.1	.4	.1	.5			47.1	
COLUMN TOTAL		34221	26894	13152	5522	2261	959	403	199	226	17	83854
		40.8	32.1	15.7	6.6	2.7	1.1	.5	.2	.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0		157	64	38	28	17	12	7		4		327
NONE		48.0	19.6	11.6	8.6	5.2	3.7	2.1		1.2		.6
		.6	.3	.4	.9	1.4	2.5	4.0		4.3		
1		54	41	25	13	5	7	4	1			150
ONE		36.0	27.3	16.7	8.7	3.3	4.7	2.7	.7			.3
		.2	.2	.3	.4	.4	1.5	2.3	1.2			
2		62	54	33	18	11	2	6			1	187
TWO		33.2	28.9	17.6	9.6	5.9	1.1	3.2			.5	.3
		.3	.3	.4	.6	.9	.4	3.4			8.3	
3		112	92	52	33	13	8	2		2		314
THREE		35.7	29.3	16.6	10.5	4.1	2.5	.6		.6		.5
		.5	.5	.6	1.0	1.1	1.7	1.1		2.2		
4		187	145	91	45	19	7	9		1		504
FOUR		37.1	28.8	18.1	8.9	3.8	1.4	1.8		.2		.9
		.8	.8	1.1	1.4	1.6	1.5	5.1		1.1		
5		276	212	122	49	21	11	5	3	3		702
FIVE		39.3	30.2	17.4	7.0	3.0	1.6	.7	.4	.4		1.2
		1.1	1.1	1.4	1.5	1.8	2.3	2.9	3.5	3.2		
6		441	337	170	90	38	16	8	3	4		1107
SIX		39.8	30.4	15.4	8.1	3.4	1.4	.7	.3	.4		1.9
		1.8	1.8	2.0	2.8	3.2	3.4	4.6	3.5	4.3		
7		580	429	220	94	43	16	11	10	6		1409
SEVEN		41.2	30.4	15.6	6.7	3.1	1.1	.8	.7	.4		2.5
		2.4	2.2	2.6	2.9	3.7	3.4	6.3	11.6	6.5		
8		939	686	373	160	51	19	5	7	5		2245
EIGHT		41.8	30.6	16.6	7.1	2.3	.8	.2	.3	.2		3.9
		3.8	3.6	4.4	5.0	4.3	4.0	2.9	8.1	5.4		
COLUMN TOTAL		24562	19137	8518	3215	1177	471	175	86	93	12	57446
		42.8	33.3	14.8	5.6	2.0	.8	.3	.1	.2	.0	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	ROW TOTAL
9		1071	842	393	167	64	23	7	2	3		2572
NINE		41.6	32.7	15.3	6.5	2.5	.9	.3	.1	.1		4.5
		4.4	4.4	4.6	5.2	5.4	4.9	4.0	2.3	3.2		
10		2461	1965	919	352	126	56	17	5	6	2	5909
TEN		41.6	33.3	15.6	6.0	2.1	.9	.3	.1	.1	.0	10.3
		10.0	10.3	10.8	10.9	10.7	11.9	9.7	5.8	6.5	16.7	
11		1765	1409	601	207	82	26	13	12	7		4122
ELEVEN		42.8	34.2	14.6	5.0	2.0	.6	.3	.3	.2		7.2
		7.2	7.4	7.1	6.4	7.0	5.5	7.4	14.0	7.5		
12		5260	4323	1803	664	201	95	23	11	13	1	12394
TWELVE		42.4	34.9	14.5	5.4	1.6	.8	.2	.1	.1	.0	21.6
		21.4	22.6	21.2	20.7	17.1	20.2	13.1	12.8	14.0	8.3	
13		2209	1788	703	223	90	28	17	4	11		5073
THIRTEEN		43.5	35.2	13.9	4.4	1.8	.6	.3	.1	.2		8.8
		9.0	9.3	8.3	6.9	7.6	5.9	9.7	4.7	11.8		
14		3400	2657	1100	381	147	44	10	6	7	1	7753
FOURTEEN		43.9	34.3	14.2	4.9	1.9	.6	.1	.1	.1	.0	13.5
		13.8	13.9	12.9	11.9	12.5	9.3	5.7	7.0	7.5	8.3	
15		2565	1908	855	289	104	32	10	6	6		5775
FIFTEEN		44.4	33.0	14.8	5.0	1.8	.6	.2	.1	.1		10.1
		10.4	10.0	10.0	9.0	8.8	6.8	5.7	7.0	6.5		
16		3006	2170	1011	401	138	69	21	16	15	2	6849
SIXTEEN OR MORE		43.9	31.7	14.8	5.9	2.0	1.0	.3	.2	.2	.0	11.9
		12.2	11.3	11.9	12.5	11.7	14.6	12.0	18.6	16.1	16.7	
17		17	15	9	1	7					5	54
NOT STATED		31.5	27.8	16.7	1.9	13.0					9.3	.1
		.1	.1	.1	.0	.6					41.7	
COLUMN TOTAL		24562	19137	8518	3215	1177	471	175	86	93	12	57446
		42.8	33.3	14.8	5.6	2.0	.8	.3	.1	.2	.0	100.0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
0		158	135	90	79	45	10	8	5	10		540
NONE		29.3	25.0	16.7	14.6	8.3	1.9	1.5	.9	1.9		2.0
		1.6	1.7	1.9	3.4	4.2	2.0	3.5	4.4	7.5		
1		82	95	57	25	11	6	3	5	2		286
ONE		28.7	33.2	19.9	8.7	3.8	2.1	1.0	1.7	.7		1.1
		.8	1.2	1.2	1.1	1.0	1.2	1.3	4.4	1.5		
2		123	128	75	46	21	10	5		10		418
TWO		29.4	30.6	17.9	11.0	5.0	2.4	1.2		2.4		1.6
		1.3	1.7	1.6	2.0	1.9	2.0	2.2		7.5		
3		183	150	106	56	33	13	8	4			553
THREE		33.1	27.1	19.2	10.1	6.0	2.4	1.4	.7			2.1
		1.9	1.9	2.3	2.4	3.0	2.7	3.5	3.5			
4		287	222	131	89	44	24	15	5	6		823
FOUR		34.9	27.0	15.9	10.8	5.3	2.9	1.8	.6	.7		3.1
		3.0	2.9	2.8	3.9	4.1	4.9	6.6	4.4	4.5		
5		336	321	173	91	56	28	6	5	8		1024
FIVE		32.8	31.3	16.9	8.9	5.5	2.7	.6	.5	.8		3.9
		3.5	4.1	3.7	3.9	5.2	5.7	2.6	4.4	6.0		
6		482	366	240	109	69	27	16	8	12		1329
SIX		36.3	27.5	18.1	8.2	5.2	2.0	1.2	.6	.9		5.0
		5.0	4.7	5.2	4.7	6.4	5.5	7.0	7.1	9.0		
7		544	388	236	126	54	37	12	6	11		1414
SEVEN		38.5	27.4	16.7	8.9	3.8	2.6	.8	.4	.8		5.4
		5.6	5.0	5.1	5.5	5.0	7.6	5.3	5.3	8.3		
8		660	550	313	156	64	35	21	5	8	1	1813
EIGHT		36.4	30.3	17.3	8.6	3.5	1.9	1.2	.3	.4	.1	6.9
		6.8	7.1	6.8	6.8	5.9	7.2	9.2	4.4	6.0	20.0	
COLUMN TOTAL		9659	7757	4634	2307	1084	488	228	113	133	5	26408
		36.6	29.4	17.5	8.7	4.1	1.8	.9	.4	.5	.0	100.0

(CONTINUED)

TABLE 13

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9		625	480	299	130	67	29	16	5	4		1655
NINE		37.8	29.0	18.1	7.9	4.0	1.8	1.0	.3	.2		6.3
		6.5	6.2	6.5	5.6	6.2	5.9	7.0	4.4	3.0		
10		1238	937	564	265	118	46	22	13	9		3212
TEN		38.5	29.2	17.6	8.3	3.7	1.4	.7	.4	.3		12.2
		12.8	12.1	12.2	11.5	10.9	9.4	9.6	11.5	6.8		
11		687	496	314	146	75	29	12	9	8		1776
ELEVEN		38.7	27.9	17.7	8.2	4.2	1.6	.7	.5	.5		6.7
		7.1	6.4	6.8	6.3	6.9	5.9	5.3	8.0	6.0		
12		1665	1365	781	359	171	67	25	16	19		4468
TWELVE		37.3	30.6	17.5	8.0	3.8	1.5	.6	.4	.4		16.9
		17.2	17.6	16.9	15.6	15.8	13.7	11.0	14.2	14.3		
13		657	515	299	140	56	25	12	2	5	1	1712
THIRTEEN		38.4	30.1	17.5	8.2	3.3	1.5	.7	.1	.3	.1	6.5
		6.8	6.6	6.5	6.1	5.2	5.1	5.3	1.8	3.8	20.0	
14		706	587	340	164	64	27	14	7	7		1916
FOURTEEN		36.8	30.6	17.7	8.6	3.3	1.4	.7	.4	.4		7.3
		7.3	7.6	7.3	7.1	5.9	5.5	6.1	6.2	5.3		
15		598	484	280	140	45	27	12	7	10		1603
FIFTEEN		37.3	30.2	17.5	8.7	2.8	1.7	.7	.4	.6		6.1
		6.2	6.2	6.0	6.1	4.2	5.5	5.3	6.2	7.5		
16		615	530	323	182	88	47	19	11	4		1819
SIXTEEN OR MORE		33.8	29.1	17.8	10.0	4.8	2.6	1.0	.6	.2		6.9
		6.4	6.8	7.0	7.9	8.1	9.6	8.3	9.7	3.0		
17		13	8	13	4	3	1	2			3	47
NOT STATED		27.7	17.0	27.7	8.5	6.4	2.1	4.3			6.4	.2
		.1	.1	.3	.2	.3	.2	.9			60.0	
COLUMN TOTAL		9659	7757	4634	2307	1084	488	228	113	133	5	26408
		36.6	29.4	17.5	8.7	4.1	1.8	.9	.4	.5	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	WT 1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
0		17	26	39	42	97	230	292	93	27	4	867
NONE		2.0	3.0	4.5	4.8	11.2	26.5	33.7	10.7	3.1	.5	1.0
		11.0	5.9	6.1	3.3	2.4	1.6	.9	.4	.3	12.5	
1		12	16	14	34	47	100	130	68	15		436
ONE		2.8	3.7	3.2	7.8	10.8	22.9	29.8	15.6	3.4		.5
		7.8	3.6	2.2	2.7	1.1	.7	.4	.3	.2		
2		10	30	20	51	65	131	186	90	20	2	605
TWO		1.7	5.0	3.3	8.4	10.7	21.7	30.7	14.9	3.3	.3	.7
		6.5	6.8	3.1	4.0	1.6	.9	.6	.4	.2	6.3	
3		16	44	37	58	88	203	267	126	26	2	867
THREE		1.8	5.1	4.3	6.7	10.1	23.4	30.8	14.5	3.0	.2	1.0
		10.4	10.0	5.8	4.6	2.2	1.4	.9	.5	.3	6.3	
4		29	59	64	63	117	313	430	205	46	1	1327
FOUR		2.2	4.4	4.8	4.7	8.8	23.6	32.4	15.4	3.5	.1	1.6
		18.8	13.4	10.0	5.0	2.9	2.2	1.4	.9	.5	3.1	
5		16	53	55	71	160	408	613	280	68	2	1726
FIVE		.9	3.1	3.2	4.1	9.3	23.6	35.5	16.2	3.9	.1	2.1
		10.4	12.0	8.6	5.6	3.9	2.8	2.0	1.2	.8	6.3	
6		18	41	65	100	216	561	831	483	120	1	2436
SIX		.7	1.7	2.7	4.1	8.9	23.0	34.1	19.8	4.9	.0	2.9
		11.7	9.3	10.2	7.9	5.3	3.9	2.7	2.1	1.4	3.1	
7		13	35	38	92	258	597	1078	572	140		2823
SEVEN		.5	1.2	1.3	3.3	9.1	21.1	38.2	20.3	5.0		3.4
		8.4	7.9	6.0	7.3	6.3	4.1	3.5	2.5	1.7		
8		2	29	59	109	334	896	1498	872	256	3	4058
EIGHT		.0	.7	1.5	2.7	8.2	22.1	36.9	21.5	6.3	.1	4.8
		1.3	6.6	9.3	8.6	8.2	6.2	4.8	3.7	3.0	9.4	
COLUMN TOTAL		154	441	637	1261	4090	14415	31088	23326	8410	32	83854
		.2	.5	.8	1.5	4.9	17.2	37.1	27.8	10.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	WT 0 1500 GMS OR LESS	1 501 TO 1000 GMS	2 1001 TO 1500 GMS	3 1501 TO 2000 GMS	4 2001 TO 2500 GMS	5 2501 TO 3000 GMS	6 3001 TO 3500 GMS	7 3501 TO 4000 GMS	8 OVER 4000 GMS	9 NOT STATED	ROW TOTAL
9	COUNT	3	15	25	80	268	886	1638	991	319	2	4227
NINE	ROW PCT	.1	.4	.6	1.9	6.3	21.0	38.8	23.4	7.5	.0	5.0
	COL PCT	1.9	3.4	3.9	6.3	6.6	6.1	5.3	4.2	3.8	6.3	
10	COUNT	7	25	60	158	536	1879	3424	2331	699	2	9121
TEN	ROW PCT	.1	.3	.7	1.7	5.9	20.6	37.5	25.6	7.7	.0	10.9
	COL PCT	4.5	5.7	9.4	12.5	13.1	13.0	11.0	10.0	8.3	6.3	
11	COUNT	1	6	14	43	226	1046	2369	1664	527	2	5898
ELEVEN	ROW PCT	.0	.1	.2	.7	3.8	17.7	40.2	28.2	8.9	.0	7.0
	COL PCT	.6	1.4	2.2	3.4	5.5	7.3	7.6	7.1	6.3	6.3	
12	COUNT	2	20	39	115	605	2698	6522	5078	1781	2	16862
TWELVE	ROW PCT	.0	.1	.2	.7	3.6	16.0	38.7	30.1	10.6	.0	20.1
	COL PCT	1.3	4.5	6.1	9.1	14.8	18.7	21.0	21.8	21.2	6.3	
13	COUNT		4	19	52	232	998	2489	2199	791	1	6785
THIRTEEN	ROW PCT		.1	.3	.8	3.4	14.7	36.7	32.4	11.7	.0	8.1
	COL PCT		.9	3.0	4.1	5.7	6.9	8.0	9.4	9.4	3.1	
14	COUNT		3	22	48	269	1277	3676	3140	1233	1	9669
FOURTEEN	ROW PCT		.0	.2	.5	2.8	13.2	38.0	32.5	12.8	.0	11.5
	COL PCT		.7	3.5	3.8	6.6	8.9	11.8	13.5	14.7	3.1	
15	COUNT	3	12	19	58	220	978	2674	2377	1036	1	7378
FIFTEEN	ROW PCT	.0	.2	.3	.8	3.0	13.3	36.2	32.2	14.0	.0	8.8
	COL PCT	1.9	2.7	3.0	4.6	5.4	6.8	8.6	10.2	12.3	3.1	
16	COUNT	5	21	44	84	341	1195	2938	2737	1303		8668
SIXTEEN OR MORE	ROW PCT	.1	.2	.5	1.0	3.9	13.8	33.9	31.6	15.0		10.3
	COL PCT	3.2	4.8	6.9	6.7	8.3	8.3	9.5	11.7	15.5		
17	COUNT		2	4	3	11	19	33	20	3	6	101
NOT STATED	ROW PCT		2.0	4.0	3.0	10.9	18.8	32.7	19.8	3.0	5.9	.1
	COL PCT		.5	.6	.2	.3	.1	.1	.1	.0	18.8	
COLUMN TOTAL		154	441	637	1261	4090	14415	31088	23326	8410	32	83854
		.2	.5	.8	1.5	4.9	17.2	37.1	27.8	10.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT 1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
0		2	5	10	10	29	85	115	53	17	1	327
NONE		.6	1.5	3.1	3.1	8.9	26.0	35.2	16.2	5.2	.3	.6
		3.3	2.8	3.2	1.5	1.3	1.0	.6	.3	.2	5.9	
1		2	2	4	12	13	33	47	29	8		150
ONE		1.3	1.3	2.7	8.0	8.7	22.0	31.3	19.3	5.3		.3
		3.3	1.1	1.3	1.8	.6	.4	.2	.2	.1		
2		4	10	3	12	10	37	57	42	11	1	187
TWO		2.1	5.3	1.6	6.4	5.3	19.8	30.5	22.5	5.9	.5	.3
		6.7	5.6	1.0	1.8	.5	.4	.3	.2	.2	5.9	
3		4	18	24	14	28	60	96	50	20		314
THREE		1.3	5.7	7.6	4.5	8.9	19.1	30.6	15.9	6.4		.5
		6.7	10.2	7.7	2.1	1.3	.7	.5	.3	.3		
4		11	26	21	24	44	111	157	83	27		504
FOUR		2.2	5.2	4.2	4.8	8.7	22.0	31.2	16.5	5.4		.9
		18.3	14.7	6.7	3.7	2.0	1.3	.8	.5	.4		
5		9	23	28	31	60	138	240	127	45	1	702
FIVE		1.3	3.3	4.0	4.4	8.5	19.7	34.2	18.1	6.4	.1	1.2
		15.0	13.0	8.9	4.7	2.7	1.7	1.2	.7	.6	5.9	
6		10	23	37	48	98	210	357	250	73	1	1107
SIX		.9	2.1	3.3	4.3	8.9	19.0	32.2	22.6	6.6	.1	1.9
		16.7	13.0	11.8	7.4	4.5	2.5	1.7	1.4	1.0	5.9	
7		9	13	21	51	117	254	522	333	89		1409
SEVEN		.6	.9	1.5	3.6	8.3	18.0	37.0	23.6	6.3		2.5
		15.0	7.3	6.7	7.8	5.3	3.1	2.5	1.9	1.3		
8		1	12	35	63	158	424	807	563	180	2	2245
EIGHT		.0	.5	1.6	2.8	7.0	18.9	35.9	25.1	8.0	.1	3.9
		1.7	6.8	11.2	9.6	7.2	5.1	3.9	3.1	2.6	11.8	
COLUMN TOTAL		60	177	313	653	2196	8271	20846	17888	7025	17	57446
		.1	.3	.5	1.1	3.8	14.4	36.3	31.1	12.2	.0	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	WT / COUNT / ROW PCT / COL PCT	1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
9	COUNT	1	4	14	51	148	494	952	675	232	1	2572
NINE	ROW PCT	.0	.2	.5	2.0	5.8	19.2	37.0	26.2	9.0	.0	4.5
	COL PCT	1.7	2.3	4.5	7.8	6.7	6.0	4.6	3.8	3.3	5.9	
10	COUNT	4	14	33	83	323	1090	2162	1657	542	1	5909
TEN	ROW PCT	.1	.2	.6	1.4	5.5	18.4	36.6	28.0	9.2	.0	10.3
	COL PCT	6.7	7.9	10.5	12.7	14.7	13.2	10.4	9.3	7.7	5.9	
11	COUNT		2	8	25	128	630	1606	1287	434	2	4122
ELEVEN	ROW PCT		.0	.2	.6	3.1	15.3	39.0	31.2	10.5	.0	7.2
	COL PCT		1.1	2.6	3.8	5.8	7.6	7.7	7.2	6.2	11.8	
12	COUNT	1	6	17	70	337	1709	4723	4033	1497	1	12394
TWELVE	ROW PCT	.0	.0	.1	.6	2.7	13.8	38.1	32.5	12.1	.0	21.6
	COL PCT	1.7	3.4	5.4	10.7	15.3	20.7	22.7	22.5	21.3	5.9	
13	COUNT			6	28	140	638	1778	1794	688	1	5073
THIRTEEN	ROW PCT			.1	.6	2.8	12.6	35.0	35.4	13.6	.0	8.8
	COL PCT			1.9	4.3	6.4	7.7	8.5	10.0	9.8	5.9	
14	COUNT		3	12	34	176	896	2883	2653	1095	1	7753
FOURTEEN	ROW PCT		.0	.2	.4	2.3	11.6	37.2	34.2	14.1	.0	13.5
	COL PCT		1.7	3.8	5.2	8.0	10.8	13.8	14.8	15.6	5.9	
15	COUNT	1	6	9	41	148	632	2046	1982	909	1	5775
FIFTEEN	ROW PCT	.0	.1	.2	.7	2.6	10.9	35.4	34.3	15.7	.0	10.1
	COL PCT	1.7	3.4	2.9	6.3	6.7	7.6	9.8	11.1	12.9	5.9	
16	COUNT	1	8	27	53	234	826	2280	2263	1157		6849
SIXTEEN OR MORE	ROW PCT	.0	.1	.4	.8	3.4	12.1	33.3	33.0	16.9		11.9
	COL PCT	1.7	4.5	8.6	8.1	10.7	10.0	10.9	12.7	16.5		
17	COUNT		2	4	3	5	4	18	14	1	3	54
NOT STATED	ROW PCT		3.7	7.4	5.6	9.3	7.4	33.3	25.9	1.9	5.6	.1
	COL PCT		1.1	1.3	.5	.2	.0	.1	.1	.0	17.6	
COLUMN TOTAL		60	177	313	653	2196	8271	20846	17888	7025	17	57446
		.1	.3	.5	1.1	3.8	14.4	36.3	31.1	12.2	.0	100.0

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	1500 GMS OR LESS (0)	501 TO 1000 GMS (1)	1001 TO 1500 GMS (2)	1501 TO 2000 GMS (3)	2001 TO 2500 GMS (4)	2501 TO 3000 GMS (5)	3001 TO 3500 GMS (6)	3501 TO 4000 GMS (7)	OVER 4000 GMS (8)	NOT STATED (9)	ROW TOTAL
0		15	21	29	32	68	145	177	40	10	3	540
NONE		2.8	3.9	5.4	5.9	12.6	26.9	32.8	7.4	1.9	.6	2.0
		16.0	8.0	9.0	5.3	3.6	2.4	1.7	.7	.7	20.0	
1		10	14	10	22	34	67	83	39	7		286
ONE		3.5	4.9	3.5	7.7	11.9	23.4	29.0	13.6	2.4		1.1
		10.6	5.3	3.1	3.6	1.8	1.1	.8	.7	.5		
2		6	20	17	39	55	94	129	48	9	1	418
TWO		1.4	4.8	4.1	9.3	13.2	22.5	30.9	11.5	2.2	.2	1.6
		6.4	7.6	5.2	6.4	2.9	1.5	1.3	.9	.6	6.7	
3		12	26	13	44	60	143	171	76	6	2	553
THREE		2.2	4.7	2.4	8.0	10.8	25.9	30.9	13.7	1.1	.4	2.1
		12.8	9.8	4.0	7.2	3.2	2.3	1.7	1.4	.4	13.3	
4		18	33	43	39	73	202	273	122	19	1	823
FOUR		2.2	4.0	5.2	4.7	8.9	24.5	33.2	14.8	2.3	.1	3.1
		19.1	12.5	13.3	6.4	3.9	3.3	2.7	2.2	1.4	6.7	
5		7	30	27	40	100	270	373	153	23	1	1024
FIVE		.7	2.9	2.6	3.9	9.8	26.4	36.4	14.9	2.2	.1	3.9
		7.4	11.4	8.3	6.6	5.3	4.4	3.6	2.8	1.7	6.7	
6		8	18	28	52	118	351	474	233	47		1329
SIX		.6	1.4	2.1	3.9	8.9	26.4	35.7	17.5	3.5		5.0
		8.5	6.8	8.6	8.6	6.2	5.7	4.6	4.3	3.4		
7		4	22	17	41	141	343	556	239	51		1414
SEVEN		.3	1.6	1.2	2.9	10.0	24.3	39.3	16.9	3.6		5.4
		4.3	8.3	5.2	6.7	7.4	5.6	5.4	4.4	3.7		
8		1	17	24	46	176	472	691	309	76	1	1813
EIGHT		.1	.9	1.3	2.5	9.7	26.0	38.1	17.0	4.2	.1	6.9
		1.1	6.4	7.4	7.6	9.3	7.7	6.7	5.7	5.5	6.7	
COLUMN TOTAL		94	264	324	608	1894	6144	10242	5438	1385	15	26408
		.4	1.0	1.2	2.3	7.2	23.3	38.8	20.6	5.2	.1	100.0

(CONTINUED)

TABLE 14

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	WT COUNT ROW PCT COL PCT	1500 GMS OR LESS 0	501 TO 1000 GMS 1	1001 TO 1500 GMS 2	1501 TO 2000 GMS 3	2001 TO 2500 GMS 4	2501 TO 3000 GMS 5	3001 TO 3500 GMS 6	3501 TO 4000 GMS 7	OVER 4000 GMS 8	NOT STATED 9	ROW TOTAL
9		2	11	11	29	120	392	686	316	87	1	1655
NINE		.1	.7	.7	1.8	7.3	23.7	41.5	19.1	5.3	.1	6.3
		2.1	4.2	3.4	4.8	6.3	6.4	6.7	5.8	6.3	6.7	
10		3	11	27	75	213	789	1262	674	157	1	3212
TEN		.1	.3	.8	2.3	6.6	24.6	39.3	21.0	4.9	.0	12.2
		3.2	4.2	8.3	12.3	11.2	12.8	12.3	12.4	11.3	6.7	
11		1	4	6	18	98	416	763	377	93		1776
ELEVEN		.1	.2	.3	1.0	5.5	23.4	43.0	21.2	5.2		6.7
		1.1	1.5	1.9	3.0	5.2	6.8	7.4	6.9	6.7		
12		1	14	22	45	268	989	1799	1045	284	1	4468
TWELVE		.0	.3	.5	1.0	6.0	22.1	40.3	23.4	6.4	.0	16.9
		1.1	5.3	6.8	7.4	14.1	16.1	17.6	19.2	20.5	6.7	
13			4	13	24	92	360	711	405	103		1712
THIRTEEN			.2	.8	1.4	5.4	21.0	41.5	23.7	6.0		6.5
			1.5	4.0	3.9	4.9	5.9	6.9	7.4	7.4		
14				10	14	93	381	793	487	138		1916
FOURTEEN				.5	.7	4.9	19.9	41.4	25.4	7.2		7.3
				3.1	2.3	4.9	6.2	7.7	9.0	10.0		
15		2	6	10	17	72	346	628	395	127		1603
FIFTEEN		.1	.4	.6	1.1	4.5	21.6	39.2	24.6	7.9		6.1
		2.1	2.3	3.1	2.8	3.8	5.6	6.1	7.3	9.2		
16		4	13	17	31	107	369	658	474	146		1819
SIXTEEN OR MORE		.2	.7	.9	1.7	5.9	20.3	36.2	26.1	8.0		6.9
		4.3	4.9	5.2	5.1	5.6	6.0	6.4	8.7	10.5		
17						6	15	15	6	2	3	47
NOT STATED						12.8	31.9	31.9	12.8	4.3	6.4	.2
						.3	.2	.1	.1	.1	20.0	
COLUMN TOTAL		94 .4	264 1.0	324 1.2	608 2.3	1894 7.2	6144 23.3	10242 38.8	5438 20.6	1385 5.2	15 .1	26408 100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
0 NONE		867										867
		100.0										1.0
		100.0										
1 FIRST MONTH			11	9	18	40	50	96	133	212	290	10368
			.1	.1	.2	.4	.5	.9	1.3	2.0	2.8	12.4
			2.5	1.5	2.1	3.0	2.9	3.9	4.7	5.2	6.9	
2 SECOND MONTH			30	47	71	129	207	386	537	930	1171	36077
			.1	.1	.2	.4	.6	1.1	1.5	2.6	3.2	43.0
			6.9	7.8	8.2	9.7	12.0	15.8	19.0	22.9	27.7	
3 THIRD MONTH			45	63	97	179	262	480	678	1012	1200	18723
			.2	.3	.5	1.0	1.4	2.6	3.6	5.4	6.4	22.3
			10.3	10.4	11.2	13.5	15.2	19.7	24.0	24.9	28.4	
4 FOURTH MONTH			36	51	113	198	322	428	540	828	765	8311
			.4	.6	1.4	2.4	3.9	5.1	6.5	10.0	9.2	9.9
			8.3	8.4	13.0	14.9	18.7	17.6	19.1	20.4	18.1	
5 FIFTH MONTH			29	80	142	246	310	440	453	570	486	4586
			.6	1.7	3.1	5.4	6.8	9.6	9.9	12.4	10.6	5.5
			6.7	13.2	16.4	18.5	18.0	18.1	16.0	14.0	11.5	
6 SIXTH MONTH			42	76	145	200	269	286	272	309	206	2386
			1.8	3.2	6.1	8.4	11.3	12.0	11.4	13.0	8.6	2.8
			9.6	12.6	16.7	15.1	15.6	11.7	9.6	7.6	4.9	
7 SEVENTH MONTH			63	99	135	181	212	223	171	158	93	1494
			4.2	6.6	9.0	12.1	14.2	14.9	11.4	10.6	6.2	1.8
			14.4	16.4	15.6	13.6	12.3	9.2	6.1	3.9	2.2	
8 EIGHTH MONTH			92	122	122	132	85	84	35	35	13	744
			12.4	16.4	16.4	17.7	11.4	11.3	4.7	4.7	1.7	.9
			21.1	20.2	14.1	9.9	4.9	3.4	1.2	.9	.3	
(CONTINUED) COLUMN TOTAL		867	436	605	867	1327	1726	2436	2823	4058	4227	83854
		1.0	.5	.7	1.0	1.6	2.1	2.9	3.4	4.8	5.0	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
0										867
NONE										1.0
1		676	437	2104	891	1409	2039	1946	7	10368
FIRST MONTH		6.5	4.2	20.3	8.6	13.6	19.7	18.8	.1	12.4
		7.4	7.4	12.5	13.1	14.6	27.6	22.5	6.9	
2		3023	2432	8605	3697	6335	3625	4831	21	36077
SECOND MONTH		8.4	6.7	23.9	10.2	17.6	10.0	13.4	.1	43.0
		33.1	41.2	51.0	54.5	65.5	49.1	55.7	20.8	
3		2672	1841	4377	1630	1461	1328	1382	16	18723
THIRD MONTH		14.3	9.8	23.4	8.7	7.8	7.1	7.4	.1	22.3
		29.3	31.2	26.0	24.0	15.1	18.0	15.9	15.8	
4		1584	790	1268	411	360	252	357	8	8311
FOURTH MONTH		19.1	9.5	15.3	4.9	4.3	3.0	4.3	.1	9.9
		17.4	13.4	7.5	6.1	3.7	3.4	4.1	7.9	
5		824	254	352	114	70	102	111	3	4586
FIFTH MONTH		18.0	5.5	7.7	2.5	1.5	2.2	2.4	.1	5.5
		9.0	4.3	2.1	1.7	.7	1.4	1.3	3.0	
6		244	118	116	28	19	23	29	4	2386
SIXTH MONTH		10.2	4.9	4.9	1.2	.8	1.0	1.2	.2	2.8
		2.7	2.0	.7	.4	.2	.3	.3	4.0	
7		86	19	29	8	7	3	6	1	1494
SEVENTH MONTH		5.8	1.3	1.9	.5	.5	.2	.4	.1	1.8
		.9	.3	.2	.1	.1	.0	.1	1.0	
8		11	3	2	2	1	2	3		744
EIGHTH MONTH		1.5	.4	.3	.3	.1	.3	.4		.9
		.1	.1	.0	.0	.0	.0	.0		
COLUMN		9121	5898	16862	6785	9669	7378	8668	101	83854
(CONTINUED) TOTAL		10.9	7.0	20.1	8.1	11.5	8.8	10.3	.1	100.0

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
9 NINTH MONTH			85	54	24	16	8	10	2	3	2	213
			39.9	25.4	11.3	7.5	3.8	4.7	.9	1.4	.9	.3
			19.5	8.9	2.8	1.2	.5	.4	.1	.1	.0	
10 NOT STATED			3	4		6	1	3	2	1	1	85
			3.5	4.7		7.1	1.2	3.5	2.4	1.2	1.2	.1
			.7	.7		.5	.1	.1	.1	.0	.0	
(CONTINUED)	COLUMN TOTAL	867	436	605	867	1327	1726	2436	2823	4058	4227	83854
		1.0	.5	.7	1.0	1.6	2.1	2.9	3.4	4.8	5.0	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN (10)	ELEVEN (11)	TWELVE (12)	THIRTEEN (13)	FOURTEEN (14)	FIFTEEN (15)	SIXTEEN OR MORE (16)	NOT STATED (17)	ROW TOTAL
9 NINTH MONTH				2	1			2	4	213
				.9	.5			.9	1.9	.3
				.0	.0			.0	4.0	
10 NOT STATED		1	4	7	3	7	4	1	37	85
		1.2	4.7	8.2	3.5	8.2	4.7	1.2	43.5	.1
		.0	.1	.0	.0	.1	.1	.0	36.6	
COLUMN TOTAL		9121	5898	16862	6785	9669	7378	8668	101	83854
		10.9	7.0	20.1	8.1	11.5	8.8	10.3	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
0 NONE		327										327
		100.0										.6
		100.0										
1 FIRST MONTH			5	2	5	14	21	47	75	121	191	7902
			.1	.0	.1	.2	.3	.6	.9	1.5	2.4	13.8
			3.3	1.1	1.6	2.8	3.0	4.2	5.3	5.4	7.4	
2 SECOND MONTH			14	17	26	53	104	210	311	601	822	28029
			.0	.1	.1	.2	.4	.7	1.1	2.1	2.9	48.8
			9.3	9.1	8.3	10.5	14.8	19.0	22.1	26.8	32.0	
3 THIRD MONTH			14	14	41	72	99	215	317	577	737	12211
			.1	.1	.3	.6	.8	1.8	2.6	4.7	6.0	21.3
			9.3	7.5	13.1	14.3	14.1	19.4	22.5	25.7	28.7	
4 FOURTH MONTH			11	13	35	75	123	174	251	410	403	4544
			.2	.3	.8	1.7	2.7	3.8	5.5	9.0	8.9	7.9
			7.3	7.0	11.1	14.9	17.5	15.7	17.8	18.3	15.7	
5 FIFTH MONTH			7	22	38	74	126	181	205	287	262	2202
			.3	1.0	1.7	3.4	5.7	8.2	9.3	13.0	11.9	3.8
			4.7	11.8	12.1	14.7	17.9	16.4	14.5	12.8	10.2	
6 SIXTH MONTH			12	26	55	81	97	127	124	149	104	1089
			1.1	2.4	5.1	7.4	8.9	11.7	11.4	13.7	9.6	1.9
			8.0	13.9	17.5	16.1	13.8	11.5	8.8	6.6	4.0	
7 SEVENTH MONTH			17	29	50	70	85	110	98	70	45	665
			2.6	4.4	7.5	10.5	12.8	16.5	14.7	10.5	6.8	1.2
			11.3	15.5	15.9	13.9	12.1	9.9	7.0	3.1	1.7	
8 EIGHTH MONTH			30	41	50	54	43	35	25	26	7	324
			9.3	12.7	15.4	16.7	13.3	10.8	7.7	8.0	2.2	.6
			20.0	21.9	15.9	10.7	6.1	3.2	1.8	1.2	.3	
(CONTINUED) COLUMN TOTAL		327	150	187	314	504	702	1107	1409	2245	2572	57446
		.6	.3	.3	.5	.9	1.2	1.9	2.5	3.9	4.5	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
0 NONE										327
										.6
1 FIRST MONTH		482	333	1612	696	1116	1589	1589	4	7902
		6.1	4.2	20.4	8.8	14.1	20.1	20.1	.1	13.8
		8.2	8.1	13.0	13.7	14.4	27.5	23.2	7.4	
2 SECOND MONTH		2183	1888	6827	2837	5213	2951	3961	11	28029
		7.8	6.7	24.4	10.1	18.6	10.5	14.1	.0	48.8
		36.9	45.8	55.1	55.9	67.2	51.1	57.8	20.4	
3 THIRD MONTH		1713	1252	2887	1169	1112	993	990	9	12211
		14.0	10.3	23.6	9.6	9.1	8.1	8.1	.1	21.3
		29.0	30.4	23.3	23.0	14.3	17.2	14.5	16.7	
4 FOURTH MONTH		908	430	791	279	242	172	221	6	4544
		20.0	9.5	17.4	6.1	5.3	3.8	4.9	.1	7.9
		15.4	10.4	6.4	5.5	3.1	3.0	3.2	11.1	
5 FIFTH MONTH		438	142	191	66	45	55	63		2202
		19.9	6.4	8.7	3.0	2.0	2.5	2.9		3.8
		7.4	3.4	1.5	1.3	.6	1.0	.9		
6 SIXTH MONTH		130	61	64	18	13	11	16	1	1089
		11.9	5.6	5.9	1.7	1.2	1.0	1.5	.1	1.9
		2.2	1.5	.5	.4	.2	.2	.2	1.9	
7 SEVENTH MONTH		49	12	15	4	5	1	5		665
		7.4	1.8	2.3	.6	.8	.2	.8		1.2
		.8	.3	.1	.1	.1	.0	.1		
8 EIGHTH MONTH		5	2	1	1	1		3		324
		1.5	.6	.3	.3	.3		.9		.6
		.1	.0	.0	.0	.0		.0		
COLUMN TOTAL		5909	4122	12394	5073	7753	5775	6849	54	57446
		10.3	7.2	21.6	8.8	13.5	10.1	11.9	.1	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH			39	21	14	7	4	6	2	3	1	103
			37.9	20.4	13.6	6.8	3.9	5.8	1.9	2.9	1.0	.2
			26.0	11.2	4.5	1.4	.6	.5	.1	.1	.0	
10 NOT STATED			1	2		4		2	1	1		50
			2.0	4.0		8.0		4.0	2.0	2.0		.1
			.7	1.1		.8		.2	.1	.0		
COLUMN TOTAL		327	150	187	314	504	702	1107	1409	2245	2572	57446
		.6	.3	.3	.5	.9	1.2	1.9	2.5	3.9	4.5	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	PCVISIT	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
9 NINTH MONTH	COUNT			1	1			1	3	103
	ROW PCT			1.0	1.0			1.0	2.9	.2
	COL PCT			.0	.0			.0	5.6	
10 NOT STATED	COUNT	1	2	5	2	6	3		20	50
	ROW PCT	2.0	4.0	10.0	4.0	12.0	6.0		40.0	.1
	COL PCT	.0	.0	.0	.0	.1	.1		37.0	
COLUMN TOTAL		5909	4122	12394	5073	7753	5775	6849	54	57446
		10.3	7.2	21.6	8.8	13.5	10.1	11.9	.1	100.0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT 0 NONE	1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	ROW TOTAL
0 NONE		540										540
		100.0										2.0
		100.0										
1 FIRST MONTH			6	7	13	26	29	49	58	91	99	2466
			.2	.3	.5	1.1	1.2	2.0	2.4	3.7	4.0	9.3
			2.1	1.7	2.4	3.2	2.8	3.7	4.1	5.0	6.0	
2 SECOND MONTH			16	30	45	76	103	176	226	329	349	8048
			.2	.4	.6	.9	1.3	2.2	2.8	4.1	4.3	30.5
			5.6	7.2	8.1	9.2	10.1	13.2	16.0	18.1	21.1	
3 THIRD MONTH			31	49	56	107	163	265	361	435	463	6512
			.5	.8	.9	1.6	2.5	4.1	5.5	6.7	7.1	24.7
			10.8	11.7	10.1	13.0	15.9	19.9	25.5	24.0	28.0	
4 FOURTH MONTH			25	38	78	123	199	254	289	418	362	3767
			.7	1.0	2.1	3.3	5.3	6.7	7.7	11.1	9.6	14.3
			8.7	9.1	14.1	14.9	19.4	19.1	20.4	23.1	21.9	
5 FIFTH MONTH			22	58	104	172	184	259	248	283	224	2384
			.9	2.4	4.4	7.2	7.7	10.9	10.4	11.9	9.4	9.0
			7.7	13.9	18.8	20.9	18.0	19.5	17.5	15.6	13.5	
6 SIXTH MONTH			30	50	90	119	172	159	148	160	102	1297
			2.3	3.9	6.9	9.2	13.3	12.3	11.4	12.3	7.9	4.9
			10.5	12.0	16.3	14.5	16.8	12.0	10.5	8.8	6.2	
7 SEVENTH MONTH			46	70	85	111	127	113	73	88	48	829
			5.5	8.4	10.3	13.4	15.3	13.6	8.8	10.6	5.8	3.1
			16.1	16.7	15.4	13.5	12.4	8.5	5.2	4.9	2.9	
8 EIGHTH MONTH			62	81	72	78	42	49	10	9	6	420
			14.8	19.3	17.1	18.6	10.0	11.7	2.4	2.1	1.4	1.6
			21.7	19.4	13.0	9.5	4.1	3.7	.7	.5	.4	
(CONTINUED)	COLUMN TOTAL	540	286	418	553	823	1024	1329	1414	1813	1655	26408
		2.0	1.1	1.6	2.1	3.1	3.9	5.0	5.4	6.9	6.3	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
0 NONE										540
										2.0
1 FIRST MONTH		194	104	492	195	293	450	357	3	2466
		7.9	4.2	20.0	7.9	11.9	18.2	14.5	.1	9.3
		6.0	5.9	11.0	11.4	15.3	28.1	19.6	6.4	
2 SECOND MONTH		840	544	1778	860	1122	674	870	10	8048
		10.4	6.8	22.1	10.7	13.9	8.4	10.8	.1	30.5
		26.2	30.6	39.8	50.2	58.6	42.0	47.8	21.3	
3 THIRD MONTH		959	589	1490	461	349	335	392	7	6512
		14.7	9.0	22.9	7.1	5.4	5.1	6.0	.1	24.7
		29.9	33.2	33.3	26.9	18.2	20.9	21.6	14.9	
4 FOURTH MONTH		676	360	477	132	118	80	136	2	3767
		17.9	9.6	12.7	3.5	3.1	2.1	3.6	.1	14.3
		21.0	20.3	10.7	7.7	6.2	5.0	7.5	4.3	
5 FIFTH MONTH		386	112	161	48	25	47	48	3	2384
		16.2	4.7	6.8	2.0	1.0	2.0	2.0	.1	9.0
		12.0	6.3	3.6	2.8	1.3	2.9	2.6	6.4	
6 SIXTH MONTH		114	57	52	10	6	12	13	3	1297
		8.8	4.4	4.0	.8	.5	.9	1.0	.2	4.9
		3.5	3.2	1.2	.6	.3	.7	.7	6.4	
7 SEVENTH MONTH		37	7	14	4	2	2	1	1	829
		4.5	.8	1.7	.5	.2	.2	.1	.1	3.1
		1.2	.4	.3	.2	.1	.1	.1	2.1	
8 EIGHTH MONTH		6	1	1	1		2			420
		1.4	.2	.2	.2		.5			1.6
		.2	.1	.0	.1		.1			
COLUMN TOTAL		3212	1776	4468	1712	1916	1603	1819	47	26408
		12.2	6.7	16.9	6.5	7.3	6.1	6.9	.2	100.0

(CONTINUED)

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH			46	33	10	9	4	4			1	110
			41.8	30.0	9.1	8.2	3.6	3.6			.9	.4
			16.1	7.9	1.8	1.1	.4	.3			.1	
10 NOT STATED			2	2		2	1	1	1		1	35
			5.7	5.7		5.7	2.9	2.9	2.9		2.9	.1
			.7	.5		.2	.1	.1	.1		.1	
(CONTINUED)	COLUMN TOTAL	540 2.0	286 1.1	418 1.6	553 2.1	823 3.1	1024 3.9	1329 5.0	1414 5.4	1813 6.9	1655 6.3	26408 100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN (10)	ELEVEN (11)	TWELVE (12)	THIRTEEN (13)	FOURTEEN (14)	FIFTEEN (15)	SIXTEEN OR MORE (16)	NOT STATED (17)	ROW TOTAL
9				1				1	1	110
NINTH MONTH				.9				.9	.9	.4
				.0				.1	2.1	
10			2	2	1	1	1	1	17	35
NOT STATED			5.7	5.7	2.9	2.9	2.9	2.9	48.6	.1
			.1	.0	.1	.1	.1	.1	36.2	
COLUMN TOTAL		3212	1776	4468	1712	1916	1603	1819	47	26408
		12.2	6.7	16.9	6.5	7.3	6.1	6.9	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF LBND PREVIOUS LIVE BORN NOW DEAD BY RACE

LBND	COUNT / ROW PCT / COL PCT	RACE: WHITE	NONWHITE	ROW TOTAL
		1	2	
0 NONE		56464	25606	82070
		68.8	31.2	97.9
		98.3	97.0	
1 ONE		879	700	1579
		55.7	44.3	1.9
		1.5	2.7	
2 TWO		80	81	161
		49.7	50.3	.2
		.1	.3	
3 THREE		12	9	21
		57.1	42.9	.0
		.0	.0	
4 FOUR			6	6
			100.0	.0
			.0	
5 FIVE		1	2	3
		33.3	66.7	.0
		.0	.0	
10 NOT STATED		10	4	14
		71.4	28.6	.0
		.0	.0	
COLUMN TOTAL		57446	26408	83854
		68.5	31.5	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 17

CROSSTABULATION OF FETD PREVIOUS FETAL DEATHS BY RACE

FETD	RACE: WHITE (1)	RACE: NONWHITE (2)	ROW TOTAL
0 NONE	48077	22059	70136
	68.5	31.5	83.6
	83.7	83.5	
1 ONE	7201	3387	10588
	68.0	32.0	12.6
	12.5	12.8	
2 TWO	1592	722	2314
	68.8	31.2	2.8
	2.8	2.7	
3 THREE	393	160	553
	71.1	28.9	.7
	.7	.6	
4 FOUR	104	47	151
	68.9	31.1	.2
	.2	.2	
5 FIVE	41	14	55
	74.5	25.5	.1
	.1	.1	
6 SIX	19	10	29
	65.5	34.5	.0
	.0	.0	
7 SEVEN	5	3	8
	62.5	37.5	.0
	.0	.0	
8 EIGHT	3	2	5
	60.0	40.0	.0
	.0	.0	
9 NINE OR MORE	3		3
	100.0		.0
	.0		
COLUMN TOTAL	57446	26408	83854
	68.5	31.5	100.0

(CONTINUED)

CROSSTABULATION OF FETD PREVIOUS FETAL DEATHS BY RACE

FETD	RACE	WHITE (1)	NONWHITE (2)	ROW TOTAL
NOT STATED	COUNT	8	4	12
	ROW PCT	66.7	33.3	.0
	COL PCT	.0	.0	
	COLUMN TOTAL	57446	26408	83854
		68.5	31.5	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0		1				3		2	6	4	5	64
ZERO		1.6				4.7		3.1	9.4	6.3	7.8	.1
		14.3				.2		.1	.1	.1	.1	
1				1	4	9	15	20	19	16	14	245
ONE				.4	1.6	3.7	6.1	8.2	7.8	6.5	5.7	.3
				.4	.5	.5	.6	.5	.4	.3	.2	
2			1	1	2	7	4	10	13	9	14	163
TWO			.6	.6	1.2	4.3	2.5	6.1	8.0	5.5	8.6	.2
			1.7	.4	.2	.4	.2	.3	.3	.2	.2	
3					4	2	8	8	6	9	8	136
THREE					2.9	1.5	5.9	5.9	4.4	6.6	5.9	.2
					.5	.1	.3	.2	.1	.2	.1	
4				1	5	8	15	7	12	13	8	184
FOUR				.5	2.7	4.3	8.2	3.8	6.5	7.1	4.3	.2
				.4	.6	.5	.6	.2	.2	.2	.1	
5			1	2	4	20	14	18	15	36	24	345
FIVE			.3	.6	1.2	5.8	4.1	5.2	4.3	10.4	7.0	.4
			1.7	.8	.5	1.2	.5	.5	.3	.6	.4	
6		1		2	9	24	29	39	48	61	58	687
SIX		.1		.3	1.3	3.5	4.2	5.7	7.0	8.9	8.4	.8
		14.3		.8	1.1	1.4	1.1	1.0	.9	1.1	1.0	
7		1	2	9	20	45	67	79	102	118	113	1569
SEVEN		.1	.1	.6	1.3	2.9	4.3	5.0	6.5	7.5	7.2	1.9
		14.3	3.4	3.7	2.5	2.7	2.6	2.0	2.0	2.1	2.0	
8			8	27	65	155	233	349	467	431	483	6689
EIGHT			.1	.4	1.0	2.3	3.5	5.2	7.0	6.4	7.2	8.0
			13.8	11.0	8.0	9.2	8.9	9.0	9.1	7.7	8.4	
COLUMN TOTAL		7	58	246	809	1680	2607	3862	5141	5569	5771	83854
		.0	.1	.3	1.0	2.0	3.1	4.6	6.1	6.6	6.9	100.0

(CONTINUED)

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
0		3	9	4	12	11	3	1			64
ZERO		4.7	14.1	6.3	18.8	17.2	4.7	1.6			.1
		.1	.2	.1	.0	.1	.1	.2			
1		18	21	13	57	27	11				245
ONE		7.3	8.6	5.3	23.3	11.0	4.5				.3
		.3	.4	.2	.2	.2	.3				
2		9	16	10	38	20	8	1			163
TWO		5.5	9.8	6.1	23.3	12.3	4.9	.6			.2
		.2	.3	.2	.2	.2	.2	.2			
3		12	7	8	36	25	3				136
THREE		8.8	5.1	5.9	26.5	18.4	2.2				.2
		.2	.1	.1	.1	.2	.1				
4		12	9	13	51	21	9				184
FOUR		6.5	4.9	7.1	27.7	11.4	4.9				.2
		.2	.2	.2	.2	.2	.3				
5		26	25	20	77	47	14	2			345
FIVE		7.5	7.2	5.8	22.3	13.6	4.1	.6			.4
		.4	.4	.4	.3	.4	.4	.5			
6		49	46	41	173	75	30	2			687
SIX		7.1	6.7	6.0	25.2	10.9	4.4	.3			.8
		.8	.8	.7	.7	.6	.9	.5			
7		92	104	102	423	222	65	4	1		1569
SEVEN		5.9	6.6	6.5	27.0	14.1	4.1	.3	.1		1.9
		1.6	1.8	1.8	1.7	1.8	2.0	1.0	7.7		
8		497	484	423	1937	844	245	38	2	1	6689
EIGHT		7.4	7.2	6.3	29.0	12.6	3.7	.6	.0	.0	8.0
		8.6	8.5	7.6	7.8	6.7	7.6	9.2	15.4	20.0	
COLUMN TOTAL		5790	5721	5571	24739	12607	3243	415	13	5	83854
		6.9	6.8	6.6	29.5	15.0	3.9	.5	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9	COUNT	2	36	133	468	949	1488	2236	3007	3276	3416	50610
NINE	ROW PCT	.0	.1	.3	.9	1.9	2.9	4.4	5.9	6.5	6.7	60.4
	COL PCT	28.6	62.1	54.1	57.8	56.5	57.1	57.9	58.5	58.8	59.2	
10	COUNT	2	8	67	213	438	696	1046	1374	1506	1558	22033
TEN	ROW PCT	.0	.0	.3	1.0	2.0	3.2	4.7	6.2	6.8	7.1	26.3
	COL PCT	28.6	13.8	27.2	26.3	26.1	26.7	27.1	26.7	27.0	27.0	
11	COUNT		2	3	15	20	38	48	72	90	70	1129
NOT STATED	ROW PCT		.2	.3	1.3	1.8	3.4	4.3	6.4	8.0	6.2	1.3
	COL PCT		3.4	1.2	1.9	1.2	1.5	1.2	1.4	1.6	1.2	
(CONTINUED)	COLUMN TOTAL	7	58	246	809	1680	2607	3862	5141	5569	5771	83854
		.0	.1	.3	1.0	2.0	3.1	4.6	6.1	6.6	6.9	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	AGE	22	23	24	25	26	27	28	29	30	ROW TOTAL
NINE	9	3459	3423	3380	15179	7906	1981	263	6	2	50610
	ROW PCT	6.8	6.8	6.7	30.0	15.6	3.9	.5	.0	.0	60.4
	COL PCT	59.7	59.8	60.7	61.4	62.7	61.1	63.4	46.2	40.0	
TEN	10	1531	1508	1482	6443	3243	819	94	4	1	22033
	ROW PCT	6.9	6.8	6.7	29.2	14.7	3.7	.4	.0	.0	26.3
	COL PCT	26.4	26.4	26.6	26.0	25.7	25.3	22.7	30.8	20.0	
NOT STATED	11	82	69	75	313	166	55	10		1	1129
	ROW PCT	7.3	6.1	6.6	27.7	14.7	4.9	.9		.1	1.3
	COL PCT	1.4	1.2	1.3	1.3	1.3	1.7	2.4		20.0	
	COLUMN TOTAL	5790	5721	5571	24739	12607	3243	415	13	5	83854
		6.9	6.8	6.6	29.5	15.0	3.9	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	13	14	15	16	17	18	19	20	21	22	ROW TOTAL
0 ZERO				2				4	3	2		34
				5.9				11.8	8.8	5.9		.1
				.3				.1	.1	.1		
1 ONE				2	10	12	6	11	5	11		125
				1.6	8.0	9.6	4.8	8.8	4.0	8.8		.2
				.3	.7	.5	.2	.3	.1	.3		
2 TWO		1		1	3	3	5	6	5	5	4	69
		1.4		1.4	4.3	4.3	7.2	8.7	7.2	7.2	5.8	.1
		10.0		.3	.4	.2	.2	.2	.1	.1	.1	
3 THREE				2	1	2	4	2	7	3	6	68
				2.9	1.5	2.9	5.9	2.9	10.3	4.4	8.8	.1
				.7	.1	.1	.2	.1	.2	.1	.2	
4 FOUR				1	3	3	3	7	8	5	7	88
				1.1	3.4	3.4	3.4	8.0	9.1	5.7	8.0	.2
				.3	.4	.2	.1	.2	.2	.1	.2	
5 FIVE				9	7	11	7	17	11	11	11	180
				5.0	3.9	6.1	3.9	9.4	6.1	6.1	6.1	.3
				1.1	.5	.5	.2	.5	.3	.3	.3	
6 SIX			1	12	8	18	24	33	33	28	375	
			.3	3.2	2.1	4.8	6.4	8.8	8.8	7.5	.7	
			.3	1.5	.6	.8	.8	.9	.9	.7		
7 SEVEN		1	5	24	32	36	48	69	62	54	920	
		.1	.5	2.6	3.5	3.9	5.2	7.5	6.7	5.9	1.6	
		1.4	1.7	3.0	2.3	1.6	1.5	2.0	1.6	1.4		
8 EIGHT		1	4	24	70	122	188	265	252	287	321	4303
		.0	.1	.6	1.6	2.8	4.4	6.2	5.9	6.7	7.5	7.5
		10.0	5.8	7.9	8.8	8.9	8.6	8.5	7.2	7.6	8.4	
(CONTINUED)	COLUMN TOTAL	10	69	303	800	1365	2195	3104	3498	3785	3815	57446
		.0	.1	.5	1.4	2.4	3.8	5.4	6.1	6.6	6.6	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED			
0		7	2	8	4	1	1			34
ZERO		20.6	5.9	23.5	11.8	2.9	2.9			.1
		.2	.1	.0	.0	.0	.4			
1		8	7	31	18	4				125
ONE		6.4	5.6	24.8	14.4	3.2				.2
		.2	.2	.2	.2	.2				
2		4	2	14	13	3				69
TWO		5.8	2.9	20.3	18.8	4.3				.1
		.1	.1	.1	.1	.1				
3		1	4	19	16	1				68
THREE		1.5	5.9	27.9	23.5	1.5				.1
		.0	.1	.1	.2	.0				
4		3	8	25	10	5				88
FOUR		3.4	9.1	28.4	11.4	5.7				.2
		.1	.2	.1	.1	.2				
5		12	14	47	27	7				180
FIVE		6.7	7.8	26.1	15.0	3.9				.3
		.3	.4	.3	.3	.3				
6		27	28	93	49	19	2			375
SIX		7.2	7.5	24.8	13.1	5.1	.5			.7
		.7	.7	.5	.5	.8	.7			
7		56	65	279	142	43	3	1		920
SEVEN		6.1	7.1	30.3	15.4	4.7	.3	.1		1.6
		1.4	1.7	1.5	1.5	1.8	1.1	16.7		
8		317	284	1378	589	174	25	1	1	4303
EIGHT		7.4	6.6	32.0	13.7	4.0	.6	.0	.0	7.5
		8.1	7.2	7.5	6.2	7.3	9.2	16.7	25.0	
COLUMN TOTAL		3926	3919	18406	9576	2392	273	6	4	57446
		6.8	6.8	32.0	16.7	4.2	.5	.0	.0	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5		AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
9	COUNT	6	36	162	436	751	1267	1822	2043	2241	2257	34879
NINE	ROW PCT	.0	.1	.5	1.3	2.2	3.6	5.2	5.9	6.4	6.5	60.7
	COL PCT	60.0	52.2	53.5	54.5	55.0	57.7	58.7	58.4	59.2	59.2	
10	COUNT	2	27	100	231	418	632	877	1009	1093	1070	15804
TEN	ROW PCT	.0	.2	.6	1.5	2.6	4.0	5.5	6.4	6.9	6.8	27.5
	COL PCT	20.0	39.1	33.0	28.9	30.6	28.8	28.3	28.8	28.9	28.0	
11	COUNT		1	7	7	9	19	36	41	38	46	601
NOT STATED	ROW PCT		.2	1.2	1.2	1.5	3.2	6.0	6.8	6.3	7.7	1.0
	COL PCT		1.4	2.3	.9	.7	.9	1.2	1.2	1.0	1.2	
COLUMN TOTAL		10	69	303	800	1365	2195	3104	3498	3785	3815	57446
		.0	.1	.5	1.4	2.4	3.8	5.4	6.1	6.6	6.6	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		2373	2367	11364	6095	1478	177	3	1	34879
NINE		6.8	6.8	32.6	17.5	4.2	.5	.0	.0	60.7
		60.4	60.4	61.7	63.6	61.8	64.8	50.0	25.0	
10		1089	1097	4958	2515	625	59	1	1	15804
TEN		6.9	6.9	31.4	15.9	4.0	.4	.0	.0	27.5
		27.7	28.0	26.9	26.3	26.1	21.6	16.7	25.0	
11		29	41	190	98	32	6		1	601
NOT STATED		4.8	6.8	31.6	16.3	5.3	1.0		.2	1.0
		.7	1.0	1.0	1.0	1.3	2.2		25.0	
COLUMN TOTAL		3926	3919	18406	9576	2392	273	6	4	57446
		6.8	6.8	32.0	16.7	4.2	.5	.0	.0	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0	1					1		2	2	1	3	30
ZERO	3.3					3.3		6.7	6.7	3.3	10.0	.1
	14.3					.1		.1	.1	.0	.2	
1			1	4	7	5	8	13	5	9	120	
ONE			.8	3.3	5.8	4.2	6.7	10.8	4.2	7.5	.5	
			.6	.8	.8	.4	.5	.6	.2	.5		
2			1	1	4	1	5	7	4	9	94	
TWO			1.1	1.1	4.3	1.1	5.3	7.4	4.3	9.6	.4	
			.6	.2	.5	.1	.3	.3	.2	.5		
3				2	1	6	4	4	2	5	68	
THREE				2.9	1.5	8.8	5.9	5.9	2.9	7.4	.3	
				.4	.1	.5	.2	.2	.1	.3		
4			1	4	5	12	4	5	5	3	96	
FOUR			1.0	4.2	5.2	12.5	4.2	5.2	5.2	3.1	.4	
			.6	.8	.6	1.0	.2	.2	.2	.2		
5		1	2	4	11	7	7	8	19	13	165	
FIVE		.6	1.2	2.4	6.7	4.2	4.2	4.8	11.5	7.9	.6	
		2.1	1.1	.8	1.3	.6	.4	.4	.9	.7		
6	1		2	8	12	21	21	24	28	25	312	
SIX	.3		.6	2.6	3.8	6.7	6.7	7.7	9.0	8.0	1.2	
	14.3		1.1	1.6	1.4	1.7	1.3	1.2	1.4	1.3		
7	1	2	8	15	21	35	43	54	49	51	649	
SEVEN	.2	.3	1.2	2.3	3.2	5.4	6.6	8.3	7.6	7.9	2.5	
	14.3	4.2	4.5	3.0	2.4	2.8	2.6	2.7	2.4	2.6		
8		7	23	41	85	111	161	202	179	196	2386	
EIGHT		.3	1.0	1.7	3.6	4.7	6.7	8.5	7.5	8.2	9.0	
		14.6	13.0	8.1	9.7	8.9	9.7	9.9	8.6	9.9		
COLUMN TOTAL	7	48	177	506	880	1242	1667	2037	2071	1986	26408	
	.0	.2	.7	1.9	3.3	4.7	6.3	7.7	7.8	7.5	100.0	

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
0	3	2	2	4	7	2					30
ZERO	10.0	6.7	6.7	13.3	23.3	6.7					.1
	.2	.1	.1	.1	.2	.2					
1	7	13	6	26	9	7					120
ONE	5.8	10.8	5.0	21.7	7.5	5.8					.5
	.4	.7	.4	.4	.3	.8					
2	5	12	8	24	7	5	1				94
TWO	5.3	12.8	8.5	25.5	7.4	5.3	1.1				.4
	.3	.7	.5	.4	.2	.6	.7				
3	6	6	4	17	9	2					68
THREE	8.8	8.8	5.9	25.0	13.2	2.9					.3
	.3	.3	.2	.3	.3	.2					
4	5	6	5	26	11	4					96
FOUR	5.2	6.3	5.2	27.1	11.5	4.2					.4
	.3	.3	.3	.4	.4	.5					
5	15	13	6	30	20	7	2				165
FIVE	9.1	7.9	3.6	18.2	12.1	4.2	1.2				.6
	.8	.7	.4	.5	.7	.8	1.4				
6	21	19	13	80	26	11					312
SIX	6.7	6.1	4.2	25.6	8.3	3.5					1.2
	1.1	1.1	.8	1.3	.9	1.3					
7	38	48	37	144	80	22	1				649
SEVEN	5.9	7.4	5.7	22.2	12.3	3.4	.2				2.5
	1.9	2.7	2.2	2.3	2.6	2.6	.7				
8	176	167	139	559	255	71	13	1			2386
EIGHT	7.4	7.0	5.8	23.4	10.7	3.0	.5	.0			9.0
	8.9	9.3	8.4	8.8	8.4	8.3	9.2	14.3			
COLUMN TOTAL	1975	1795	1652	6333	3031	851	142	7	1		26408
	7.5	6.8	6.3	24.0	11.5	3.2	.5	.0	.0		100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9	COUNT	2	30	97	306	513	737	969	1185	1233	1175	15731
NINE	ROW PCT	.0	.2	.6	1.9	3.3	4.7	6.2	7.5	7.8	7.5	59.6
	COL PCT	28.6	62.5	54.8	60.5	58.3	59.3	58.1	58.2	59.5	59.2	
10	COUNT	2	6	40	113	207	278	414	497	497	465	6229
TEN	ROW PCT	.0	.1	.6	1.8	3.3	4.5	6.6	8.0	8.0	7.5	23.6
	COL PCT	28.6	12.5	22.6	22.3	23.5	22.4	24.8	24.4	24.0	23.4	
11	COUNT		2	2	8	13	29	29	36	49	32	528
NOT STATED	ROW PCT		.4	.4	1.5	2.5	5.5	5.5	6.8	9.3	6.1	2.0
	COL PCT		4.2	1.1	1.6	1.5	2.3	1.7	1.8	2.4	1.6	
COLUMN	COUNT	7	48	177	506	880	1242	1667	2037	2071	1986	26408
(CONTINUED) TOTAL	ROW PCT	.0	.2	.7	1.9	3.3	4.7	6.3	7.7	7.8	7.5	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

APGAR5	AGE	22	23	24	25	26	27	28	29	30	ROW TOTAL
9	COUNT	1202	1050	1013	3815	1811	503	86	3	1	15731
NINE	ROW PCT	7.6	6.7	6.4	24.3	11.5	3.2	.5	.0	.0	59.6
	COL PCT	60.9	58.5	61.3	60.2	59.7	59.1	60.6	42.9	100.0	
10	COUNT	461	419	385	1485	728	194	35	3		6229
TEN	ROW PCT	7.4	6.7	6.2	23.8	11.7	3.1	.6	.0		23.6
	COL PCT	23.3	23.3	23.3	23.4	24.0	22.8	24.6	42.9		
11	COUNT	36	40	34	123	68	23	4			528
NOT STATED	ROW PCT	6.8	7.6	6.4	23.3	12.9	4.4	.8			2.0
	COL PCT	1.8	2.2	2.1	1.9	2.2	2.7	2.8			
COLUMN TOTAL		1975	1795	1652	6333	3031	851	142	7	1	26408
		7.5	6.8	6.3	24.0	11.5	3.2	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		3	8	32	12	8	1	64
ZERO		4.7	12.5	50.0	18.8	12.5	1.6	.1
		.1	.0	.1	.1	.1	1.5	
1		13	63	103	43	22	1	245
ONE		5.3	25.7	42.0	17.6	9.0	.4	.3
		.4	.3	.3	.3	.2	1.5	
2		5	44	75	26	12	1	163
TWO		3.1	27.0	46.0	16.0	7.4	.6	.2
		.2	.2	.2	.2	.1	1.5	
3		6	28	63	26	13		136
THREE		4.4	20.6	46.3	19.1	9.6		.2
		.2	.2	.2	.2	.1		
4		9	61	68	24	21	1	184
FOUR		4.9	33.2	37.0	13.0	11.4	.5	.2
		.3	.3	.2	.2	.2	1.5	
5		21	92	144	54	33	1	345
FIVE		6.1	26.7	41.7	15.7	9.6	.3	.4
		.7	.5	.4	.4	.3	1.5	
6		33	189	274	115	74	2	687
SIX		4.8	27.5	39.9	16.7	10.8	.3	.8
		1.1	1.0	.8	.8	.6	3.0	
7		69	401	659	276	163	1	1569
SEVEN		4.4	25.6	42.0	17.6	10.4	.1	1.9
		2.3	2.2	1.9	1.8	1.3	1.5	
8		254	1540	2807	1172	908	8	6689
EIGHT		3.8	23.0	42.0	17.5	13.6	.1	8.0
		8.3	8.4	8.0	7.8	7.5	12.1	
	COLUMN TOTAL	3048	18365	35222	14983	12170	66	83854
		3.6	21.9	42.0	17.9	14.5	.1	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		1666	10448	21312	9332	7827	25	50610
NINE		3.3	20.6	42.1	18.4	15.5	.0	60.4
		54.7	56.9	60.5	62.3	64.3	37.9	
10		911	5212	9206	3723	2969	12	22033
TEN		4.1	23.7	41.8	16.9	13.5	.1	26.3
		29.9	28.4	26.1	24.8	24.4	18.2	
11		58	279	479	180	120	13	1129
NOT STATED		5.1	24.7	42.4	15.9	10.6	1.2	1.3
		1.9	1.5	1.4	1.2	1.0	19.7	
COLUMN TOTAL		3048	18365	35222	14983	12170	66	83854
		3.6	21.9	42.0	17.9	14.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 ZERO	0	2	5	15	6	6		34
		5.9	14.7	44.1	17.6	17.6		.1
		.1	.0	.1	.1	.1		
1 ONE	1	9	31	51	20	13	1	125
		7.2	24.8	40.8	16.0	10.4	.8	.2
		.5	.3	.2	.2	.1	3.4	
2 TWO	2	5	16	27	11	10		69
		7.2	23.2	39.1	15.9	14.5		.1
		.3	.1	.1	.1	.1		
3 THREE	3	4	9	27	17	11		68
		5.9	13.2	39.7	25.0	16.2		.1
		.2	.1	.1	.2	.1		
4 FOUR	4	3	26	34	11	13	1	88
		3.4	29.5	38.6	12.5	14.8	1.1	.2
		.2	.2	.1	.1	.1	3.4	
5 FIVE	5	12	40	70	32	25	1	180
		6.7	22.2	38.9	17.8	13.9	.6	.3
		.6	.4	.3	.3	.2	3.4	
6 SIX	6	15	89	139	73	59		375
		4.0	23.7	37.1	19.5	15.7		.7
		.8	.8	.6	.7	.6		
7 SEVEN	7	34	208	373	182	123		920
		3.7	22.6	40.5	19.8	13.4		1.6
		1.8	1.9	1.6	1.6	1.2		
8 EIGHT	8	148	848	1760	801	743	3	4303
		3.4	19.7	40.9	18.6	17.3	.1	7.5
		7.7	7.9	7.5	7.3	7.2	10.3	
(CONTINUED)	COLUMN TOTAL	1928	10739	23384	11035	10331	29	57446
		3.4	18.7	40.7	19.2	18.0	.1	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		1030	6070	14163	6943	6666	7	34879
NINE		3.0	17.4	40.6	19.9	19.1	.0	60.7
		53.4	56.5	60.6	62.9	64.5	24.1	
10		647	3286	6459	2831	2574	7	15804
TEN		4.1	20.8	40.9	17.9	16.3	.0	27.5
		33.6	30.6	27.6	25.7	24.9	24.1	
11		19	111	266	108	88	9	601
NOT STATED		3.2	18.5	44.3	18.0	14.6	1.5	1.0
		1.0	1.0	1.1	1.0	.9	31.0	
COLUMN TOTAL		1928	10739	23384	11035	10331	29	57446
		3.4	18.7	40.7	19.2	18.0	.1	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		1	3	17	6	2	1	30
ZERO		3.3	10.0	56.7	20.0	6.7	3.3	.1
		.1	.0	.1	.2	.1	2.7	
1		4	32	52	23	9		120
ONE		3.3	26.7	43.3	19.2	7.5		.5
		.4	.4	.4	.6	.5		
2			28	48	15	2	1	94
TWO			29.8	51.1	16.0	2.1	1.1	.4
			.4	.4	.4	.1	2.7	
3		2	19	36	9	2		68
THREE		2.9	27.9	52.9	13.2	2.9		.3
		.2	.2	.3	.2	.1		
4		6	35	34	13	8		96
FOUR		6.3	36.5	35.4	13.5	8.3		.4
		.5	.5	.3	.3	.4		
5		9	52	74	22	8		165
FIVE		5.5	31.5	44.8	13.3	4.8		.6
		.8	.7	.6	.6	.4		
6		18	100	135	42	15	2	312
SIX		5.8	32.1	43.3	13.5	4.8	.6	1.2
		1.6	1.3	1.1	1.1	.8	5.4	
7		35	193	286	94	40	1	649
SEVEN		5.4	29.7	44.1	14.5	6.2	.2	2.5
		3.1	2.5	2.4	2.4	2.2	2.7	
8		106	692	1047	371	165	5	2386
EIGHT		4.4	29.0	43.9	15.5	6.9	.2	9.0
		9.5	9.1	8.8	9.4	9.0	13.5	
COLUMN TOTAL		1120	7626	11838	3948	1839	37	26408
		4.2	28.9	44.8	15.0	7.0	.1	100.0

(CONTINUED)

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		636	4378	7149	2389	1161	18	15731
NINE		4.0	27.8	45.4	15.2	7.4	.1	59.6
		56.8	57.4	60.4	60.5	63.1	48.6	
10		264	1926	2747	892	395	5	6229
TEN		4.2	30.9	44.1	14.3	6.3	.1	23.6
		23.6	25.3	23.2	22.6	21.5	13.5	
11		39	168	213	72	32	4	528
NOT STATED		7.4	31.8	40.3	13.6	6.1	.8	2.0
		3.5	2.2	1.8	1.8	1.7	10.8	
COLUMN TOTAL		1120	7626	11838	3948	1839	37	26408
		4.2	28.9	44.8	15.0	7.0	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
	COUNT	7	58	243	801	1663	2586	3822	5091	5512	5736	83187
NONE	ROW PCT	.0	.1	.3	1.0	2.0	3.1	4.6	6.1	6.6	6.9	99.2
0	COL PCT	100.0	100.0	98.8	99.0	99.0	99.2	99.0	99.0	99.0	99.4	
	COUNT							4	4	3		35
741	ROW PCT							11.4	11.4	8.6		.0
1	COL PCT							.1	.1	.1		
	COUNT					1	2	2		3	1	21
745,746	ROW PCT					4.8	9.5	9.5		14.3	4.8	.0
2	COL PCT					.1	.1	.1		.1	.0	
	COUNT			2		2	4	4	5	8		75
749	ROW PCT			2.7		2.7	5.3	5.3	6.7	10.7		.1
3	COL PCT			.2		.1	.1	.1	.1	.1		
	COUNT				2	2	4	1	1			37
752.6	ROW PCT				5.4	5.4	10.8	2.7	2.7			.0
4	COL PCT				.1	.1	.1	.0	.0			
	COUNT			2	1		1	4	7	4		52
754.5 - 754.7	ROW PCT			3.8	1.9		1.9	7.7	13.5	7.7		.1
5	COL PCT			.2	.1		.0	.1	.1	.1		
	COUNT			2	3	6	8	11	11	3		93
755.0	ROW PCT			2.2	3.2	6.5	8.6	11.8	11.8	3.2		.1
6	COL PCT			.2	.2	.2	.2	.2	.2	.1		
	COUNT								2			21
758.0	ROW PCT								9.5			.0
7	COL PCT								.0			
	COUNT		3	2	10	9	17	24	27	19		333
ALL OTHER	ROW PCT		.9	.6	3.0	2.7	5.1	7.2	8.1	5.7		.4
8	COL PCT		1.2	.2	.6	.3	.4	.5	.5	.3		
(CONTINUED)	COLUMN TOTAL	7	58	246	809	1680	2607	3862	5141	5569	5771	83854
		.0	.1	.3	1.0	2.0	3.1	4.6	6.1	6.6	6.9	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE, VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
	AGE				25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0 NONE	5745	5677	5534	24546	12518	3222	410	11	5	83187
	6.9	6.8	6.7	29.5	15.0	3.9	.5	.0	.0	99.2
	99.2	99.2	99.3	99.2	99.3	99.4	98.8	84.6	100.0	
1 741	4	1	1	12	5		1			35
	11.4	2.9	2.9	34.3	14.3		2.9			.0
	.1	.0	.0	.0	.0		.2			
2 745,746	1		2	5	2	2				21
	4.8		9.5	23.8	9.5	9.5				.0
	.0		.0	.0	.0	.1				
3 749	5	7	3	25	8	2				75
	6.7	9.3	4.0	33.3	10.7	2.7				.1
	.1	.1	.1	.1	.1	.1				
4 752.6	2	1	2	16	4	2				37
	5.4	2.7	5.4	43.2	10.8	5.4				.0
	.0	.0	.0	.1	.0	.1				
5 754.5 - 754.7	5	2	3	16	6		1			52
	9.6	3.8	5.8	30.8	11.5		1.9			.1
	.1	.0	.1	.1	.0		.2			
6 755.0	6	7	5	19	10	1	1			93
	6.5	7.5	5.4	20.4	10.8	1.1	1.1			.1
	.1	.1	.1	.1	.1	.0	.2			
7 758.0		1		6	6	3	1	2		21
		4.8		28.6	28.6	14.3	4.8	9.5		.0
		.0		.0	.0	.1	.2	15.4		
8 ALL OTHER	22	25	21	94	48	11	1			333
	6.6	7.5	6.3	28.2	14.4	3.3	.3			.4
	.4	.4	.4	.4	.4	.3	.2			
COLUMN TOTAL	5790	5721	5571	24739	12607	3243	415	13	5	83854
	6.9	6.8	6.6	29.5	15.0	3.9	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MAL	AGE / COUNT / ROW PCT / COL PCT	13	14	15	16	17	18	19	20	21	22	ROW TOTAL
0 NONE		10	67	300	791	1355	2171	3069	3459	3758	3785	56971
		.0	.1	.5	1.4	2.4	3.8	5.4	6.1	6.6	6.6	99.2
		100.0	97.1	99.0	98.9	99.3	98.9	98.9	98.9	99.3	99.2	
1 741							2	3	2		3	27
							7.4	11.1	7.4		11.1	.0
							.1	.1	.1		.1	
2 745,746					1	2	1		3	1	1	18
					5.6	11.1	5.6		16.7	5.6	5.6	.0
					.1	.1	.0		.1	.0	.0	
3 749			2		2	3	4	3	7	3		65
			3.1		3.1	4.6	6.2	4.6	10.8	4.6		.1
			.7		.1	.1	.1	.1	.2	.1		
4 752.6				1	1	4	1	1		2		33
				3.0	3.0	12.1	3.0	3.0		6.1		.1
				.1	.1	.2	.0	.0		.1		
5 754.5 - 754.7			1	1		1	4	7	4	3		45
			2.2	2.2		2.2	8.9	15.6	8.9	6.7		.1
			.3	.1		.0	.1	.2	.1	.1		
6 755.0				1		2	2	3		1		19
				5.3		10.5	10.5	15.8		5.3		.0
				.1		.1	.1	.1		.0		
7 758.0							2					14
							14.3					.0
							.1					
8 ALL OTHER		2		5	5	11	19	20	15	17		254
		.8		2.0	2.0	4.3	7.5	7.9	5.9	6.7		.4
		2.9		.6	.4	.5	.6	.6	.4	.4		
COLUMN TOTAL		10	69	303	800	1365	2195	3104	3498	3785	3815	57446
		.0	.1	.5	1.4	2.4	3.8	5.4	6.1	6.6	6.6	100.0

(CONTINUED)

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MAL	AGE / COUNT / ROW PCT / COL PCT	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED			
0		3896	3894	18254	9507	2377	269	5	4	56971
NONE		6.8	6.8	32.0	16.7	4.2	.5	.0	.0	99.2
		99.2	99.4	99.2	99.3	99.4	98.5	83.3	100.0	
1		1	1	10	4		1			27
741		3.7	3.7	37.0	14.8		3.7			.0
		.0	.0	.1	.0		.4			
2			2	5	1	1				18
745,746			11.1	27.8	5.6	5.6				.0
			.1	.0	.0	.0				
3		6	3	23	8	1				65
749		9.2	4.6	35.4	12.3	1.5				.1
		.2	.1	.1	.1	.0				
4		1	2	14	4	2				33
752.6		3.0	6.1	42.4	12.1	6.1				.1
		.0	.1	.1	.0	.1				
5		2	1	14	6		1			45
754.5 - 754.7		4.4	2.2	31.1	13.3		2.2			.1
		.1	.0	.1	.1		.4			
6		2	1	4	2	1				19
755.0		10.5	5.3	21.1	10.5	5.3				.0
		.1	.0	.0	.0	.0				
7				4	5	1	1	1		14
758.0				28.6	35.7	7.1	7.1	7.1		.0
				.0	.1	.0	.4	16.7		
8		18	15	78	39	9	1			254
ALL OTHER		7.1	5.9	30.7	15.4	3.5	.4			.4
		.5	.4	.4	.4	.4	.4			
COLUMN TOTAL		3926	3919	18406	9576	2392	273	6	4	57446
		6.8	6.8	32.0	16.7	4.2	.5	.0	.0	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MAL		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
NONE	0	7	48	176	501	872	1231	1651	2022	2053	1978	26216
	ROW PCT	.0	.2	.7	1.9	3.3	4.7	6.3	7.7	7.8	7.5	99.3
	COL PCT	100.0	100.0	99.4	99.0	99.1	99.1	99.0	99.3	99.1	99.6	
741	1							2	1	1		8
	ROW PCT							25.0	12.5	12.5		.0
	COL PCT							.1	.0	.0		
745,746	2							1				3
	ROW PCT							33.3				.0
	COL PCT							.1				
749	3							1		2	1	10
	ROW PCT							10.0		20.0	10.0	.0
	COL PCT							.1		.1	.1	
752.6	4					1	1					4
	ROW PCT					25.0	25.0					.0
	COL PCT					.1	.1					
754.5 - 754.7	5				1							7
	ROW PCT				14.3							.0
	COL PCT				.2							
755.0	6				2	2	6	6	9	8	3	74
	ROW PCT				2.7	2.7	8.1	8.1	12.2	10.8	4.1	.3
	COL PCT				.4	.2	.5	.4	.4	.4	.2	
758.0	7											7
	ROW PCT											.0
	COL PCT											
ALL OTHER	8			1	2	5	4	6	5	7	4	79
	ROW PCT			1.3	2.5	6.3	5.1	7.6	6.3	8.9	5.1	.3
	COL PCT			.6	.4	.6	.3	.4	.2	.3	.2	
(CONTINUED)	COLUMN TOTAL	7	48	177	506	880	1242	1667	2037	2071	1986	26408
		.0	.2	.7	1.9	3.3	4.7	6.3	7.7	7.8	7.5	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
	0	1960	1781	1640	6292	3011	845	141	6	1	26216
NONE		7.5	6.8	6.3	24.0	11.5	3.2	.5	.0	.0	99.3
		99.2	99.2	99.3	99.4	99.3	99.3	99.3	85.7	100.0	
	1	1			2	1					8
741		12.5			25.0	12.5					.0
		.1			.0	.0					
	2					1	1				3
745,746						33.3	33.3				.0
						.0	.1				
	3	2	1		2		1				10
749		20.0	10.0		20.0		10.0				.0
		.1	.1		.0		.1				
	4				2						4
752.6					50.0						.0
					.0						
	5	2		2	2						7
754.5 - 754.7		28.6		28.6	28.6						.0
		.1		.1	.0						
	6	5	5	4	15	8		1			74
755.0		6.8	6.8	5.4	20.3	10.8		1.4			.3
		.3	.3	.2	.2	.3		.7			
	7		1		2	1	2		1		7
758.0			14.3		28.6	14.3	28.6		14.3		.0
			.1		.0	.0	.2		14.3		
	8	5	7	6	16	9	2				79
ALL OTHER		6.3	8.9	7.6	20.3	11.4	2.5				.3
		.3	.4	.4	.3	.3	.2				
	COLUMN TOTAL	1975	1795	1652	6333	3031	851	142	7	1	26408
		7.5	6.8	6.3	24.0	11.5	3.2	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

MAL		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0	COUNT	3008	18211	34940	14871	12092	65	83187
NONE	ROW PCT	3.6	21.9	42.0	17.9	14.5	.1	99.2
	COL PCT	98.7	99.2	99.2	99.3	99.4	98.5	
1	COUNT		8	17	7	3		35
741	ROW PCT		22.9	48.6	20.0	8.6		.0
	COL PCT		.0	.0	.0	.0		
2	COUNT	1	8	8	3	1		21
745,746	ROW PCT	4.8	38.1	38.1	14.3	4.8		.0
	COL PCT	.0	.0	.0	.0	.0		
3	COUNT	5	20	33	11	6		75
749	ROW PCT	6.7	26.7	44.0	14.7	8.0		.1
	COL PCT	.2	.1	.1	.1	.0		
4	COUNT	3	6	13	7	8		37
752.6	ROW PCT	8.1	16.2	35.1	18.9	21.6		.0
	COL PCT	.1	.0	.0	.0	.1		
5	COUNT	6	10	24	6	6		52
754.5 - 754.7	ROW PCT	11.5	19.2	46.2	11.5	11.5		.1
	COL PCT	.2	.1	.1	.0	.0		
6	COUNT	4	28	48	8	5		93
755.0	ROW PCT	4.3	30.1	51.6	8.6	5.4		.1
	COL PCT	.1	.2	.1	.1	.0		
7	COUNT	2	1	8	4	6		21
758.0	ROW PCT	9.5	4.8	38.1	19.0	28.6		.0
	COL PCT	.1	.0	.0	.0	.0		
8	COUNT	19	73	131	66	43	1	333
ALL OTHER	ROW PCT	5.7	21.9	39.3	19.8	12.9	.3	.4
	COL PCT	.6	.4	.4	.4	.4	1.5	
	COLUMN TOTAL	3048	18365	35222	14983	12170	66	83854
		3.6	21.9	42.0	17.9	14.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		1901	10648	23192	10939	10263	28	56971
NONE		3.3	18.7	40.7	19.2	18.0	.0	99.2
		98.6	99.2	99.2	99.1	99.3	96.6	
1			5	13	6	3		27
741			18.5	48.1	22.2	11.1		.0
			.0	.1	.1	.0		
2		1	7	6	3	1		18
745,746		5.6	38.9	33.3	16.7	5.6		.0
		.1	.1	.0	.0	.0		
3		3	17	28	11	6		65
749		4.6	26.2	43.1	16.9	9.2		.1
		.2	.2	.1	.1	.1		
4		2	5	12	7	7		33
752.6		6.1	15.2	36.4	21.2	21.2		.1
		.1	.0	.1	.1	.1		
5		5	8	21	5	6		45
754.5 - 754.7		11.1	17.8	46.7	11.1	13.3		.1
		.3	.1	.1	.0	.1		
6			4	10	4	1		19
755.0			21.1	52.6	21.1	5.3		.0
			.0	.0	.0	.0		
7		1		4	3	6		14
758.0		7.1		28.6	21.4	42.9		.0
		.1		.0	.0	.1		
8		15	45	98	57	38	1	254
ALL OTHER		5.9	17.7	38.6	22.4	15.0	.4	.4
		.8	.4	.4	.5	.4	3.4	
COLUMN TOTAL		1928	10739	23384	11035	10331	29	57446
		3.4	18.7	40.7	19.2	18.0	.1	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		1107	7563	11748	3932	1829	37	26216
		4.2	28.8	44.8	15.0	7.0	.1	99.3
		98.8	99.2	99.2	99.6	99.5	100.0	
1 741			3	4	1			8
			37.5	50.0	12.5			.0
			.0	.0	.0			
2 745,746			1	2				3
			33.3	66.7				.0
			.0	.0				
3 749		2	3	5				10
		20.0	30.0	50.0				.0
		.2	.0	.0				
4 752.6		1	1	1		1		4
		25.0	25.0	25.0		25.0		.0
		.1	.0	.0		.1		
5 754.5 - 754.7		1	2	3	1			7
		14.3	28.6	42.9	14.3			.0
		.1	.0	.0	.0			
6 755.0		4	24	38	4	4		74
		5.4	32.4	51.4	5.4	5.4		.3
		.4	.3	.3	.1	.2		
7 758.0		1	1	4	1			7
		14.3	14.3	57.1	14.3			.0
		.1	.0	.0	.0			
8 ALL OTHER		4	28	33	9	5		79
		5.1	35.4	41.8	11.4	6.3		.3
		.4	.4	.3	.2	.3		
COLUMN TOTAL		1120	7626	11838	3948	1839	37	26408
		4.2	28.9	44.8	15.0	7.0	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 5024

Department of Human Resources
Division of Health Services
State Center for Health Statistics
P.O. Box 2091
Raleigh, North Carolina 27602

Bulk Rate
U.S. Postage
PAID
RALEIGH, N.C. 27602
PERMIT NO. 1862

CHERYL W. MCLEAN
ASST. DOCUMENTS LIBRARIAN
DIVISION OF STATE LIBRARY
ARCHIVES/LIBRARY BLDG.